

Manufacturer: BAS STEEL PROFILE SRL str. Vocalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		A01		MILL'S TEST CERTIFICATE (ACCTO EN10204 / 3.1) No. 1277 Date: 02.02.2023		A02		A10	
Customer: METALCA-ZUEV		A06		Welded cold sized tubes STEEL Grade S235JRH, Direct welded		A03		Transport: YMM734/A126AB	
Contract No. 1D		A07		Package wrapped with 6 straps through the side 100% NDT on the weld seam, NDT on the weld seam acc. EN ISO 1085 ,		B12			
Specification № 0009/1D						Total weight, Kg 23799		Total length, m 8 466,00 (meters)	
Order No. Moldova						EN 10219-1/2 S235JRH		Pieces: 1411	
Destination Moldova								Bundles: 23	
 2174									

Product description													
Nr.	B07			B01-B02	B09	B10	B11						

Manufacturer: BAS STEEL PROFILE SRL str. Vocallinaia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport: YMM/34/A176AB			
Customer: METALUCA-ZUEV		No. 1277 Date: 02.02.2023		A03		B08 Pieces: 1411	
Contract No. 1D Specification Ne 0009/1D		Welded cold sized tubes STEEL Grade S235JRH, Direct welded Package wrapped with 6 straps through the side 100% NOT on the weld seam, NOT on the weld seam acc. EN ISO 1088 ,		A07		B12 Total weight, Kg 23799 EN 10219-1/2 S235JRH	
Order No. Destination Moldova		Plain ends, straight cut from mill		A10		B08 Bundles: 23	
				2174			

		Mechanical Test											
		C02		C03									
		Direction of the test pieces		Test temperature									
B09	B10	Steel	B07	Heat									
Dimension(mm)	W.T.(mm)	Grade	Nr. Bundles										
50x30	3	S235JRH	7069\22	890489	L	ambient	319	427	29				
50x30	3	S235JRH	7068\22	890489	L	ambient	319	427	29				
50x30	3	S235JRH	8092\22	221381-3	L	ambient	305	400	30				
50x30	3	S235JRH	8094\22	221381-3	L	ambient	305	400	30				
80x40	2	S235JRH	0019\23	122483	L	ambient	284	397	32				
80x40	2	S235JRH	0018\23	122703	L	ambient	284	397	32				
80x40	2	S235JRH	0023\23	122483	L	ambient	284	397	32				
80x40	2	S235JRH	0022\23	122483	L	ambient	284	397	32				
80x40	2	S235JRH	8435\22	122035-9	L	ambient	325	420	31				
80x40	2	S235JRH	6348\22	180294	L	ambient	351	444	29				
80x40	2	S235JRH	6496\22	890488	L	ambient	370	455	10				
80x40	2	S235JRH	8437\22	21210131	L	ambient	319	412	28				
80x40	2	S235JRH	0002\23	122421	L	ambient	319	412	28				
80x40	2	S235JRH	0003\23	122421	L	ambient	319	412	28				
80x40	2	S235JRH	0004\23	122526	L	ambient	338	412	26				
80x40	3	S235JRH	0115\23	122213-1	L	ambient	329	417	29				
80x40	3	S235JRH	0114\23	122214	L	ambient	304	417	29				
80x40	3	S235JRH	0112\23	122214	L	ambient	304	417	29				
80x40	3	S235JRH	0111\23	122213-1	L	ambient	329	451	26				
80x40	1,5	S235JRH	9270\22	21210134	L	ambient	410	450	15				
30x20	1,5	S235JRH	9056\22	21210134	L	ambient	410	450	15				
30x20	1,5	S235JRH	9213\22	21210134	L	ambient	410	450	15				

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
Visual inspection: checked without any objection
Tolerances on dimensions and shape: pass

Graded: up,
Eng. Stiliuș Nicolae

Signature of the QM representative
Eng. Bogdan Vartică