



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Acer	Logo
Company name *	Acer Inc	
Contact information *	Name: RU Jan	acer
e-mail address	e-mail: RU.Jan@acer.com	
Internet site *	www.acer.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	TMP416-52,TMP416-52G,TMP416-72				
Model number *	N23Q15				
Issue date *	2023-05-16				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	N23Q15	Logo	
Issue date *	2022-05-16		acer

Product 6	environmental attributes - Legal requirements F	Require	ment met
Item		Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.acer-group.com/sustainability/en/chemical-management-plans.html		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	\boxtimes	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)		
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):		
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference).		
	Required information is; given in item P15 or added to this document,	\boxtimes	
DE	available at (add URL): www.acer.com		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	, 🗀	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	N23Q15	Logo	2606
Issue date *	2022-05-16		acer

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ	X	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\sqcap}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: PC Material type: ABS/POM/PVC/PBT/S	:iliaan/alı	.main	
	ABS/POW/PVC/PB1/S	silicon/alt	annin	
P7.12	Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of internal electrical cables are PVC free.	T		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\square	
	halogen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\square		
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: 9,10-Dihydro-9-oxa-	\boxtimes		
	10-phosphaphenanthrene 10-Oxide, CAS #: 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		\boxtimes	
D7.40	according ISO 1043-4:			
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:	\bowtie		
	Chemical name: Aromatic		ш	
	polyphosphate, CAS #: 181028-79-5 (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "	\boxtimes	Ш	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	Plastic parts > 25 g, are free from flame retardant substances/ preparations above 0,1% are classified as	\boxtimes		
	R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See NOTE B3)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 $\,$ A Guidance document on Chemical substances is available; see $\underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	N23Q15	Logo	
Issue date *	2022-05-16		acer

Product environmental attributes - Market requirements (continued)					Requi	reme	nt met	
Item	m					Yes	No	n.a.
	Material and substance requirements (continued)							
P7.20*	Postconsumer recy	cled plastic material	content is used in the p	product (See NOTE B6)) :			
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated percentage of total plastic by weight) is 37.6557%. 							
	b) The weight of	recycled material is 1	117.9 g.					
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	NOTE B7):				
	Of total plastic of total plastic or	c parts' weight > 25 g	6.		ulated as a percentage			
P7.22*	Light sources are fi	ree from mercury, i.e.	less than 0,1 mg/lamp					
D7 00*		specify: Number of lar	mps: and maxin	num mercury content p	er lamp: mg			
P7.23*	•	an integral display, th	ie total mercury conter	it in the integrated disp	lay: 0 mg		Ш	
P8 P8.1*	Batteries	amposition: Lithium	Battery/RTC battery					
	•		Battery/RTC Dattery					
P9		tion (See NOTE B8)	ls or energy consumpt	iono ara ranartadi				
	-		,	-	_			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		JУ	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)								
PTEC * Typical En	ergy Consumption	1.95W 2.47W	2.12W 2.51W	2.23W 2.62W	Cat.1 ENERGY STA Cat.2 ENERGYSTAR			
				Cat.1 ENERGY STA Cat.2 ENERGYSTAR				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI								
Display resolution * : 1920*1200 megapixels								
Default time to enter energy save mode: 10 minutes								
P9.2* Information about the energy save function is provided with the product.					•			
P9.3 Energy efficiency class (monitors only):								

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	N23Q15	Logo	
Issue date *	2022-05-16		acer

Product	environmental	attributes - Market requirements (contin	nued)		Require	ment	met
Item		· ·	•		Yes	No	n.a.
P10	Emissions						
		 Declared according to ISO 9296 (See NOTE 					
P10.1	Mode	Mode description	Statistical upp L _{WA,c} (B)	er limit A-weighted sound po	wer level,		
	Idle	* Idle	* 2.6				\neg
	Operation	*	*				X
	Other mode						
	Measured accor	rding to: SISO 7779 ECMA-74 Other (only if not covered by	/ ECMA-74)				
	Electromagneti		, - ,				
P10.4	Computer displa program(s):	ay meets the requirement for low frequency elec-	tromagnetic field	s of the following voluntary			
P12		r computing products					
P12.1*		ets the ergonomic requirements of ISO 9241-307					\boxtimes
P12.2*	The physical inp	out device meets the requirements of ISO 9995 a	and ISO 9241-41	0.		\boxtimes	
P13		documentation					
P13.1*	Product packaging material type(s): Papers Product packaging material type(s): PET/PE/PP Product packaging material type(s): weight (kg): 0.0175 Weight (kg):						
P13.2*		orimary packaging is free from PVC.			\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 & 100 %						
P13.4*		or user and product documentation (tick box): laper Other					
P13.5		mplete this item if paper documentation used) of documentation on paper media is chlorine-fre- pecify:	e:				
	Totally chlorine-						
	Elemental chlori	ne-free			\boxtimes		
	Processed chlor	rine-free					
P14	Voluntary prog	rams					
P14.1	The product me	ets the requirements of the following voluntary p	rogram(s):				
	ENERGY STAR Eco-label: Eco-label:	Criteria version: D	ate: 2023/03 ate: ate:	Product category: <i>Notebo</i> Product category: Product category:	ok,1 & 2		
P15	Additional information (See NOTE B10)						
P10	Noise Emission	n: Declared A-weighted sound pressure level	LpAm (Idle 14.	6dB)			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	