



## SAFETY DATA SHEET

### ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** ARKO MEN SHAVING FOAM SENSITIVE

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cosmetic product.

**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** EVYAP SABUN, YAĞ, GLİSERİN SAN. VE TİC. A.Ş.  
İstanbul Deri Organize Sanayi Bölgesi, Güderi Caddesi, No:1  
X-1 Özel Parsel, 34957 Tuzla-İstanbul, Turkey  
Tel: +90 216 581 07 00  
Fax: +90 216 394 19 70

##### 1.4. Emergency telephone number

**Emergency telephone** EVYAP: +90 216 581 07 00

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

**Classification (SI 2019 No. 720)**

**Physical hazards** Aerosol 3 - H229

**Health hazards** Not Classified

**Environmental hazards** Not Classified

**Additional information** Classification (Regulation (EC) No. 1272/2008).

##### 2.2. Label elements

**Signal word** Warning

**Hazard statements** H229 Pressurised container: may burst if heated.

**Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 Do not pierce or burn, even after use.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Labelling notes** Cosmetic product.  
Regulation (EC) No 1272/2008 Of The European Parliament And Of The Council  
Article 1, 5. This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user:  
(c) cosmetic products as defined in Directive 76/768/EEC

##### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current UK criteria.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### SECTION 3: Composition/information on ingredients

The full text for all hazard statements is displayed in Section 16.

**Composition comments**      Cosmetic product.  
See section 8 for workplace exposure limits.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	No specific recommendations.
<b>Ingestion</b>	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Skin contact</b>	No specific recommendations. Rinse with water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	Nausea, vomiting.
<b>Skin contact</b>	No specific symptoms known. Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	Prolonged contact may cause redness and/or tearing.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Pressurised container: may burst if heated Do not pierce or burn, even after use.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### 5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	No specific recommendations. For personal protection, see Section 8.
----------------------	--

### 6.2. Environmental precautions

Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
---------------------------	---



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Following dilution, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of contents/container in accordance with national regulations.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.  
For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). No specific recommendations. Do not pierce or burn, even after use. Do not pressurise, cut, weld, drill, grind or otherwise expose containers to heat or sources of ignition. Do not expose to temperatures exceeding 50°C/122°F.

**Storage class** Aerosol containers and lighters

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Butane

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>  
Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

##### propane

Long-term exposure limit (8-hour TWA): 1000 ppm 1800 mg/m<sup>3</sup>  
Short-term exposure limit (15-minute): 2.8 mg/m<sup>3</sup>

##### Glycerine

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> mist

##### Isobutane

Long-term exposure limit (8-hour TWA): 600 ppm  
Short-term exposure limit (15-minute): 750 ppm  
WEL = Workplace Exposure Limit.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	No specific ventilation requirements.
<b>Eye/face protection</b>	No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
<b>Hand protection</b>	No specific hand protection recommended.
<b>Hygiene measures</b>	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Not regarded as dangerous for the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Aerosol.
<b>Colour</b>	No data available.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	No information available.
<b>Flash point</b>	No information available.
<b>Evaporation rate</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	No information available.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Oxidising properties</b>	No information available.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

**Particle characteristics** No information available.

### 9.2. Other information

**Other information** No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** See the other subsections of this section for further details.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Toxicological effects** Not regarded as a health hazard under current legislation. It is a cosmetic product. Refer to the chemical safety assessment of cosmetic products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### IARC carcinogenicity

None of the ingredients are listed or exempt.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Reproductive toxicity - development

Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

**Information on other hazards** This product does not contain any known or suspected endocrine disruptors.

### Toxicological information on ingredients.

#### ***Butane***

##### ***Acute toxicity - inhalation***

**Notes (inhalation LC<sub>50</sub>)** 15 min, >800000 ppm, Inhalation, Rat

##### ***Germ cell mutagenicity***

**Genotoxicity - in vitro** Bacterial reverse mutation test, (OECD 471): Negative.  
In vitro chromosomal aberration test., (OECD 473): Negative.

**Genotoxicity - in vivo** Mammalian Erythrocyte Micronucleus Test, (OECD Guideline 474), Rat: Negative. Based on the test results of similar product.

**Repeated dose toxicity** Species: Rat, NOEL: >9000 ppm, Method of administration: Inhalation (gas), Exposure time: 6 Weeks (OECD 422)

#### ***propane***

##### ***Acute toxicity - inhalation***



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

Notes (inhalation LC<sub>50</sub>) 15 min, >800000 ppm, Inhalation, Rat

### *Glycerin*

#### *Acute toxicity - oral*

Acute toxicity oral (LD<sub>50</sub> mg/kg) 12,600.0

Species Rat

#### *Acute toxicity - dermal*

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 56750 mg/kg, Dermal, Guinea pig

### *Isobutane*

#### *Acute toxicity - inhalation*

Notes (inhalation LC<sub>50</sub>) 15 min, 570000 ppm, Inhalation, Rat

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

Ecological information on ingredients.

### *Glycerin*

#### *Acute aquatic toxicity*

Acute toxicity - fish LC<sub>50</sub>, 96 hours: >5000 mg/l, Fish

Acute toxicity - aquatic plants EC<sub>50</sub>, 72 hours: >2900 mg/l, Algae

Acute toxicity - microorganisms EC<sub>50</sub>, : 10000 mg/l, Pseudomonas putida

### *Isobutane*

#### *Acute aquatic toxicity*

Acute toxicity - fish LC<sub>50</sub>, 96 hour: 24,11 mg/l,

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hour: 14,22 mg/l, Daphnia magna (Water flea)

Acute toxicity - aquatic plants EC<sub>50</sub>, 72 hour: 7,71 mg/l, Algae

### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

Ecological information on ingredients.





## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### **Butane**

**Persistence and degradability** The substance is readily biodegradable. Based on the test results of similar product.

#### **12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

**Ecological information on ingredients.**

### **Butane**

**Partition coefficient** log Pow: 2.89

### **propane**

**Bioaccumulative potential** log Pow: 2,89,

#### **12.4. Mobility in soil**

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

#### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### **12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** The product does not contain any endocrine disrupting substance.

#### **12.7. Other adverse effects**

**Other adverse effects** None known.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### **SECTION 14: Transport information**

#### **14.1. UN number or ID number**

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS, NON- FLAMMABLE

Proper shipping name (IMDG) AEROSOLS, NON- FLAMMABLE

Proper shipping name (ICAO) AEROSOLS, NON- FLAMMABLE

Proper shipping name (ADN) AEROSOLS, NON- FLAMMABLE

### 14.3. Transport hazard class(es)

ADR/RID class 2.2

ADR/RID classification code 5A

ADR/RID label 2.2

IMDG class 2.2

ICAO class/division 2.2

ADN class 2.2

Transport labels



### 14.4. Packing group

ADR/RID packing group None

IMDG packing group None

ADN packing group None

ICAO packing group None

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

### 14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 3

Tunnel restriction code (E)

Limited quantities (ADR) 1L

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk  
according to IMO instruments Not applicable.



## ARKO MEN SHAVING FOAM SENSITIVE

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products Commission Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) 2020/878 of 18 June 2020.
<b>Authorisations (SI 2020 No. 1577 Annex XIV) and REACH 1907/2006, Annex XIV</b>	No specific authorisations are known for this product.
<b>Restrictions (SI 2020 No. 1577 Annex XVII) and REACH 1907/2006, Annex XVII</b>	No specific restrictions on use are known for this product.
<b>Seveso Directive - Control of major accident hazards</b>	Not relevant.

#### 15.2. Chemical safety assessment

It is a cosmetic product. Refer to the chemical safety assessment of cosmetic products.

**ARKO MEN SHAVING FOAM SENSITIVE**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

**SECTION 16: Other information****Abbreviations and acronyms used in the safety data sheet**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.  
IATA: International Air Transport Association.  
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
IMDG: International Maritime Dangerous Goods.  
CAS: Chemical Abstracts Service.  
ATE: Acute Toxicity Estimate.  
LC50: Lethal Concentration to 50 % of a test population.  
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
EC<sub>50</sub>: 50% of maximal Effective Concentration.  
PBT: Persistent, Bioaccumulative and Toxic substance.  
vPvB: Very Persistent and Very Bioaccumulative.

**Classification abbreviations and acronyms**

Aerosol = Aerosol

**Key literature references and sources for data**

Source: European Chemicals Agency, <http://echa.europa.eu/>  
This SDS is prepared based on the information and documents received from product owner. SDS author shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.

**Classification procedures according to SI 2019 No. 720**

Aerosol 3 - H229: : Expert judgement.

**Issued by**

Elif TAŞKAN/ Evyap Sabun, Yağ, Gliserin San. ve Tic. A.Ş.  
KDU-A-0-0186

**Revision date  
Revision**

13.02.2024  
1.0

**Supersedes date**

13.02.2024

**Hazard statements in full**

H220 Extremely flammable gas.  
H229 Pressurised container: may burst if heated.  
H280 Contains gas under pressure; may explode if heated.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.