

CU Medical

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6- 19pcs	Above 20pcs
CU Medical		EC047IS	CU compible 10-lead ECG cable with leadwire , IEC Round 12pin-> Snap			
		EC047AS	CU compible 10-lead ECG cable with leadwire , AHA, Round 12pin-> Snap			
		EC047IG	CU compible 10-lead ECG cable with leadwire , IEC Round 12pin->Grabber			
		EC047AG	CU compible 10-lead ECG cable with leadwire , AHA, Round 12pin-> Grabber			



Schiller

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6- 19pcs	Above 20pcs
Schiller	AT-1	EC010A	schiller EKG cable ,IEC, DB15M> Banana 4.0			
AT-102, CS-200,		EC010B	schiller EKG cable ,AHA, DB15M> Banana 4.0			
Cardiovit AT-10 plus		EC010C	Schiller EKG Cable ,IEC, DB15M>Grabber			
AT-104 PC, AT-110		EC010D	Schiller EKG Cable, AHA, DB15M>Grabber			
Futuramed :all		EC010E	Schiller EKG Cable ,IEC, DB15M>Snap			
Cardiette , Astron.		EC010F	Schiller EKG Cable, AHA, DB15M>Snap			

Compatibilities

BTL ,
Del Mar ;910,920, 930
 940, 942, 950, 960,970,
 980,
Camina



Petas

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	HeartStart N	6- 19pcs	Above 20pcs
Petas		EC016A	Petas EKG cable , IEC, Round 12pin > Banana 4.0			
		EC016B	Petas EKG cable ,AHA, Round 12pin > Banana 4.0			

Compatible Brand	OEM Part No.	Greatmade No.	Description (Cable &Connector)	1-5 pcs	6-19 pcs	Above 20 pcs
GE Medical		MC007A-3R	<u>Multi-link Leadwire set,3-Lead, Snap, AHA, 76cm & VS 2Pin, with 130M resistance</u>			
Dash, Eagle, Solar		MC007B-3R	<u>Multi-link Leadwire set,3-Lead, Grabber, AHA, 76cm & VS 2Pin, with 130M resistance</u>			
Tram, Unity System		MC007C-3R	<u>Multi-link Leadwire set,3-Lead, Snap, IEC, 76cm & VS 2Pin, with 130M resistance</u>			
	412682-003	MC007D-3R	<u>Multi-link Leadwire set,3-Lead, Grabber, IEC, 76cm & VS 2Pin, with 130M resistanceQ</u>			
		MC007D-3R-L	<u>Multi-link Leadwire set,3-Lead, Grabber, IEC, 130cm & VS 2Pin, with 130M resistanceQ</u>			



Compatible Brand	OEM Part No.	Greatmade No.	Description (Cable &Connector)	1-5 pcs	6-19 pcs	Above 20 pcs
GE Medical		MC006-5AS	one piece ECG cable with leadwire,5-lead,AHA,Snap, 11pin			
Dash Pro4000,		MC006-5AG	one piece ECG cable with leadwire,5-lead,AHA,Grabber			
DASH PRO 3000,		MC006-3AS	one piece ECG cable with leadwires,AHA,3-Lead,Snap			
DASH 2000,1000		MC006-3AG	one piece ECG cable with leadwires,AHA,3-Lead,Grabber			
Eagle system,MAC-Lab,		MC006-5IS	One piece ECG cable with leadwire,5-lead,IEC,Snap.			
Solar 9500, Solar 8000,		MC006-5IG	one piece ECG cable with leadwire,5-lead,IEC,Grabber			
Solar 3000,		MC006-3IS	one piece ECG cable with leadwires,IEC,3-Lead,Snap			
Tram 100., 200, 300,	2021141-002	MC006-3IG	one piece ECG cable with leadwires,IEC,3-Lead,Grabber			
Tram 400, 500, 600.		MC006-5IS				
Unity System		MC006-3AS				



Compatible GE DIN type trunk cable

Compatible Brand	OEM Part No.	Greatmade No.	Description (Cable &Connector)	1-5 pcs	6-19 pcs	Above 20 pcs
GE Dash,Eagle,Mac-lab		MC006DA/I-5	5-LEAD ECG cable, AHA/IEC label, 12ft, DIN yoke, GE 11pin			
Solar, Tram, Unity		MC006DA/I-3	3-LEAD ECG cable, AHA, 12ft, DIN yoke, GE 11pin, with 130M resistance			





Suitable for **GE MEDICAL SYSTEM** : Dash Pro4000, DASH PRO 3000,
Dash PRO 2000,Dash 1000,
Eagle system,MAC-Lab, Solar 9500, Solar 8000,Solar 3000,
Tram 100, Tram 200, Tram 300,Tram 400, Tram 500, Tram 600, Unity System .

Suction Electrode

OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6- 19pcs	Above 20pcs
	EC013A	Adult Suction Electrodes (6 pcs/Set), perfect for 3.0 DIN , Silicone			
	EC013B	Adult Suction Electrodes (6 pcs/ Set), perfect for 4.0 Banana ,silicone			
	EC013A/B	Adult Suction electrodes (6 pcs/ set) , for both 3.0 and 4.0, silicone			
	EC013C	Adult Multi use electrode , 3.0, 4.0 ,Snap , grabber ,Metal PLATING AgCl (Dark)			
	EC013C-S	Adult multi use electrode, 3.0,4.0.Snap,grabber,Metal PLATING Nickel(Shine)			
	EC013D	Pediatric Suction Electrode (6pcs/set) , suitable for 3.0 DIN plug			
	EC013E	Pediatric Suction Electrode (6pcs/set) , suitable for 4.0 banana			
	EC013F	Pediatric Multi-use Electrode(6 pcs/set),for 3.0 , 4.0 , Snap , Grabber , Plating AgCl(Dark)			
	EC013F-S	Pediatric Multi-use Electrode(6 pcs/set),for 3.0,4.0.Snap.Grabber,plating Nickel(Shine)			
	EC013G	Pediatric suction Electrodes (6pcs/set) , suitable for both 3.0 and 4.0			

EC013C



EC013A Suitable for all 3.0mm DIN plug for EKG cable
EC013B Suitable for All 4.0 Banana Plug of EKG Cable .
EC013C For Multi-use , Suitable for all 3.0DIN , 4.0 Banana , Snap and Grabber



EC013A/B



EC013D

EC013A/B is suitable forboth 3.0 and 4.0 banana plug
FC013A/B: Metal diameter : 21mm ,Ball diameter :26mm
C013C Metal diameter : 24mm , Ball diameter : 32mm
C013D/E Metal diameter :17mm, Ball diameter :23mm



EC013F



EC013G

EKG Cable Electrode Adapter

OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6- 19pcs	Above 20pcs
	EC018A	Electrode Adapter , 3.0DIN-> Snap , L=10CM			
	EC018B	Electrode Adapter , 4.0 Banana -> Snap , L=10CM			
	EC018C	Electrode Adapter , 3.0DIN->Grabber , L=10CM			
	EC018D	Electrode Adapter , 4.0 Banana-> Grabber , L=10CM			
	EC018E	Electrode Adapter , 4.0 Banana socket ->3.0 DIN Plug, L=10CM			
	EC018F	Electrode Adapter , 3.0DIN socket->4.0.Banana plug, L=10CM			



NIBP Air Hose

HP/Philips

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
M1599B	CF005	HP Pressure cuff interconnect hose , single tube , L=3m	



Compatible with Philips Medical 78352A/C ,78354A/C ,M1008A/B, M3000 .

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
M1597B	CF005N	HP Pressure cuff interconnect hose for Neonate NIBP , single tube , L=3m	



Compatible with Philips Medical 78352A/C ,78354A/C ,M1008A/B, M3000 .

For Philips Neonate NIBP

M3918A	CF006	Pressure cuff interconnect hose , single tube , L=3m	
--------	-------	--	--



to connect monitor end

to connect cuff end



For **Philips** M3921, M3923, M3926A,M3927A, M3928A, M3929A
 Spacelab 90496 (Adult) ; Nellcor 3100, 4000 .
 Compact A1, Compact A3,Mindray,Schiller ,

For CSI 8100 , Mennen , Biosys BPM-700 . Datascope , Siemens

	CF006 N	Pressure cuff interconnect hose for Neonate NIBP , single tube , L=3m	
--	---------	---	--



to connect monitor end

to connect cuff end



	CF006 -H	Pressure cuff interconnect hose,Helical tube ,single tube , L=3m	
--	----------	--	--

HK GREATMADE TECH LTD

Keep pace with your need

Contact: Shirley Wang
 E-mail: info@greatmade.com , sales@greatmade.com
 Website: <http://www.greatmade.com> , www.greatmade.diytrade.com
 Tel : [86-0755-28144774](tel:86-0755-28144774) , *Fax* : [86-0755-27185453](tel:86-0755-27185453)
 Hotmail : greatmade@hotmail.com
 Skype : Greatmade01

**Reusable/Disposable NIBP Cuff and Air Hose
 (Updated on April ,2012)**

NIBP CUFF

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001A	Neonate Single tube NIBP cuff , 6-11cm Arm Circumference	
CF002A	Infant single tube NIBP cuff , 10-19cm Arm Circumference	
CF003A	Child single tube NIBP cuff , 18-26cm Arm Circumference	
CF004A	Adult single tube NIBP cuff , 25-35cm Arm Circumference	
CF004LA	Large Adult Single Tube Nibp Cuff , 33-47cm Arm Circumference	
CF004TA	THIGH Single Tube Nibp Cuff , 46-66cm Arm Circumference	



CF001A - CF004TA

NIBP Cuff











Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001B	Neonate Dual tube NIBP cuff , 6-11cm Arm Circumference	
CF002B	Infant dual tube NIBP cuff , 10-19cm Arm Circumference	
CF003B	Child dual tube NIBP cuff , 18-26cm Arm Circumference	
CF004B	Adult dual tube NIBP cuff , 25-35cm Arm Circumference	
CF004LB	Large Adult Dual Tube Nibp Cuff , 33-47cm Arm Circumference	
CF004TB	THIGH Dual tube NIBP Cuff,46-66cm Arm Circumference	




Adult Longer Type

CF004XL-A	Adult Long Single tube Nibp Cuff , 33-47cm Arm circumference ,L 690mm*W 145mm	
CF004XL-B	Adult Long Dual tube Nibp Cuff ,33-47cm Arm Circumference .	

Connectors and tubes

BP12	HP Cuff connector(male bayonet)		
BP16	HP Air Hose connector to connect monitor plug		
BP19	HP /Spacelab monitor NIBP socket		
BP15	Female Bayonet connector		
BP15-S	Female bayonet socket of NIBP on monitor		
BP22	GE/ Ohmeda Air hose (dual tubes) connector on Equipment Side		
BP24	GE Air hose (dual tubes) connector on Equipment Side		
BP40	Drager NIBP air hose connector assemblies ,to connector equipment end		
BP17	Quick connect submin male connector		
BP18	quick connect submin female connector		



Non-Bladder Reusable NIBP Cuffs (CF1506B-CF1512B Dual Tube Series)

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1501B	Neonate#1 Durable Nibp Cuff , 3.3-5.6cm Arm Circumference, without gasbag .	
CF1502B	Neonate#2 Durable Nibp Cuff , 4.2-7.1cm Arm Circumference, without gasbag .	
CF1503B	Neonate#3 Durable Nibp Cuff , 5-10.5cm Arm Circumference , without gasbag	
CF1504B	Neonate#4 Durable Nibp Cuff , 6.9-11.7cm Arm Circumference, without gasbag	
CF1505B	Neonate#5 Durable Nibp Cuff , 8.9-15cm Arm Circumference, without gasbag	
CF1506B	Infant#7 Durable Nibp Cuff , 9.8-13.3cm Arm Circumference , without gasbag	
CF1507B	Small Child#8 Durable Nibp Cuff - 12.4-16.8cm Arm Circumference, without gasbag	
CF1508B	Child#9 Durable Nibp Cuff, 15.8-21.3cm Arm Circumference, without gasbag	
CF1509B	Small Adult#10 Durable Nibp Cuff, 20-27 Arm Circumference, without gasbag	
CF1510B	Adult#11 Durable Nibp Cuff, 25.3-34.3cm Arm Circumference, without gasbag	
CF1512B	Large Adult#12 Durable Nibp Cuff, 32.1-43.4cm Arm Circumference, without gasbag	
CF1513B	THIGH #13 Durable Nibp Cuff, 46-66cm Arm Circumference, without gasbag	

CF1507B - CF1512B



BP09-MF	Female screw connector ,Metal		
BP09-MM	Male screw connector , Metal		
BP06	Male Luer (Plastic)		
BP03	Female Luer Connector (Plastic)		
BP07	Male Luer (For Nihon Kohden ,CSI , Datascope Air Hose)		
BP04	Female Luer Connector (For Nihon Kohden ,CSI , Datascope Air Hose)		
BP12-P	Bayonet male Plastic		
BP2T-PO	Disposable cuff connector, Using outer diameter		
BP2T	Adapter connector for Single tube Air Hose		



Front Side

cuffs are with Neonate to THIGH people figure silk printing

Non-Bladder Reusable NIBP Cuffs (CF1501A-CF1512A Single Tube Series)

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1501A	Neonate#1 Durable Nibp Cuff, 3.3-5.6cm Arm Circumference, without gasbag .	
CF1502A	Neonate#2 Durable Nibp Cuff ,4.2-7.1cm Arm Circumference, without gasbag .	
CF1503A	Neonate#3 Durable Nibp Cuff ,5-10.5cm Arm Circumference , without gasbag	
CF1504A	Neonate#4 Durable Nibp Cuff, 6.9-11.7cm Arm Circumference, without gasbag	
CF1505A	Neonate#5 Durable Nibp Cuff, 8.9-15cm Arm Circumference, without gasbag	
CF1506A	Infant#7 Durable Nibp Cuff, 9.8-13.3cm Arm Circumference , without gasbag	
CF1507A	Small Child#8 Durable Nibp Cuff 12.4-16.8cm Arm Circumference, without gasbag	
CF1508A	Child#9 Durable Nibp Cuff, 15.8-21.3cm Arm Circumference, without gasbag	
CF1509A	Small Adult#10 Durable Nibp Cuff,20-27 Arm Circumference, without gasbag	
CF1510A	Adult#11 Durable Nibp Cuff, 25.3-34.3cm Arm Circumference , without gasbag	
CF1512A	Large Adult#12 Durable Nibp Cuff,32.1-43.4cm Arm Circumference, without gasbag	
CF1513A	THIGH #13 Durable Nibp Cuff , 46-66cm Arm Circumference, without gasbag	



OEM-CF1510A	Adult#11 Durable NIBP cuff , 25.3cm to 34.3cm Arm Circumference , without gasbag 520mm Length* 140mm Width	
OEM-CF1510B	Adult#11 Durable NIBP cuff , 25.3cm to 34.3cm Arm Circumference , without gasbag	

Datex-Ohmeda Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda See below compatibilities	OXY-F-UN	AF051	Adult finger clip sensor , <u>8pin Male</u> , L=1M			
		PF051	pediatric finger clip sensor , <u>8pin Male</u> , L=1M.			
		AS051	Adult silicone soft tip sensor , <u>8pin Male</u> , L=1M			
		PS051	Pediatric silicone soft tip sensor , <u>8pin Male</u> , L=1M			
	OXY-W-UN	NW051	neonate silicone wrap sensor , <u>8pin Male</u> , L=1M , Non-detachable			
	OXY-E-UN	AE051	Adult ear clip sensor , <u>8pin Male</u> , L=1M			
		AT051	Animal tongue clip sensor , <u>8pin Male</u> , L=1M			
		NW051-Y	Multi-site Y cable with separate wrap , <u>8pin male</u> , Wrap Detachable			
		NW051-F	Adult/ Neonate multi-site spo2 sensor, 8pin male, with FOAM wrap			

Compatibilities :


Use with Handheld pulse oximeters (Tuftsat, 3775)

Stand Alone pulse oximeter (37** series, 3800, 3900.3900P), respiratory gas monitors (4700, 5259RGM)

M-OSAT module , N-XOSAT option for Cardiocap.5 ; OEM partnerning monitors ;

All S/5 monitors, all AS/3, CS/3 Monitors , Cardiocap , Capnomac Ultima and Satlite

Require Adapter EX043 or EX044 or EX042




Datex-Ohmeda Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda Trusat Pulse Oximeter	OXY-F4-MC	AF063	Adult finger clip sensor , <u>DB9 Male</u> , L=3M			
		PF063	pediatric finger clip sensor , <u>DB9 Male</u> , L=3M			
		AS063	Adult silicone soft tip sensor , <u>DB9 Male</u> , L=3M			
		PS063	Pediatric silicone soft tip sensor , <u>DB9 Male</u> , L=3M			
	OXY-W4-MC	NW063	neonate silicone wrap sensor , <u>DB9 Male</u> , L=3M , Non-detachable			
	OXY-E4-MC	AE063	Adult ear clip sensor <u>DB9 Male</u> L=3M			
		AT063	Animal tongue clip sensor , <u>DB9 Male</u> , L=3M			
		NW063-Y	Multi-site Y cable with separate wrap , <u>DB9 male</u> , Wrap Detachable			
	NW063-F	Adult/ Neonate multi-site spo2 sensor, DB9 male, with FOAM wrap				



Mindray Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Mindray		AF016	Mindray PM 9000-Masimo Adult finger clip sensor,6PIN redel male(Dual) ,L=3m .			



Compatible with **PM-7000, PM-8000, PM-9000, MEC-1000, PM-9000Express, PM-600, new PM-6000, VS-800, (Before October ,2005)**
 With masimo Technology

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Minday		AF017	Mindray adult finger clip spo2 sensor , 5pin redel.single bit .			



Compatible with **Mindray PM9000, Goldway UT4000**
Face Tech ,Biolight ,Anke ,ChoiceMed .
ZhongHengsheng ; KD580; Jerry-med : PM2000
ShenMai : KP-900 ,

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Mindray (Nellcor non-oximax)		AF018	Mindray PM9000 Adult finger clip sensor,6PIN REDEL Male(dual, 40 degree) , L=3M.			
		PF018	Mindray PM9000 Pediatric finger clip sensor,6PIN REDEL Male(dual,40 degree) , L=3M.			
		AS018	Mindray PM9000 Adult silicone soft tip sensor,6PIN REDEL Male(dual,40 degree) , L=3M.			
		PS018	Mindray PM9000 Pediatric silicone soft tip sensor,6PIN REDEL Male(dual,40 degree) , L=3M.			
		NW018	Mindray PM9000/Creative silicon wrap sensor,6PIN REDEL Male(dual,40 degree) , L=3M.			
		AE018	Mindray PM9000 Adult Ear clip sensor,6PIN REDEL Male(dual,40 degree) , L=3M.			
		AT018	Mindray PM9000 Animal Tongue clip sensor,6PIN REDEL Male(dual ,40 degree) , L=3M.			
		NW018-Y	Mindray Multi-site Y cable with separate wrap,6PIN REDEL Male(dual ,40 degree),Wrap Det			
		NW018-F	Mindray Adult/ Neonate multi-site spo2 sensor,6PIN REDEL Male(dual,40 degree),with F			



Compatible with **PM-7000, PM-8000, PM-9000, MEC-1000, PM-9000Express, PM-600, new PM-6000, VS-800, (Before October ,2005)**
 Also compatible with Creative PC9000