



KU - U200

Dry Chemistry Urine Analyzer

Major Features

- 240-520 samples/h
- High memory capacity
- Touch screen operation
- Automatic notification when waste container is full
- The instrument has an intelligent self-test function
- 12 and 14 test parameters

KEYU

KU-U200

Dry Chemistry Urine Analyzer



KU-U200 related products catalogs

Product name	Model	Specifications	Purpose
Urine reagent strips	KU-14A, KU-12B	100 strips/bottle	For dry chemistry test.
Dry Chemistry Urine Analysis Control	NO.I(Negative),NO.II(Positive), NO.III(VC)	4 mL/bottle 15 bottles/box	For quality control.

Technical Specification

- Semi-quantitative reflectance photometer
- Measuring using LEDs colour detector
- Wavelengths: 470
- Evaluation time: 60 s
- Capacity: 240-520 strips per hour
- Touch screen colour LCD display
- Built-in thermal printer
- External communication to PC/LIS/KU600 via RS232
- Connect an external analyzer or a bar code reader via RS232(2)
- Memory capacity: 20000 results
- Consumables: strip and dry chemistry quality control

Working conditions

- Power source: AC 100 -240 V/50-60 Hz
- Power consumption: < 75W
- Temperature: 0-35 °C
- Relative humidity < 80%
- Weight: 6 kg
- Dimensions: 398 x 345 x 220mm

Combination of parameters on the 11/12/14 test strips

Color chart					
Blank CAL					
Nitrite (60S)	Neg		Positive (Pink in any uniform depth)		
Urobilinogen (60S)	3.2 Normal	17	+33	+66	+++130
Bilirubin (60S)	Neg	+17	+50	+100	
Vitamin C (60S)	0	±0.6	+1.4	++2.8	+++5.6
Protein (60S)	Neg	±0.15	+0.3	++1.0	+++≥3.0
Occult blood (60S)	Neg	+10	+28	++80	+++≥200 + Non-hemolytic ++
pH (60S)	5.0	6.0	7.0	8.0	9.0
White blood cells (60S)	Neg	±15	+70	++125	+++500
Glucose (60S)	Neg	±5.5	+14	+++28	+++55
Ketone Body (60S)	Neg	±0.5	+1.5	++3.9	+++≥7.8
microalbumin (60S)	Neg	±0.15			
Specific Gravity (60S)	1.005	1.010	1.015	1.020	1.025 1.030
Urina Creatinine (60S)	0.9	4.4	8.8	17.7	26.5
Calciuria (60S)	≤1.0	2.5	5.0	7.5	10

Description of the device

KU-U200 is quick and simple solution for the Analysis of Urine, which is designed for use in clinical laboratories. Objective evaluation of the urine samples by KU-U200 reader helps to eliminate any subjective interpretation of the colour reaction of the diagnostic pads and therefore remarkably contributes to the correct diagnostic of the patients.

User only needs to dip the sample on the strip rather than drip into the urine and places on the loading area. Movement, timing, measurement and evaluation are done automatically by the Urine Analyzer.

The reader of KU-U200 offers easy control by the touch screen(7.0 inch color LCD)which enables quick and user-friendly control of the instrument. The instrument has intelligent self-test function and provides fault or error information and operation tips. KU-U200 automatically recognizes if the waste container is full and display warning on the screen.

KU-U200 has two standard interface RS232. One of which is used to connect to a computer or other instruments for data output, and the other is used to connect to a bar code reader to record sample bar code information. The results of measurement are possible to print directly on the built-in thermal printer.

KEYU

ZHUHAI KEYU BIOLOGICAL ENGINEERING CO.,LTD.

Add: No. 605, Yuge Road, Jinwan District, Zhuhai City, Guangdong Province, China.

Tel: 4006228819 Fax: 86 0756-6808730

Web: www.keyubio.com Email: export@keyubio.com



Product specifications are subject to change. KEYU company reserved all the right for final explanation.