

Numărul procedurii de achiziție: **ocds-b3wdp1-MD-1771413457327** din **02.03.2026**Obiectul de achiziție: **Tehnică de calcul și periferice**

Codul CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma (fără TVA)	Suma (cu TVA)	Termenul de livrare / prestare	Clasificație bugetară (IBAN)	Discount %	Garanție (luni)
1	2	3	4	5	6	7	8	9	10	11	12
30200000-1	Bunuri/ Servicii:										
Lotul 1											
Poziția 1.1	PC All-in-One Lenovo IdeaCentre 3 27IRH9 Lenovo AIO IdeaCentre 3 27IRH9 Cloud Grey (27" FHD IPS 300nits Core i5-13420H 2.1-4.6GHz, 16GB, 512GB SSD, Wireless KB&MS, No OS) Product Family : IdeaCentre AIO 3 27IRH9 PN: FOHM00SDRU Screen : 27" FHD (1920x1080) IPS 300nits Anti-glare, 99% sRGB, 3-side borderless, hardware low blue light, Non-Touch CPU : Intel® Core™ i5-13420H, 8C (4P + 4E) / 12T, P-core up to 4.6GHz, E-core up to 3.4GHz, 12MB RAM : 1x 16GB SO-DIMM DDR5-5200 HDD : 512GB SSD M.2 2280 PCIe® 4.0x4 NVMe® Opticals : no ODD Card Reader no CR Graphics : Integrated Intel® UHD Graphics WLAN : Wi-Fi® 6, 11ax 2x2 + BT5.2 Camera : 5.0MP Camera 2 x USB2.0 1 x USB3.2 gen2 1 x USB-C® 3.2 gen2 1 x HDMI®-in 1.4 1 x HDMI®-out 2.1 1Gb LAN (RJ-45) Keyboard : Wireless EOS Keyboard, Cloud Grey, Russian Mouse : Wireless EOS Mouse, Cloud Grey Speakers Stereo speakers, 3W x2, HARMAN PSU 90W Adapter Black Firmware TPM 2.0 integrated in SoC OS : No OS Maincase : Cloud Grey	buc.	10	11692,00	14030,40	116920,00	140304,00	30 zile			36
Total Lotul 1						116920,00	140304,00				

Lotul 2										
Poziția 2.1	<p>MFP HP LaserJet Pro 4103dw</p> <p>MFD, A4, Functions: Print, copy, scan Print technology: Laser Duplex printing: Automatic (default) Print speed: A4: Up to 40 ppm Black; Letter: Up to 42 ppm Black First page out: A4: As fast as 6.3 sec Black; Letter: As fast as 6.1 sec Black 2-sided printing A4: Up to 34 ipm Black; Letter: Up to 36 ipm Black Print resolution: Fine Lines (1200 x 1200 dpi), Normal (native 600 x 600 dpi); enhanced up to 4800 x 600 dpi Standard print languages: HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster</p> <p>Color scanning: Yes Scan speed: Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color) 2-sided: Up to 46 ipm (b&w), up to 34 ipm (color) Scan type: Flatbed, ADF / Contact Image Sensor (CIS) Scan resolution: Hardware: Flatbed (Up to 1200 x 1200 dpi); ADF (Up to 300 x 300 dpi); Optical: Up to 1200 x 1200 dpi Scan file format: PDF, JPG, TIFF Scan Size: ADF: 216 x 356 mm Maximum; 102 x 152 mm Minimum; Flatbed: 216 x 297 mm</p> <p>Duplex ADF scanning: Yes ADF capacity: Standard, 50 sheets Bit depth / Grayscale levels: 24-bit/256</p> <p>Memory: Standard:512 MB; Maximum:512 MB Processor speed: 1200 MHz Control panel: 2.7" Color Touchscreen</p> <p>Paper handling: Input Capacities: Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) Standard; Up to 10 envelopes; Output Capacities: Up to 150 sheets Standard; Duplex Options: Automatic (default); Envelope feeder: No; Standard paper trays: 2 Media Weight Supported: ADF 60 to 120 g/m²</p> <p>Duty cycle (monthly): A4: Up to 80,000 pages; Letter: Up to 80,000 pages; Recommended monthly page volume: 750 to 4,000</p> <p>Standard connectivity: 1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabi Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio + BLE</p> <p>Replacement cartridges: HP 151A Black Original LaserJet Toner Cartridge (~3,050 pages), W1510A; HP 151X Black, Original LaserJet Toner Cartridge (~9,700 pages), W1510X</p>	buc.	4	6238,00	7485,60	24952,00	29942,40	30 zile	24	


Poziția 2.2	<p>MFD Canon Maxify GX2040 MFD A4, Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud Print Resolution: Up to 600 x 1200 dpi Print Margins (min.): Top: 5 mm, Bottom: 5 mm, Right: 5 mm, Left: 5 mm Print Technology: 2 Print Heads, Refillable ink tank printer Mono Print Speed: approx. 15.0 ipm Colour Print Speed: approx. 10.0 ipm First-Print-Out Time: Mono: 9 sec (ready / simplex), Colour: 11 sec (ready/simplex) Two Sided Printing: A4, Letter - Plain Paper Maximum Paper Input: Cassette: Max. 250 sheets (plain paper) ADF: A4, LTR = 35, LGL = 5, others = 1 Paper Sizes: A4, A5, B5, LTR, LGL, B-Oficio, M-Oficio, Foolscap, Executive, #10 Envelope, DL Envelope, C5 Envelope, Monarch Envelope, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Custom size (width: 89 mm - 216 mm, length: 127 mm - 355.6 mm) ADF: A5, A4, LTR, LGL Paper Weight: Plain Paper: 64 g/m2 - 105 g/m2, or supported genuine Canon papers Canon paper: Max. paper weight Approx. 265 g/m2</p> <p>Scanner Type: Flatbed (ADF / Platen) CIS colour scanner Scanner Resolution (Optical): 1,200 x 2,400 dpi Line Scanning Speed: Colour: 3.5 ms/line (300 dpi), Greyscale: 1.5 ms/line (300 dpi) Scanning Depth (Input / Output): Colour: RGB each 16bit/8bit, Greyscale: 16 bit / 8 bit Maximum Document Size: Platen: A4/Letter (216 x 297 mm), ADF: A4/Letter/Legal (216 x 355.6 mm) Display Type & Size: 2.7" / 6.7cm LCD (Touch Screen, Color)</p> <p>Fax Type: Desktop Transceiver (Super G3/Color Communication) Fax Resolution: Mono: 8pels/mm x 3.85 lines/mm (Standard), 8pels/mm x 7.7 lines/mm (Super G3) Colour: 200 x 200 dpi, Fax Speed: Mono: approx. 3 sec., Colour: approx. 1 min.</p> <p>Interface: Hi-Speed USB (B Port), Ethernet: 10/100Mbps (auto switchable), Wi-Fi: IEEE 802.11n</p> <p>Consumables: Standard Ink Bottles GI-45 BK, 3,000 pages (Economy mode 4,500 pages) GI-45 C, 3,000 pages (Economy mode 4,500 pages) GI-45 M, 3,000 pages (Economy mode 4,500 pages) GI-45 Y, 3,000 pages (Economy mode 4,500 pages) Maintenance Cartridge: MC-G05 (User Replaceable)</p>	buc.	1	5599,00	6718,80	5599,00	6718,80	30 zile		24
Total Lotul 2						30551,00	36661,20			
Lotul 3										
Poziția 3.1	<p>Cartridge Canon 057H ORINK OR-H259X/CRG057H HP LJ Pro M404/406/MFP M428; Canon LBP223/226/228/233/236/MF443/445/446/449/453/455/iR X 1238, CRG T08, w/o chip (10.000p)</p>	buc.	6	140,00	168,00	840,00	1008,00	30 zile		---
Poziția 3.2	<p>Cartridge Canon 056H StarInk CBT-CF289X/CRG-056H HP LJ Pro M507/MFP M528; Canon MF542/543/iR1643, CRG T06, w/o chip (10.000p)</p>	buc.	3	178,00	213,60	534,00	640,80	30 zile		---
Poziția 3.3	<p>Cartridge Canon 070H ORINK OR-H1490X/CRG070H HP LJ Pro 4002/Pro MFP 4102; Canon LBP243/246/MF461/463/465/467/X 1440i, CRG-T13, w/o chip (10.200p)</p>	buc.	6	154,00	184,80	924,00	1108,80	30 zile		---
Total Lotul 3						2298,00	2757,60			

Lotul 4										
Poziția 4.1	PSU ATX 700W Power Supply ATX 700W GAMEMAX GE-700, 80+, 120mm, Active PFC, Temperature control fan, Black . Elegant black PSU casing with full black mesh cables ATX12V Ver.2.30 compliant with ATX12V Ver.2.31 High efficiency PSU, 80+ APFC, up to 85% efficiency Single 12V Rail for high compatibility and extreme high current output Longer 20 + 4 and 4 + 4 pins up to 550mm is easy for high-end tower chassis installation 12cm silent black fan with smart thermal fan speed control circuit Full protection functions with OVP / UVP / OPP / SCP / SIP / OCP Safety and EMC certified by CE ECO friendly by RoHS and Erp 2013 directives	buc.	5	742,00	890,40	3710,00	4452,00	30 zile		24
Poziția 4.2	HDD 10Tb, 7200rpm, 512Mb, SATA-3 3.5" HDD 10.0TB-SATA-512MB Western Digital Gold (WD103KRYZ), Enterprise, 24/7, CMR, 7200rpm, 2.0M (MTBF) Capacitate memorie: 10 TB Sistem de stocare a datelor: 3.5" Interfață SSD: SATA-3 (6 Gb/s) Dimensiune memorie tampon (cache): 512 MB Viteza axului: 7200 RPM Rata de transfer : 267 MB/	buc.	4	7402,00	8882,40	29608,00	35529,60	30 zile		36
Poziția 4.3	SSD 2.5" 515Gb, SATA-3 2.5" SATA SSD 512GB Apacer "AS350X" [R/W:560/540MB/s, 87/80K IOPS, 3D-NAND TLC], Retail Capacitate stocare: 512 GB Sistem de stocare a datelor: 2.5"/7 mm Interfață SSD: SATA-3 (6 Gb/s) Tip de memorie flash: 3D TLC Viteza maximă de citire: 560 MB/s Viteza de scriere maximă: 540 MB/s	buc.	8	1527,00	1832,40	12216,00	14659,20	30 zile		36
Poziția 4.4	SSD M.2 NVMe 512Gb .M.2 NVMe SSD 512GB Apacer AS2280Q4L [PCIe 4.0 x4, R/W:3600/3000MB/s, 410K/600K IOPS, 300 TBW, 3D NAND TLC] Capacitate stocare: 512 GB Sistem de stocare a datelor: M.2 NVMe Interfață SSD: NVMe PCIe 4.0 x4 Tip de memorie flash: 3D TLC Viteza maximă de citire: 3600 MB/s Viteza de scriere maximă: 3000 MB/s	buc.	7	1992,00	2390,40	13944,00	16732,80	30 zile		36
Total Lotul 4						59478,00	71373,60			

Lotul 5										
Poziția 5.1	WiFi AccessPoint TP-Link Festa F67 Wi-Fi 6 Dual Band Access Point TP-LINK "Festa F67", AX5400, 2.5GbE, Self-Organizing Networking and Zero-Touch Provisioning, PoE+ Rețea Ethernet: 1x 2.5 Gigabit Ethernet Standardul Wi-Fi: IEEE 802.11a/b/g/n/ac/ax Viteza Wi-Fi: 574 Mbps, 4804 Mbps PoE: 802.3at PoE	buc.	4	1992,00	2390,40	7968,00	9561,60	30 zile		24
Poziția 5.2	Acumulator 12V/9Ah	buc.	10	276,00	331,20	2760,00	3312,00	30 zile		24
Poziția 5.3	Switch-Hub RG-ES218GC-P, 18 port (16xPoE+2p) 18-Port Gigabit Smart POE Switch, 16 Gigabit RJ45 Ports including 16 POE/POE+ Ports, 2 SFP Slots, 240W PoE power budget, 13-inch Rack-mountable Steel Case	buc.	3	3374,00	4048,80	10122,00	12146,40	30 zile		24
Total Lotul 5						20850,00	25020,00			
Lotul 6										
Poziția 6.1	Videocamera IP, externa IPC2128LB-ADF28K-DL, 8 Mpx • Ultra 265, 2.8mm, ColorHunter Dual-Light; • 1/2.7" CMOS, 2.8mm, 120dB WDR • 3840x2160:20fps, Ultra 265 • ИК-подсветка до 30м, Белый свет: до 30м (850 нм), ColorHunter: 0.005Lux • Встроенный микрофон, MicroSD • DC12V & PoE, IP67 • Рабочая температура: -30°C ~ 60°C	buc.	10	1236,00	1483,20	12360,00	14832,00	30 zile		24

Pozitia 6.2	Videoregistrator NVR Uniview NVR302-16B-IQ (16ch) <ul style="list-style-type: none"> • 2 SATA interfeisа до 20 ТБ, 1U, Ultra 265, 2*LAN • Поддержка форматов кодирования Ultra 265/H.265/H.264; • входящий / исходящий поток 160 Мбит/с / 128 Мбит/с; • Одновременное подключение 128; Onvif; • 1*HDMI, 1*VGA (работают в независимом режиме); • 2*RJ45 10M/100M/1000M, 2*USB2.0, 1*USB3.0; • Audio out: 1/1; • Поддержка разрешения записи до 12 Мп; • технология ANR (сохранение видеоархива на SD карте памяти камеры и передача в архив видеорегистратора при восстановлении сети); • Обновление видеорегистратора и видеокамер (только Uniview) прошивки через облако. • 4-ch snapshot, up to D1 resolution • Num of Concurrent Playback: 16-ch • VCA Detection by IPC: Face Detection; face detection; Vehicle Detection; SIP (Intrusion Detection, Cross Line Detection, Enter Area, Leave Area); Ultra Motion Detection (UMD); People Counting (People Flow Counting, Crowd Density Monitoring); Traffic Monitoring • Smart by NVR: Face Detection; face detection; Smart Intrusion Prevention (SIP); Ultra Motion Detection (UMD) • VCA Search: Motor Vehicle Search; Non-Motor Vehicle Search • Smart by IPC: All channels (up to 8 images/s in total)Face Det • Vehicle Picture Library: Up to 5 vehicle picture libraries,with up • SIP by NVR: 2-ch • UMD by NVR: 4-ch + Switch-Hub NSW2020-16T2GC-LPOE-INP, 18 port (16xPoE+2p) 16-PoE портов 10/100 Мбит/с. + 2 порт Gigabit RJ45/SFP	buc.	2	4304,00	5164,80	8608,00	10329,60	30 zile		24
Total Lotul 6						20968,00	25161,60			
Lotul 7										
Pozitia 7.1	Distrugator de documente Fellowes Powershred 450M Fellowes Powershred@ 450M, DIN Level P-5, Cross 2x12mm, Capacity 8sheets, Vol.22 lit Staples, DVD	buc.	2	6020,00	7224,00	12040,00	14448,00	30 zile		24
Total Lotul 7						12040,00	14448,00			
Total:						263105,00	315726,00			

Semnat:

Numele, prenumele: **Martinov Iurie**În calitate de: **Director comercial**Ofertantul: **"Xpert PC" SRL**, Adresa: **s. 31 August 1989, nr.98**