

# MAXI ASPEED HIGH FLOW ASPIRATOR FOR HOSPITAL USE



28288  
28291  
28292

MADE IN ITALY



28285  
28286  
28289



Telescopic handle

Foot switch integrated with 28286, 28288, 28290, 28292



## MAXI ASPEED SURGICAL ASPIRATORS

Surgical aspirators for aspiration of body liquids in operating theatres and hospitals.

### Easy to carry

Equipped with 4 antistatic wheels with brake and carrying telescopic handle.


### Developed to run continuously

Made of highly heat resistant, electrically insulated plastic material in conformity with latest European safety standards. Vacuum regulator with BAR/PSI vacuometer and automatic flow direction regulator to easily switch from a jar to the other. Supplied with 2 autoclavable polycarbonate jars with safety valve (overflow protection), set of atoxic sterilizable silicone tubes, antibacterial hydrophobic filters (2) and multilingual manual (GB, FR, IT, DE, ES).

| GIMA code | MAXI ASPEED      | Jar   | Power | Foot switch | Flow direction diverter* |
|-----------|------------------|-------|-------|-------------|--------------------------|
| 28285     | Maxi Aspeed 60 l | 2x2 l | 230 V | -           | yes                      |
| 28286     | Maxi Aspeed 60 l | 2x2 l | 230 V | yes         | yes                      |
| 28288     | Maxi Aspeed 60 l | 2x4 l | 230 V | yes         | yes                      |
| 28289     | Maxi Aspeed 90 l | 2x2 l | 230 V | -           | yes                      |
| 28290     | Maxi Aspeed 90 l | 2x2 l | 230 V | yes         | yes                      |
| 28291     | Maxi Aspeed 90 l | 2x4 l | 230 V | -           | yes                      |
| 28292     | Maxi Aspeed 90 l | 2x4 l | 230 V | yes         | yes                      |

\*Allows to direct suctioned liquids to any of the 2 jars

### ACCESSORIES

|       |  |   |
|-------|--|---|
| 28294 | Autoclavable jar 2 l with safety valve               |  |
| 28295 | Autoclavable jar 4 l with safety valve               |   |
| 28297 | Hydrophobic antibacterial filter                     |   |
| 25482 | Silicone tube - 8x14 mm - roll of 30 m               |   |
| 28293 | Pre-cut silicone tube 8x14 - 1.3 m                   |   |
| 28253 | Adapter to connect catheter to silicone tube - spare |   |
|       | Suction catheter see page 51                         |   |

| TECHNICAL SPECIFICATIONS |                       |              |                            |
|--------------------------|-----------------------|--------------|----------------------------|
| Operating voltage:       | 230 V - 50/60 Hz      | Noise level: | 50-60 dBA                  |
| Air flow:                | 60 or 90 l/min        | Size:        | 470x580x560 mm             |
| Operating cycle:         | continuous            | Weight:      | 15 kg (60 l), 17 kg (90 l) |
| Adjustable vacuum level: | 0-0.90 bar (0-90 kPa) | MDD class:   | Ila                        |

# MEDICAL GRADE SILICONE TUBES FOR EXTERNAL USE



MADE IN SPAIN

**SILICONE TUBES for external medical use - silicone 100%**  
Suitable for autoclaving (135°C - 2.2-2.5 bar) and Gamma Sterilization. Resistant to hot air up to 200°C. Infra-red vulcanization. Hours treatment at 200°C temperature in special oven. Anti-adherent, avoid incrustation and coagulation. Medical Grade - Transparent - Odourless

| TECHNICAL SPECIFICATIONS |                                       |          |                         |
|--------------------------|---------------------------------------|----------|-------------------------|
| Raw material:            | HTV-R-401/60 S - WACKER (D)           | Colour:  | translucent             |
| Hardness:                | 60° ±5% Shore - DIN 53505             | Density: | 1.17 g/ccm - DIN 53479A |
| Tensility:               | 10.8 N/mm <sup>2</sup> - DIN 53504 S1 | Stretch: | 490/530% - DIN 53504S1  |
| Tear resistance:         | 34-35 N/mm - ASTM D 624 B             |          |                         |
| Reverse pull elasticity: | 51% - DIN 53512                       |          |                         |
| Compression set:         | (22h/175°C): 30-15% - DIN 53517       |          |                         |

Made in European Union according to: US PHARMACOPOEIA XXI  
EUROPEAN PHARMACOPEA DIN 58367 - DIN 58362 - DIN 13098- FDA 177.2600 - BGA XV part A and B - BGA IX part B

| GIMA code | Internal diameter x external diameter | Thickness mm  | Minimum order |
|-----------|---------------------------------------|---------------|---------------|
| 25450     | 1x3 mm                                | 1 mm          | roll of 100 m |
| 25451     | 2x4 mm                                | 1 mm          | roll of 100 m |
| 25452     | 3x5 mm                                | 1 mm          | roll of 100 m |
| 25453     | 4x6 mm                                | 1 mm          | roll of 100 m |
| 25455     | 6x8 mm                                | 1 mm          | roll of 30 m  |
| 25458     | 3x6 mm                                | 1.5 mm        | roll of 30 m  |
| 25459     | 4x7 mm                                | 1.5 mm        | roll of 30 m  |
| 25460     | 5x8 mm                                | 1.5 mm        | roll of 30 m  |
| 25461     | 6x9 mm                                | 1.5 mm        | roll of 30 m  |
| 25462     | 7x10 mm                               | 1.5 mm        | roll of 30 m  |
| 25466     | 4x8 mm                                | 2 mm          | roll of 30 m  |
| 25467     | 5x9 mm                                | 2 mm          | roll of 30 m  |
| 25468     | 6x10 mm                               | 2 mm          | roll of 30 m  |
| 25469     | 8x12 mm                               | 2 mm          | roll of 30 m  |
| 25470     | 10x14 mm                              | 2 mm          | roll of 30 m  |
| 25474     | 5x10 mm                               | 2.5 mm        | roll of 30 m  |
| 25475     | 7x12 mm                               | 2.5 mm        | roll of 30 m  |
| 25476     | 8x13 mm                               | 2.5 mm        | roll of 30 m  |
| 25477     | 10x15 mm                              | 2.5 mm        | roll of 30 m  |
| 25480     | 6x12 mm                               | 3 mm          | roll of 30 m  |
| 25481     | 7x13 mm                               | 3 mm          | roll of 30 m  |
| 25482     | 8x14 mm                               | 3 mm          | roll of 30 m  |
| 25483     | 9x15 mm                               | 3 mm          | roll of 30 m  |
| 25484     | 10x16 mm                              | 3 mm          | roll of 30 m  |
| 25485     | 12x18 mm                              | 3 mm          | roll of 30 m  |
| 25488     | 8x15 mm                               | 3.5 mm        | roll of 30 m  |
| 25491     | 10x20 mm                              | 5 mm          | roll of 30 m  |
| 25495     |                                       | made to order | 500 m         |

**MADE TO ORDER SILICONE TUBES\***  
We can manufacture any size (minimum order 500 m)

\*delivery 30 days

# GELID COAGULATIVE POWDER

## • 28141 GELID COAGULATIVE POWDER 50 g - box of 25

Super absorbent polymer powder used to turn infected medical liquid waste into a gel-like substance. Mixed with liquid waste, it solidifies and reduces the risk associated with spills of organic liquids. 50 g of product have an absorption capacity of 3000 ml. It can be used for surgical and bronchial suction system (canister or bags); canister for laboratory's liquid; dialysis liquid...  
Material: sodium polyacrylate cross-linked. Packed in aluminum pouch.



28141