

# The Original Exultant Expert

# **OT-2000**PLUS

OPHTHALMIC OPERATION TABLE

MAXIMUM FUNCTIONALITY; MINIMUM FLOORSPACE

CE ISO 9001-2015 CERTIFIED



NEOTECH Medical Private Limited

## The Original Exultant Expert

Ergonomic Operation Table With Comprehensive OPHTHALMIC

**OPERATION TABLE** 

#### Neotech: A Tradition of Innovation:

Accessories Range

Neotech Medical Pvt Ltd. A frontline medical equipment manufacturing company widely acknowledged today for its quality, reliability & techno-innovations.

The Neotech range of ophthalmological equipment is manufactured in state-ofindustry standards. Their designs are based on the deep insight into the real needs & wants of Ophthalmologists, garnered by the company's promoters

the-art technology, conforming to global across decades.

This qualitative edge is complemented by efficient in-time delivery, conscientious

after-sales services and timely techno-

counsel.

### **OT 2000 PLUS: An Ideal Ophthalmo Platform:**

- OT 2000 PLUS is a new generation, fluidly motorized Operation Table with feature-empowered design.
- Motorised Vertical Height Adjustment enables the ophthalmologist to perform from a convenient, comfortable standing or sitting position.
- Optimally Positioned Head Rest with manually controlled up & down motion option allows the surgeon easy access to the patient, while offering the patient comfortable head positioning. Plus, there is ample leg room, and sufficient space for equipment pedals.
- Spacious, Antistatic Polyurethane Cushions offer patients excellent comfort, and are easy to clean & maintain.
- Adjustable Wrist Support offers surgeons convenient stability during operations.
- Built-in Trendelenberg (Head Low) & Reverse Trendelenberg (Head Up) Positions ensures safety during emergencies.



SPECIFICATIONS	OT-2000 PLUS
Min. Height Chair	640 mm
Max. Height Chair	850 mm
Tilting Movement	20° Up/Down
Stroke	210 mm
Head Rest Movement	100 mm Up/Down
Total Length	1880 mm
Max Load carry	135 Kg
Power	230 v 50/60 HZ
Total Width	690 mm
Total Weight	110 kg.

MAXIMUM FUNCTIONALITY; MINIMUM FLOORSPACE

**ISO 9001-2015 CERTIFIED** 

[Please Note: Specifications are subject to modifications, as per emerging market demands.]





