



CENTRUL TEHNIC PENTRU SECURITATE
INDUSTRIALĂ ȘI CERTIFICARE SRL



CERTIFICAT DE CONFORMITATE

Nr. de înregistrare

OCP_{GSP} MD 015 11A 48852-21

Data emiterii

07 decembrie 2021

Valabil până la

07 decembrie 2024

ORGANISMUL DE CERTIFICARE A PRODUSELOR CU GRAD SPORIT DE PERICOL
din cadrul SRL "Centrul Tehnic pentru Securitate Industrială și Certificare", certificat de acreditare OCpr-015, MD-2001, mun. Chișinău, str. Meleștiu, 22/A, tel.: 022208156, 022208186

PRIN PREZENTUL DOCUMENT SE CONFIRMĂ FAPTUL, CĂ PRODUSELE IDENTIFICATE ASTFEL:
DENUMIREA / DESCRIEREA

Țevi din polietilenă PE80, PE100, PE100RC pentru conducte de apă
SDR 11, SDR 13.6, SDR 17, SDR 21, SDR 26,
gama de diametre: 20mm - 315mm,
producție în serie

Codul NC MD

3917

SUNT CONFORME CU CERINȚELE OBLIGATORII STABILITE ÎN
SM EN 12201-2+A1:2016

PRODUCĂTOR

UNIPLAST SRL
RM, mun. Chișinău, str. Pădurii, 6/2

Codul țării

MD

CLIENT

UNIPLAST SRL
RM, mun. Chișinău, str. Pădurii, 6/2, tel. 022-558-139

Codul IDNO

1003600128591



CERTIFICATUL ESTE ELIBERAT ÎN BAZA

Raportului de evaluare a procesului de producție nr. 348 din 30.11.2021.
Raportului de evaluare nr. 6/140-ev din 07.12.2021.

INFORMAȚIE SUPLIMENTARĂ

Certificatul este eliberat conform schemei de certificare de tip 3.
Sunt stabilite 2 supravegheri cu periodicitatea de o dată în an.



Conducătorul
organismului de certificare

Angela Postolache



Seria C nr. 005845

În atenția antreprenorilor și organelor de control!
Copiile certificatului de conformitate se legalizează în modul stabilit de
Organismul de Certificare a Produselor cu Grad Sporit de Pericol

CERTIFICAT DE CONFORMITATENr. de înregistrare **OCP_{GSP} MD 015 13C 48980-21**Data emiterii **22 decembrie 2021** Valabil pînă la **22 decembrie 2022**

ORGANISMUL DE CERTIFICARE A PRODUSELOR CU GRAD SPORIT DE PERICOL
din cadrul SRL "Centrul Tehnic pentru Securitate Industrială și Certificare", certificat de acreditare OCpr-015,
MD-2001, mun. Chișinău, str. Meleștiu, 22/A, tel.: 022208156, 022208186

PRIN PREZENTUL DOCUMENT SE CONFIRMĂ FAPTUL, CĂ PRODUSELE IDENTIFICATE ASTFEL:

DENUMIREA / DESCRIEREA

Fitinguri de compresiune din polipropilenă, marca comercială SAB,
tipurile, dimensiunile - conform anexei (6 poziții),
livrarea conform contractului nr.680 din 03.01.2021,
păstrarea: RM, mun.Chishinău, str.Pădurii, 6/2

Codul NC MD
3917

SUNT CONFORME CU CERINȚELE OBLIGATORII STABILITE ÎN
SM GOST R 52134:2005, p.5.1.16, p.5.1.17 anexa G, tab.G4, p.5.1.19

PRODUCĂTOR

SAB S.p.A.
61048, S.Angelo in Vado, Zona Industriale, Via Salvo D'Acquisto, Italia

Codul țării
IT**CLIENT**

UNIPLAST SRL
RM, mun.Chishinău, str.Pădurii, 6/2

Codul IDNO
1003600128591**CERTIFICATUL ESTE ELIBERAT ÎN BAZA**

Raportului de identificare a produselor nr. 6/1115 din 10.12.2021.
Raportului de încercări nr. 529-21C din 15.12.2021,
eliberat de LÎ "LabTest-Airin" SRL, certificat de acreditare nr.LÎ-016.
Raportului de evaluare nr.6/144-ev din 20.12.2021.

**INFORMAȚIE SUPLIMENTARĂ**

Certificatul este eliberat conform schemei de tip 2.
Este stabilită o supraveghere cu identificarea de către OC PGSP.
Certificatul este valabil numai în prezența anexei la certificatul dat.

Conducătorul
organismului de certificare

Angela Postolache



Seria C nr. 00589

În atenția antreprenorilor și organelor de control!
Copiile certificatului de conformitate se legalizează în modul stabilit de
Organismul de Certificare a Produselor cu Grad Sporit de Pericol

Anexa nu este valabilă în lipsa certificatului de conformitate



BULGARKONTROLA S.A.

CARGO & DAMAGE SURVEYS, LABORATORY ANALYSES,
CONFORMITY ASSESSMENT & TECHNICAL INSPECTIONS,
MANAGEMENT SYSTEMS, ORGANIC CERTIFICATION

Head office: 23, Sitnyakovo Blvd., 1505 Sofia, Bulgaria
Emergency mobile: +359 889 400 400, Tel.: +359 2 989 4070, Fax: +359 2 988 2354
E-mail: sales@bulgarkontrola.bg, cert@bulgarkontrola.bg

CERTIFICATE OF CONFORMITY

14 – HYPBCΠCPБ – 3447

Issued pursuant to Art. 14, par.1 and par.2 of the Regulation № ПД-02-20-1 on 05.02.2015 on the terms and conditions for use of construction products in the construction of the Republic of Bulgaria on Ministry of Regional Development and Public Works for the **construction product**

VALVES AND ACCESSORIES FOR WATER SUPPLY

with trademark wato/europevalves

made of grey, ductile cast iron, stainless steel and epoxy coating,
with product range, operating pressure, dimensions and evaluated characteristics
in accordance with national requirements as per Annex № 1 to this certificate.

placed on the market by

“WATO BG” LTD

6100 Kazanlak, South Industrial Zone

Id No 201549826

manufactured by

“WATO BG” LTD

6100 Kazanlak, South Industrial Zone



This certificate certifies that the product has been evaluated
and meets national requirements set out in

BDS EN 1074-1:2004

BDS EN 1074-2:2004 /A1:2006

BDS EN 1074-3:2004

BDS EN 1074-4:2004

BDS EN 1074-5:2004

*and item 7.5 of Annex 3 to item 2 of Order № 02-14-1329 from 03.12.2015
of the Minister of Regional Development and Public Works*

The Certificate was issued on **31/07/2020**, cancel the Certificate № 14-HYPBCΠCPБ-2490 from 12/09/2017 and remains valid for three years until **30/07/2023**, the provided that the manufacturer ensures consistency of product characteristics and the conditions of production or production control have not been changed significantly.

Place: Sofia

Date: 31/07/2020

Director of "Conformity Assessment" Dept.

[Signature]
/T. Lyubenova/

BULGARKONTROLA S.A.- Sofia with identification number 14 of register Ministry of Regional Development and Public Works
Permit № ПООСН-14 on 15.09.2016, issued by Ministry of Regional Development and Public Works




1. Product range, operating pressure and dimensions

№	Product range	DN mm	PN bar
I.	Isolating valves		
1.1.	Resilient seated gate valve Series 14/15	40÷800	10/16
1.2.	Metal seated gate valve Series 14/15	40÷1200	10/16
1.3.	Butterfly valve-Wafer type, Series 20	40÷1200	10/16
1.4.	Butterfly valve-Lug type, Series 20	40÷1200	10/16
1.5.	Butterfly valve-U type, Series 20	40÷600	10/16
1.6.	Butterfly valve-Concentric, double flanged, Series 13	50÷1200	10/16
1.7.	Butterfly valve-Double eccentric, double flanged, Series 14	100÷2400	10/16
1.8.	Service gate valve	¾"÷2"	10/16
II.	Check valves		
2.1.	Counterweight check valves flanged with tilted disc and hydraulic cylinder	100÷2000	10/16/25
2.2.	Check Valves flanged swing type, Series 48	40÷600	10/16/25
2.3.	Check Valves wafer swing, Series 16	40÷600	10/16
2.4.	Check Valves wafer dual plate, Series 16	40÷800	10/16
2.5.	Silent check valves	40÷600	10/16/25
2.6.	Foot valves	40÷600	10/16/25
2.7.	Ball check valves threaded	32÷65	10/16
2.8.	Ball check valves flanged	50÷300	10/16
III.	Air valves		
3.1.	Single chamber/single function threaded Air Valves	1"÷2"	10/16/25/40
3.2.	Single chamber/single function flanged Air Valves	40÷250	10/16/25/40
3.3.	Single chamber/double function flanged Air Valves	40÷250	10/16/25/40
3.4.	Double Chamber/Triple Function flanged Air Valves	40÷500	10/16/25/40
IV.	Control valves		
4.1.	Hydraulically operated control valve	50÷1000	10/16
4.2.	Mechanically operated control valve	40÷300	10/16
4.3.	Needle Control Valves (Larner Johnson Type)	80 ÷ 1200	10/16/25
V.	Accessories		
5.1.	Strainers flanged Y type	15÷600	10/16
5.2.	Strainers flanged T type	80÷1200	10/16
5.3.	Telescopic spindles for service and gate valves		
5.4.	Extension spindles for service and gate valves, fixed length		
5.5.	Telescopic surface boxes for service and gate valves		
5.6.	Surface boxes for service and gate valves, fixed length		

Place: Sofia

Date: 31/07/2020

Director of "Conformity Assessment" Dept. 
/T. Lyubenova/



2. Evaluated characteristics in accordance with national requirements

Characteristics	Requirement to declare / border level
Resistance to internal pressure of the body and all pressurized parts	no damage and leakage at $P = (1,5 \times P_N)$ bar
Resistance to the closing body of internal pressure	no damage and leakage at $P = (1,5 \times P_N)$ bar
Tightness of the body in internal pressure and any parts under pressure	no damage and leakage at $P = (1,5 \times P_N)$ bar
Tightness of the body at a certain pressure	without exceeding the leaks according to levels of A-F, at $P = (1,1 \times P_N)$ bar
Tightness of the body at a certain low pressure	without exceeding the leaks according to levels of A-F, at $P = 0,5$ bar

Place: Sofia

Date: 31/07/2020

Director of "Conformity Assessment" Dept.

/T. Lyubenova/



BULGARKONTROLA S.A. - Sofia with identification number 14 of register Ministry of Regional Development and Public Works
Permit № ПООСН-14 on 15.09.2016, issued by Ministry of Regional Development and Public Works

Office, warehouse:

WATO BG Ltd., Kazanlak, 6100

Kazanlak, South industrial zone,

Building "WATO" Post code № 3

tel.: +359 431 9 90 59, fax: +359 431 9 90 90

email: info@wato.bg

Certificate

This certificate was issued to state that:

Uniplast SRL




With address: Republic of Moldova, mun. Chisinau, str. Padurii 6/2

Is an official representative of Wato BG and they have the rights to sell and maintain the products of the company Wato BG on the territory of Republic of Moldova.

Date: 05.11.2019

Stamp and signature





BUREAU
VERITAS

Bureau Veritas Certification

WATO BG LTD.

South Industrial Zone, building „WATO“, 6100, Kazanlak, Bulgaria

Bureau Veritas Certification Holding SAS – UK Branch certifies that the Management System of the above organisation has been audited and found to be in accordance with the requirements of the management system standards detailed below

ISO 14001:2015

Scope of certification

**Design, manufacture and sales of valves, fittings
and accessories for water supply systems.**

Original cycle start date:	27-08-2012
Expiry Date of Previous Cycle:	26-08-2021
Certification / Recertification Audit date:	14-07-2021
Certification/Recertification Cycle Start Date:	27-08-2021
Subject to the continued satisfactory operation of the organization's Management System, this certificate expires on:	26-08-2024

Certificate No.:	BG001973	Version:	1	Issue Date:	22-07-2021
------------------	----------	----------	---	-------------	------------

Rozina Zlatarova

Signed on behalf of BVCH SAS UK Branch



0008

Certification Body Address: 5th Floor, 66 Prescott Street, London, E1 8HG, United Kingdom

Local Office: 81A, Bulgaria Blvd., 1404 Sofia, Bulgaria

Further clarifications regarding the scope and validity of this certificate, and the applicability of the management system requirements, please call: +359 (2) 983 60 00

