

Specificații tehnice (F4.1)

Numărul procedurii de achiziție: nr.21031455 din 26.11.2020						
Denumirea procedurii de achiziție: Echipament și accesorii pentru computer						
Denumirea bunurilor	Modelul articolului	Țara de origine	Produsul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
Cod CPV: 32342412-3 Lotul 3. Boxe acustice	Speakers 2.0 Tellur Wooden Basic TLL491041	China	Tellur	Sistem 2.0, 6W, MDF, USB	Speakers 2.0 Tellur Wooden Basic, 6W (3W x 2), USB 5V 1A, TLL491041 Garantie 24 luni	
Cod CPV: 30234100-9 Lotul 4. HDD SSD	SSD Silicon Power Ace A55 2.5" 256 GB	China	Silicon Power	2.5 ssd 256Gb Garanție: Completă pe 2 ani	SSD Silicon Power Ace A55 2.5" 256 GB Serial ATA III 3D TLC. Garantie 24 luni	
Cod CPV: 30232130-4 Lotul 9. Printer/ scanner/ copier MFU	MFD Canon i-Sensys MF237w	China	Canon	Moduri de culoare: monocrom Copii multiple: 2400 Timp prima copie: Monocrom: 6 sec. Viteza imprimare: A4 (mono/color) 25 ppm, Rezoluție imprimare: 1.800 x 600dpi, 1.200 x 1.200 dpi., 297 x 1200 dpi Drive: Windows, Linux Porturi: Std: 10BaseT/100BaseTX/1000 BaseT, Std: Hi-Speed USB2.0, wifi 802.11b/g/n Memorie RAM: 256Mb SPECIFICATII SCANNER Dimensiune scanare: A4 Formate fișiere: TIFF, PDF, JPEG, XPS, PPTx. Moduri de culoare: color. monocrom Volum mediu lunar: 2000 copii/luna Volum maxim lunar: 15000 copii/luna Toner Cartridge: 737 (2400 pages) Warranty 3 years.	MFD Canon i-Sensys MF237w, laser, Printer/Scanner/Copier/Fax/Wi-Fi Imprimantă Viteză de imprimare 23 ppm (A4) Imprimare monocrom cu laser Calitatea imprimării 1200 x 1200 dpi Rezoluție de imprimare 600 x 600 dpi Timp de imprimare a primei pagini 6,0 secunde sau mai puțin Mod economisire toner Da Copiator 23 ppm (A4) Rezoluție de copiere 600 x 600 dpi Moduri de copiere Text/Foto, Text/Foto (viteză mare), Foto, Text Copii multiple Până la 999 de exemplare Scanner Color	

					Rezoluție de scanare Optică: până la 600 x 600 dpi Îmbunătățită: până la 9600 x 9600 dpi Viteză de scanare Monocrom o față: 20 ipm (300 x 300 dpi) Color o față: 15 ipm (300 x 300 dpi) Scanare pe PC TIFF/JPEG/PDF/PDF compact/PDF cu funcție de căutare Fax Rezoluție Normal: 200 x 100 dpi Fină: 200 x 200 dpi Foto: 200 x 200 dpi Superfină: 200 x 400 dpi Memorie FAX Până la 256 de pagini Alimentare cu hârtie (standard) Casetă pentru 250 de coli Tavă universală pentru 1 coală Alimentator automat cu 35 de coli Ieșire hârtie 100 de coli Tipuri de suporturi materiale Hârtie simplă, hârtie color, hârtie reciclată, hârtie grea, hârtie de legare, etichetă, fișă de indexare, plic Greutatea hârtiei Casetă: 60 - 163 g/m² Tavă multifuncțională: 60-163 g/m² ADF: 50 - 105 g/m² Tip de interfață USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection Volum lunar de imprimare	
--	--	--	--	--	---	--

					2.000 pagini pe lună Ciclu de lucru: 15.000 de pagini pe lună Memorie 256 MB Panou de control Ecran tactil LCD alb-negru cu 6 linii Cartuș 737 (2.400 de pagini) Garantie 36 luni	
Cod CPV: 30232130-4 Lotul 11. Printer	Printer Canon i-Sensys LBP6030 Black	China	Canon	Monochrome Laser Beam Printing Print Resolution 600 x 600dpi Print Language UFR II LT Paper Input (Standard) 150 sheets (based on 80g/m2) Paper Size: A4, B5, A5, Legal*1, Letter, Executive, 16K, Envelope COM10, Envelope Monarch, Envelope C5, Envelope DL Custom: Width 76.2 to 216 x Length 188 x 356mm USB Interface: USB 2.0 High Speed Compatible Operating Systems: Win 8.1 (32 / 64bit), Windows 7 (32 / 64-bit), Windows Server 2012 (32 / 64bit), Windows Server 2012 R2 (64 bit), Windows Server 2008 (32 / 64-bit), Windows Server 2008 R2 (64-bit), Mac OS 10.7.x-10.9 *3, Linux*3, Citrix Device Memory: 32MB Weight: Approx. 5.0kg (Without Cartridge) Maximum Power Consumption 870W Power Requirement 220 - 240V (±10%), 50 / 60Hz (±2Hz) Toner Cartridge: 725 (1600 pages) Garanție: Completă pe 3 ani	Printer Canon i-Sensys LBP6030 Black, A4, 2400x600 dpi, A4, 2400x600 dpi, 18ppm, 60-163 g/m2, 32Mb+SCoA Win, CAPT, Max. 5k pages per month, Paper Input: 150-sheet tray, 7.8 seconds First Print Out Time, USB 2.0, Cartridge Canon 725 Weight: 5.0kg Printer languages: UFR II LT Media sizes: A4/B5/A5/LGL/LTR/EXE/16K/Custom size Env. COM10/Env. Monarch/Env. C5/Env. DL width 76.2~216mm x length 188~356mm Operating systems compatibility Win 8.1(32/64bit)/Win 8(32/64bit)/Win 7(32/64bit)/Win Vista(32/64bit)/XP(32/64bit)/Server 2012(32/64bit)/Server 2012 R2(64bit)/Server 2008(32/64bit) / Server 2008 R2(64bit)/ 2003 Server(32/64bit)/ Mac OS X 10.6~ /Linux¹/Citrix (FR2) Garantie 36 luni	
Cod CPV: 30237410-6 Lotul 13. Mouse USB	Mouse Esperanza SCORPIO MX203	China	Esperanza	Ergonomic Optical Mouse, 1200 dpi, USB, Black Cablu 1.8 m	Mouse Esperanza SCORPIO MX203, Gaming mouse, 2400dpi, optical sensor, blue LED, USB braided cable Garantie 24 luni.	

Cod CPV: 30237240-3 Lotul 17. Web camera	Logitech HD Webcam C270	China	Logitech	Conectare: USB 2.0 Microfon incorporat: Da Tip: HD Rezoluție (px): 3.0 Video (MP): 3.0 Video (px): 1280 x 720 Foto (MP): 3.0 MicroSoft: 7 / Vista / XP SP2 Număr de cadre maxima: 30 fps Greutate: 227g Garanție: Completă pe 1 an	Logitech HD Webcam C270, Microphone, HD 720p video calls & recording, 3 Megapixel images, USB Max Resolution: 720p/30fps Focus type: fixed focus Lens technology: standard Built-in mic: mono FoV: 60° Universal clip fits laptops, LCD or monitors Compatible with: Windows® 10 or later, Windows 8, Windows 7 Works in USB Video Device Class (UVC) mode with supported video-calling clients: macOS 10.10 or later Chrome OS™ Android™ v 5.0 or above USB portInternet access Garantie 24 luni.	
Cod CPV: 38636100-3 Lotul 20. Presenter; laser pointer	Presenter Wireless Logitech R400	China	Logitech	2.5 GHz Buton Pornit/Oprit Indicator baterie Laser pointer Plug and Play Raza de acțiune 15 m, porturi USB	Presenter Wireless Logitech R400 Color: Black Laser Class: Class 2 Laser Max Output: Less than 1mW Wave Length: 640~660nm (red light) Battery type: 2 AAA batteries Battery life (Laser pointer): 20-hour maximum Battery life (Presenter): 1050-hour maximum Wireless operating distance: Approx 10m 2 Wireless technology: 2.4 GHz wireless technology Windows Vista, Windows 7, Windows 8 Interface: USB Accessories: Carring case	

					Garantie 36 luni	
Cod CPV: 30233100-2 Lotul 25. NAS + 4 HDD SATA 3	SYNOLOGY "DS920+"	China	SYNOLOGY	CPU:4-core 2.0 (base) / 2.7 (burst) GHz, 64-bit. RAM: 2x4 GB DDR4 non-ECC, new, not refurbished. I/O: 2xIntegrated GigaEthernet (with Link Aggregation / Failover support), 2xM.2 NVMe Drive Slots, 2xUSB3.0(1xRear, 1xFront), 1xeSATA(1xRear). HDD: 4 buc 10 TB 24/7, 7200rpm, 256Mb, SATA3, (4x3.5" SATA), compatibil cu NAS, new, at least 2019 year of production, not refurbished. RAID: RAIDsupport 1/0/5/6/10. Suport tehnologii: Hardware Encryption Engine (AES-NI). Case: 166 mm x 199 mm x 223 mm, greutatea 2.24 kg Garan ție: Complet ă pe 3 ani, f ă r ă sigilarea blocului de sistem (pentru upgrade ulterior), f ă r ă p ăstrarea ambalajului. Toate componentele trebuie s ă fie noi, cel puțin anul producerii 2019. Toate componentele not-refurbished.	SYNOLOGY "DS920+" CPU Model Intel Celeron J4125, 64-bit, 4-core 2.0 (base) / 2.7 (burst) GHz, RAM: 2x4 GB DDR4 non-ECC, new, not refurbished, 2xIntegrated GigaEthernet (with Link Aggregation / Failover support), 2xM.2 NVMe Drive Slots, 2xUSB3.0, 1xeSATA, 4xWestern Digital Red 3.5" 10000 GB Serial ATA III WD101EFAX 24/7, 5400rpm, 256Mb, SATA3, (4x3.5" SATA), compatibil cu NAS. Hardware Encryption Engine (AES-NI) Case: Case: 166 mm x 199 mm x 223 mm, greutatea 2.24 kg. Anul producerii 2019. Toate componentele not-refurbished. Garantie Completă 36 luni	
Cod CPV: 32420000-3 Lotul 26. WiFi Router	MERCUSYS AC12G AC1200 Dual Band Wireless Router	China	MERCUSYS	DualBand Wireless Gigabit Router 5Ghz, 2,4 Ghz, 1Gbit WAN+ 3Gbit LAN, 4 antenas Garan ție: Complet ă pe 3 ani, f ă r ă p ăstrarea ambalajului	MERCUSYS AC12G AC1200 Dual Band Wireless Router, 867Mbps at 5GHz + 300Mbps at 2.4GHz, 1 10/100/1000M WAN + 3 10/100/1000M LAN, 4 fixed antennas. Garantie Completă 36 luni	
Cod CPV: 30234100-9 Lotul 29. SAS HDD 300Gb	HEWLETT PACKARD ENTERPRISE Enterprise 300 GB 2.5" 872475-B21	China	HEWLETT PACKARD	6G DP 10K SAS 300GB SPARE: 507284-001 HP MODEL: EG0300FBDBR Toate componentelenownnot-refurbished. Garan ție: Completă pe 3 ani	HEWLETT PACKARD ENTERPRISE Enterprise 300 GB 2.5" 872475-B21 Interface SAS Workload Enterprise Drive Rotation Speed (RPM)10K Form FactorSFF Drive Technology (Fill)Air Format type 512n Carrier type Smart Carrier (SC) Capacity 300 GB	

					Height 0.62 in 15.6 mm Garantie Completă 36 luni	
Cod CPV: 30234100-9 Lotul 31. SAS 4tb 7,2k	Western Digital Ultrastar 7K6 3.5" 4000 GB SAS DETWDIHDD0010	China	Western Digital	SAS 4tb 7,2k. Compatibil cu hp proleant dl 180 gen 9 Toate componentele now not-refurbished. Garanție: Completă pe 3 ani	Western Digital Ultrastar 7K6 3.5" 4000 GB SAS DETWDIHDD0010 Garantie Completă 36 luni	
Cod CPV: 30191200-6 Lotul 35. Document camera projector	Optoma DC450	China	Optoma	Sensor/camera 13MP Shooting Area A4 landscape Resolution XGA, UXGA, supports 1280x720 Zoom 17x optical, 8x digital Image capture Yes Video Recording Yes Light source LED Usb 2.0 One Power Supply 5V DC Connection Inputs 1xVGA, HDMI, 1xSD card, 1x12V trigger Outputs 1xVGA, HDMI, 1xUSB2 Features Image rotation, mirror, freeze, compare, built-in mic, built-in speaker, VESA Mounting supported Garanție: Completă pe 3 ani	Optoma DC450 13MP High definition camera 17 x Optical zoom to focus on the finer detail Built-in microphone and speaker Rotating camera lens Frame rate up to 30fps Shooting area A3 landscape (297 x 420 mm) (11.7 x 16.5 ins) Output resolution 1080i Focus Auto/Manual Image capture Yes Video recording Yes Light source 3 Stage LED Security Kensington Lock USB2 Power supply DC 5V, 100-240V, 50-60Hz Power consumption (standby) 0.1W Power consumption (min) 1.6W Power consumption (max) 6.5W Connections: Inputs 1 x USB2, 1 x HDMI, 1 x VGA Outputs 1 x HDMI, 1 x VGA, 1 x SD card Garantie Completă 36 luni	

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16