


Numărul licitației: nr. 18/128	Judecătoria Ungheni	Data: 08.11.2018	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 2	Pagina_1_din_4_

SPECIFICAȚII TEHNICE (F4.1)


Nr. CPV		Denumirea bunurilor	Modelul	Tara de orig	Producatorului	Specificatia din FDA	Specificatia propusa	Standarde
1		2	3	4	5	6	7	8
LOT 2								
2	1	Computer de birou	Navigator	RM	Ula Service SRI	Procesor- De la 4-6 nuclee cu frecventa de la 3.1Ghz de tip box (cu culer) sau mai performant generatia 7 sau 8. Sursa de alimentare- de la 500w..Carcasa corespunzatoare placii de baza (atx-matx). HDD 1tb 7200 plata de baza corespunzatoare procesorului, lan 1gb/s, videoFHD și audio HD etc. ssd 250-256gb Periferice – kit tastatura și mouse sau aparte. Unitate optică- DVD-RW. siguranță – UPS stabilizator cu bateria de la 500va sau mai performant. Monitor – diagonala de la 21.5 inch. Memoria operativă DDR4 2100/2666mhz 8gb	APU AMD Ryzen 3 2200G (3.5-3.7GHz, 4C/4T,L2 2MB, L3 4MB,65W,14nm, VEGA 8), Socket AM4, Box Case ATX 500W Sohoo 2810BG, Black, ATX-500W-8cm 3.5" HDD 1.0TB -SATA- 8MB Seagate "Pipeline (ST31000322CS)" MB AM4 Gigabyte GA-A320M-H (AMD A320,mATX) 2.5" SATA SSD 250GB SK Hynix Canvas SL308 [R/W:560/490MB/s, 100K/85K IOPS, SH87820BB, TLC 16nm] Keyboard & Mouse Sven Standard 300 Combo, Black, USB DVD-RW Drive LG "GH24NSD1" (SATA), Black, Bulk UPS Ultra Power 550VA (1 step of AVR)- metal case 21.5" BenQ "GL2250", G.Black (1920x1080, 5ms, 250cd, LED 12 Mln:1, D-Sub + DVI) .8GB DDR4- 2133MHz GeIL PC17000, CL15 (15-15-15-36), 288pin DIMM 1.2V	ISO
2	2	Boxe	Speakers SVEN "PS-420" 12w, Black, Bluetooth, microSD, FM, AUX, USB, power:1800mA, USB, DC5V	PRC	Sven	2.0, Interfețe de conectare - 3.5mm, Bluetooth, ps - 250bl Consumul de energie -10 W	Speakers SVEN "PS-420" 12w, Black, Bluetooth, microSD, FM, AUX, USB, power:1800mA, USB, DC5V	ISO
2	3	Căști	Headphones SVEN AP-670V, Black	PRC	Sven	Interval de frecvență 20-20000 Ih; Lungimea cablurilor de la 2,0 ni.; tip	Interval de frecvență 20-20000 Ih; Lungimea cablurilor de la 2,0 ni.; tip	ISO
2	4	Scanner	Scanner Epson WorkForce DS-1630	Indonesia	Epson	Scanarea pe două fețe a documentelor, prin alimentatorul automat de documente Maximum dpi Resolution 1200 dpi Optical Resolution 1200 dpi USB 3.0 DS-1630 Duplex Speed 10 ipiii (Color) 10 ipm (Grayscale) Simplex Speed	"Scanner type: Flatbed Scanner Optical Resolution (ADF): 600 DPI x 600 DPI Scanning Resolution: 1,200 DPI x 1,200 DPI Scanning Range: 210 mm x 297 mm ADF Min. Document Size: 89 mm x 127 mm ADF Max. Doc. Size: 210mm x3,048 mm Paper Formats: A4, A5, A6, B5, Letter, Letter Legal	ISO

Semnat:  G. Das Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

CIF 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. 18/128	Judecătoria Ungheni	Data: 08.11.2018	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 2	Pagina_2_din_4_


Nr. CPV		Denumirea bunurilor	Modelul	Tara de orig	Produ- catorul	Specificatia din FDA	Specificatia propusa	Stand- arde
1		2	3	4	5	6	7	8
						25 ppm (Color) 25 ppm (Grayscale) Maximum Document Width 8.5" / 21.6 cm Maximum Document Length 120" / 304.8 cm Color Depth 24-Bit (External) 30-Bit (Internal) Grayscale Bit- Depth 8-Bit (Internal) Duplex Scanning Yes Scan Modes Color, Grayscale, Monochrome Document Feeding IDF, Flatbed Life Expectancy 1500 Sheets per Day Connectivity USB 3.0 DS-1630 Operating System Windows Light Source LED Control Panel 3 Buttons Drivers TWAIN, ISIS Maximum Sheet Capacity 50 Automatic Image Corrections Yes Environmental Compliance ENERGY STAR, RoLIS Operating Ihumidity 20 to 80% Operating Temperature 50 to 95°F / 10 to 35°C Maximum Power Consumption 11 W AC Input Power 100 to 240 VAC, 50/ 60 lit Power Source AC Adapter	Scanning Speed: Simplex Monochrome: 25 pages/min - Color: 25 pages/min (200 / 300 dpi), Duplex: Monochrome: 10 image/min - Color: 10 image/min (200 / 300 dpi) ADF Paper Setting Capacity: 50 Sheets ADF Paper weight: 50 - 120 g/m² Daily Duty Cycle: 1,500 pages per day Automatic Document Feeder: 50 pages Duplex Scan Scanning Features: RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, Punch holes removal, Advanced editing, Automatic de-skew, RGB colour enhance, Auto-rotation, Text enhancement, Edge fill, Unsharp Mask (USM), Descreening, Barcode Recognition, Zonal OCR A & B support, Full Zonal OCR Output formats: BMP, JPEG, TIFF, multi-TIFF, PDF, PDF / batch, searchable PDF, secure PDF, PDF/A File compression features: Hardware JPEG compression, TIFF Compression (JPEG(7) , CCITT G4, LZW), PDF Compression, JPEG compression Interfaces: USB 3.0 Drivers: TWAIN, ISIS Warranty 12 months"	
2	5	Imprimante multifuncționale laser	MFD Canon i-Sensys MF421dw	Filipines	Canon	CONTROLLER Processor Speed 525:MHz Memory 312MB Printer Languages UFR II (Ultra Fast Rendering), PCLSe, PCL6, Fonts 45 PC], fonts Interface and connectivity USB 2.0 High-Speed, 10BASE-T/100 BASETK/100OBASE- T, Ulreless 802.11b/g/n, lbp251(bv Ulreless Direct Connection Software and Printer Management Remote User Interface (RUI), SSID Tool, Operating Systems Compatibility Windows®. 10 / Windows® 7 / Noise level Sound power Active: 69.5 dB Standby: Inaudible Sound pressure Active: 53 dB Standby: Inaudible rint Specification PRINTER ENGINE Print speed Single	MFD: Print, Copy and Scan Printing method: Monochrome laser beam printing Print speed: Single sided Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape), Double sided Up to 30.3 ipm (A4) Print quality: Up to 1200 x 1200 dpi; Print Resolution: 600 x 600 dpi Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx: 5.5 seconds or less Printer languages: UFR II, PCL 5e, PCL6 Copy Speed: Single sided (A4): Up to 38 ppm, Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less, Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Copy modes: Text, Text/Photo (Default),Text/Photo (High Quality), Photo Double sided copying: 2-sided to 2-sided (Automatic); Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Colour; Scan Resolution: Optical Up to 600	ISO

Semnat:  G. Das Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

CIF 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. 18/128	Judecătoria Ungheni	Data: 08.11.2018	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 2	Pagina_3_din_4_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produ-catrul	Specificatia din FDA	Specificatia propusa	Stand-arde
1	2	3	4	5	6	7	8
					sided: Up to 30 ppm (.44) Double sided: Up to 16 ipm (.44) Printing method Monochrome laser beam printing Print quality Up to 1200 x 1200 dpi Print resolution Up to 600 x 600 dpi Warm-up time Approx. 16 seconds or less from power on First Page Out Time Approx. 6 seconds Recommended Monthly Print Volume 750 - 2,500 pages per month Duty cycle Mas. 50,000 pages per month Print margins 5 nun-top, bottom, left and right	x 600 dpi, Enhanced Up to 9600 x 9600 dpi Scan speed: Single sided mono /color 38ipm/ 13ipm (300x600dpi); Double sided mono/ color 70ipm/ 26ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output); Greyscales: 256 levels Compatibility: TWAIN , WIA, ICA; Max. scan width 216mm Scan to E-mail / PC / USB memory key / FTP: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG Scan Type: Platen, 2-sided ADF (single pass) Paper input (Standard): 250-sheet cassette, 100-sheet multi-purpose tray, 50-sheet ADF Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month; Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2; Memory 1GB; Control Panel: 12.7 cm LCD Colour Touch Screen Cartridges: Cartridge 052 (3,100 pages), Cartridge 052H (9,200 pages) Printer ships with Cartridge 052 (3,100 pages) Warranty: 24 months	



Semnat:  G. Das Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858


CIF 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. 18/128	Judecătoria Ungheni	Data: 08.11.2018	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 2	Pagina_4_din_4_

SPECIFICAȚII DE PREȚ (F4.2)

Nr. CPV	Denumirea bunurilor	U.M .	Cant .	Pret unitar f/TVA	Pret unitar cu TVA	Suma f/TVA	Suma cu TVA	Termen de livrare	
				MDL	MDL	MDL	MDL		
1	2	3	4	5	6	7	8	9	
LOT 2									
2	1	Computer de birou	Buc.	20	7937,50	9525,00	158750,00	190500,00	30 zile din data înregistrării contractului la Trezoreria de Stat
2	2	Boxe	Buc.	20	465,00	558,00	9300,00	11160,00	30 zile din data înregistrării contractului la Trezoreria de Stat
2	3	Căști	Buc.	20	62,50	75,00	1250,00	1500,00	30 zile din data înregistrării contractului la Trezoreria de Stat
2	4	Scanner	Buc.	3	5312,50	6375,00	15937,50	19125,00	30 zile din data înregistrării contractului la Trezoreria de Stat
2	5	Imprimante multifuncționale laser	Buc.	20	6942,50	8331,00	138850,00	166620,00	30 zile din data înregistrării contractului la Trezoreria de Stat
TOTAL LOT 2:						324087,50	388905,00		
TOTAL:						324087,50	388905,00		

Valabilitatea ofertei: 30 zile



Semnat:  Gheorghe Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

CIF 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău