



Join us to march towards the world together!!



Nitrile Gloves



Latex Gloves



Male Condoms



Probe Covers



Face Masks

## Fitone Latex Products Co., Ltd. Guangdong

- China Head Office: No.2 Tiyu North Road, Tianrun Center 9th Floor, Zhanjiang, Guangdong, China
- Belgium Office: Adolf Dhavelaan 20, 9940 Evergem, Belgium
- Manufacturing Site: No.5 Tongyi Road, Lingbei Industrial Zone, Suixi, 524338 Zhanjiang, Guangdong, China
- Email: [export@fitonelatex.com](mailto:export@fitonelatex.com) or [export2@fitonelatex.com](mailto:export2@fitonelatex.com)
- Website: [www.fitonelatex.com](http://www.fitonelatex.com)
- Alibaba Page: <http://gdfitone.en.alibaba.com/>



# CONTENTS

<b>About FITONE</b> .....	01-02
<b>Production Environment</b> .....	03-04
<b>Quality &amp; Certification</b> .....	05-06
<b>Nitrile Gloves</b> .....	07-08
<b>Latex Gloves</b>	
Latex Examination Gloves .....	09-11
Latex Surgical Gloves .....	12
<b>Male Condoms</b>	
Production Environment .....	14
Sterile Latex Male Condoms .....	15
Latex Male Condoms .....	16-18
<b>Face Masks</b>	
Disposable Face Masks .....	19
KN95 Masks .....	19
<b>Probe Covers</b> .....	20



20 High Speed  
Production Lines

Annual Output  
**5 Billion Pcs of Gloves**

## ABOUT FITONE

FITONE GROUP is a professional latex male condoms, latex gloves, nitrile gloves manufacturer located in Guangdong, China. Our production workshops cover more than 256,000 square meters. We currently have 20 glove production lines and 18 condom/probe cover production lines, in which 12 lines with patented internal electric heating molds designed by our own R&D team, are in world leading level.

We have 3 manufacturing plants, one overseas subsidiary in Belgium and over 20 branches across China. FITONE GROUP is also an enterprise that puts high emphasis on innovation. We invest more than 30% of our profit on R&D and currently own 2 invention patents and 12 practical patents. As a result of emphasizing quality, our quality management system and products are certified by **ISO13485, ISO14001, CE, GMP, KGMP and SABS certificates.**



18 High Speed  
Production Lines

Annual Output  
**1.2 Billion Pcs of Condoms**

## Production Environment



Gloves

## Production Environment



# Gloves

Class 100,000 Clean And  
Dust-Free  
Packaging Workshop



## QUALITY CONTROL

Fitone Group considers quality as a top priority and creates an environment in which both our management and employees strive for perfection. We have a professional quality control team that implements quality testing at each step of the manufacturing process. Our rigorous internal control ensures all products we produce can comply with the highest quality standards. We are also highly reliable on fulfilling the customer demands for large orders on short notice due to strong production capacity.

## Certification

### OUR CERTIFICATION

Our factories are certified by:

**ISO9001:2008**

**ISO14001:2015**

**OHSAS18001:2011**


**ISO13485**

**EN 374**


**SABS, CE and KGMP (South Korean)**



KGMP (South Korean)



CE-Surgical Gloves



CE-Examination Gloves & Probe Covers



ISO13485



CE-Latex Condoms



ISO14001:2015



OHSAS18001:2011



EN 374 - Nitrile Glove Certificate



EN 374 - Latex Examination Glove Certificate

# Nitrile Gloves



# Nitrile Gloves



## NITRILE GLOVES EXAMINATION

Unit	Count	Color	Size
Box	100pcs	Blue	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powder-free	Finger Textured	Plam-0.07mm Finger-0.11mm	4.3 ± 0.2g

### Specifications:

- Made of pure nitrile.
- Ambidextrous with cuff.
- Standard level of tensile strength.
- Reliable touch sensitivity.
- Manufactured in accordance with BS EN455, EN 374, ASTM D6319, ASTM D6978.
- AQL1.5

### Applications:

Medical Professionals / Tattooing / Automotive work / Assembly and Manufacturing / Laboratory / Food Service / Janitorial Service

### Packing:

100pcs/box, 10boxes/carton

## NITRILE GLOVES EXAMINATION

Unit	Count	Color	Size
Box	100pcs	Black	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powder-free	Finger Textured	Plam-0.07mm Finger-0.11mm	4.3 ± 0.2g

### Specifications:

- Made of pure nitrile.
- Ambidextrous with cuff.
- Standard level of tensile strength.
- Reliable touch sensitivity.
- Manufactured in accordance with BS EN455, EN 374, ASTM D6319, ASTM D6978.
- AQL1.5


### Applications:

Medical Professionals / Tattooing / Automotive work / Assembly and Manufacturing / Laboratory / Food Service / Janitorial Service

### Packing:

100pcs/box, 10boxes/carton

# Latex Gloves



# Latex Gloves



## LATEX GLOVES EXAMINATION

Unit	Count	Color	Size
Box	100pcs	White	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powder-free	Textured	Plam-0.12mm Finger-0.14mm	6.5 ± 0.2g

### Specifications:

- Made of nature rubber.
- Ambidextrous with cuff.
- Light, dustproof and waterproof.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with BS EN455, EN 374, ASTM D6978.
- AQL1.5

### Applications:

Dentistry / Laboratory Professionals / Tattooing / Medical Professionals / Food Service

### Packing:

100pcs/box, 10boxes/carton

## LATEX GLOVES EXAMINATION

Unit	Count	Color	Size
Box	100pcs	White	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powdered	Textured	Plam-0.12mm Finger-0.14mm	6.5 ± 0.2g

### Specifications:

- Made of nature rubber.
- Ambidextrous with cuff.
- Light, dustproof and waterproof.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with BS EN455, EN 374, ASTM D6978.
- AQL1.5

### Applications:

Dentistry / Laboratory Professionals / Tattooing / Medical Professionals

### Packing:

100pcs/box, 10boxes/carton

# Latex Gloves



## LATEX GLOVES EXAMINATION

Unit	Count	Color	Size
Box	50pairs	White	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powder-free	Textured	Plam-0.12mm Finger-0.14mm	6.5 ±0.2g

### Specifications:

- Made of nature rubber.
- Sterilised by Ethylene-Oxide (EO) or Gamma.
- Ambidextrous with cuff.
- Light, dustproof and waterproof.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with BS EN 455, EN 374, ASTM D6978.
- AQL1.5

### Applications:

Dentistry / Medical Professionals

### Packing:

50 pairs/box, 10 boxes/carton

## LATEX GLOVES EXAMINATION

Unit	Count	Color	Size
Box	50pairs	White	XS,S,M,L,XL
Type	Exterior	Thickness	Weight
Powdered	Textured	Plam-0.12mm Finger-0.14mm	6.5 ±0.2g

### Specifications:

- Made of nature rubber.
- Sterilised by Ethylene-Oxide (EO) or Gamma.
- Ambidextrous with cuff.
- Light, dustproof and waterproof.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with BS EN 455, EN 374, ASTM D6978.
- AQL1.5

### Applications:

Dentistry / Medical Professionals

### Packing:

50 pairs/box, 10 boxes/carton

# Latex Gloves



## LATEX GLOVES SURGICAL

Unit	Count	Color	Size
Box	50pairs	White	6# 6.5# 7# 7.5# 8# 8.5# 9#
Type	Exterior	Thickness	Weight
Powder-free or Powdered	Textured	Wrist-0.19mm Plam-0.23mm Finger-0.24mm	19 ±0.4g

### Specifications:

- Made of nature rubber.
- Polymer Coated, Curved Fingers.
- Hand Specific, Beaded Cuff.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with ISO10281.
- AQL: 1.5

### Applications:

Medical Professionals / Surgery

### Packing:

1 pair [1 left and 1 right] of gloves /pouch,  
50 pouches per dispenser;  
10 dispensers per carton.

## LATEX GLOVES SURGICAL

Part	Count	Color	Size
Box	50pairs	White	6# 6.5# 7# 7.5# 8# 8.5# 9#
Type	Exterior	Thickness	Weight
Powder-free or Powdered	Textured	Wrist-0.19mm Plam-0.23mm Finger-0.24mm	22 ± 0.4g

### Specifications:

- Made of nature rubber.
- Polymer Coated, Curved Fingers.
- Hand Specific, Beaded Cuff.
- High flexibility and sensitivity for comfortable fit.
- Manufactured in accordance with EN455-1,2,3&4.
- AQL: 0.65

### Applications:

Medical Professionals / Surgery

### Packing:

1 pair [1 left and 1 right] of gloves /pouch,  
50 pouches per dispenser;  
10 dispensers per carton.



# Male Condoms



# Production Environment



Class 100,000 Clean And Dust-Free Packaging Workshop



# Sterile Male Condoms



Type	Size
Ultra Thin / Smooth	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton	

Type	Size
Big Dotted	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton	



Type	Size
Smooth/Classic	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton	

Type	Size
Smooth/Long Lasting	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton	

ANDLASS Sterile Condoms  
With Moisturizing Lubricant (Chitosan) Patent No.: ZL201610827378.8

# Male Condoms



Type	Size
Smooth/Classic	Length: ≥180mm, Width : 52±2mm
Packaging	
3pieces/wallet,48wallets/box,30boxes/carton	

Type	Size
Big Dotted	Length: ≥180mm, Width : 52±2mm
Packaging	
3pieces/wallet,48wallets/box,30boxes/carton	



Type	Size
Ultra Thin/Smooth	Length: ≥180mm, Width : 52±2mm
Packaging	
3pieces/wallet,48wallets/box,30boxes/carton	

Type	Size
Ribbed	Length: ≥180mm, Width : 52±2mm
Packaging	
3pieces/wallet,48wallets/box,30boxes/carton	

## 3PCS Rectangular Foil



# Male Condoms



Type	Size
Smooth/Classic	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	

Type	Size
Big Dotted	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	



Type	Size
Ultra Thin/Smooth	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	

Type	Size
Smooth/Delay	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	

# Male Condoms



Type	Size
Ribbed	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	

Type	Size
Smooth/Ice	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	



Type	Size
Smooth/Fire	Length: ≥180mm, Width : 52±2mm
Packaging	
12 pieces/pack, 12 packs/box, 12 boxes/carton 3 pieces/pack, 48 packs/box, 30 boxes/carton	

Condom Types	
Smooth	
Ribbed	
Dotted	
Big Dotted	

- Specifications:
- Made of nature rubber
  - Color: Natural, Red, Pink, Green, Purple, Yellow etc.
  - Flavors: Strawberry, Apple, Chocolate, Orange, Milk, Fruit etc.
  - Aluminum Foil: Rectangle, Square, Round, Bowl.
  - Sizes of condoms:  
Width: 49±2mm, 52±2mm, 53±2mm, 55±2mm  
Length: ≥180mm

Manufactured in accordance with EN ISO4074:2015

Applications: Prevent pregnancy and reduce the risk of transmission of most STDs including HIV

# Face Masks



## DISPOSABLE FACE MASKS

Quality Standard	Size
BS EN 14683:2019	17.5 x 9.5cm
Packaging	
1piece/bag , 50 bags/box , 40boxes/carton	
Specifications:	
<ul style="list-style-type: none"> <li>• Disposable premium quality tested face masks.</li> <li>• Protects nose and mouth against fluids, fluid-resistant.</li> <li>• Premium filter protects against 99% of particles larger than 0.1 µm.</li> <li>• Nosepiece for improved comfort. Triple folded for better breathability.</li> </ul>	
Applications:	
Medical Professionals / Laboratory Professionals/Food Service/ Tattooing / Janitorial Service	
Packing:	
1piece/bag , 50 bags/box , 40boxes/carton	

## KN 95 FACE MASKS

Quality Standard
GB2626-2006
Packaging
10pcs/box, 100boxes/carton
Specifications:
<ul style="list-style-type: none"> <li>• Filtration efficiency ≥ 95%.</li> <li>• Protects nose and mouth against fluids, fluid-resistant.</li> <li>• Four layer protection.</li> <li>• Nosepiece for improved comfort. Triple folded for better breathability.</li> </ul>
Applications:
Medical Professionals / Laboratory Professionals/Food Service/ Tattooing / Janitorial Service
Packing:
10 pieces/bag, 10bag/middle bag , 20 middle bags/carton

# Probe Covers



## PROBE COVERS

Type	Specification
Smooth	Width:48±2mm/52±2mm Length:≥200mm Thickness:0.065±0.015mm
Packaging	
300pcs/box , 10boxes/carton	
Specifications:	
<ul style="list-style-type: none"> <li>• Efficiency.</li> <li>• Optimal hygiene for patient and medical staff.</li> <li>• Available in two sizes, for different appliances.</li> <li>• Available in sterile and non-sterile version.</li> <li>• Available in lubricated and non-lubricated version.</li> <li>• The image quality will not be affected.</li> </ul>	
CE and ISO 13485 certified.	
Operative standard:YZB/YUE 0614-2015	

