




Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / Luminaire Data Sheet

Luminous emittance 1:

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
CIE flux code: 39 75 97 100 80


Due to missing symmetry properties, no UGR table can be displayed for this luminaire.



Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / LDC (Polar)

Luminaire: PHILIPS BRP102 T25 DM /740
Lamps: 1 x LED110/740






Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / Luminaire Data Sheet

Luminous emittance 1:

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
CIE flux code: 39 75 97 100 81

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.




Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / LDC (Polar)

Luminaire: PHILIPS BRP102 T25 DM /740

Lamps: 1 x LED75/740






Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / Luminaire Data Sheet

Luminous emittance 1:

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
CIE flux code: 39 75 97 100 82

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.




Operator
Telephone
Fax
e-Mail

PHILIPS BRP102 T25 DM /740 / LDC (Polar)

Luminaire: PHILIPS BRP102 T25 DM /740

Lamps: 1 x LED55/740






Operator
Telephone
Fax
e-Mail

PHILIPS BRP101 T25 DM /740 / Luminaire Data Sheet

Luminous emittance 1:

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
CIE flux code: 39 75 97 100 81

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.



Operator
Telephone
Fax
e-Mail

PHILIPS BRP101 T25 DM /740 / LDC (Polar)

Luminaire: PHILIPS BRP101 T25 DM /740
Lamps: 1 x LED37/740

