

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul licitației:	ocds-b3wdp1-MD-1571998932906	Data: „08” noiembrie 2019	Alternativa nr.: _____
Denumirea licitației:	achiziționarea echipamentului tehnic și accesorii pentru computer	Lot: 1	Pagina:

Cod CPV	Denumirea serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
	Servicii:						
	LOT 2						
	Computer Blocul de sistem, monitor, tastatura, mouse acelasi producator (brandname internațional)	V530s	China	Lenovo	CPU Min 4 -cores Processor, generație min.8, Frecvența de baza min. 3,0 GHz, TurboBoost Technology, min 6MB cache, 14 nm MB Sokets compatibil cu CPU, RAM (2400Mhz), support up to 64 GB, PCI Express x16, PCI Express x1, 2x M.2 slots, 2xSATA 6.0Gb/s RAM Min. 8GB, frecvența min. 2400 MHz HDD SATA Min. 1,0 TB 7200 rpm SATA III HDD SSD Min. 128 GB M.2 2280 PCIe NVMe	Desktop Lenovo V530s-07ICB, SFF 7.4L, Intel Core i3-9100 (4C / 4T, 3.6 / 4.2GHz, 6MB), 8GB DIMM DDR4-2400, 256GB SSD 2.5" SATA6Gb/s Opal, 1TB HDD, Integrated Intel UHD Graphics 630, 9.0mm DVD±RW, WLAN:NO, Calliope Keyboard (USB connector) RU/EN, black, Calliope Mouse (USB connector), Card reader:7-in-1, Porturi Front Ports:2 x USB 3.0/ 2 x USB 3.1/ 1 x Audio Combo/ 1 x Microphone/ Rear Ports:1 x Audio/ 1 x VGA/ 1 x DP/ 1 x HDMI/ 2 x USB 2.0/ 2 x USB 3.0/ 1 x RJ45/ 1 x Serial / Optional Parallel;, M.2 card slots: Two M.2 (one for WLAN, one for	ISO, CE

					<p>Video card Integrated Network Integrated, Supports 10/100/1000Mbps Optical drive DVD/RW Sound card Integrated Ports Min. 1x Display port, Min. 1x HDMI port, 1x USB Type-C, 2x USB 3.1 (front), 2x USB 3.1 si 2x USB 2.0 (rear), 1x RJ45 Security Activare/dezactivare port USB (prin BIOS) Parolă de pornire (prin BIOS) Parolă de configurare (prin BIOS) Warranty Min. 24 luni Accesorii Keyboard USB, Eng/Rus Mouse USB, optical, scrolling Speakers External RMS min.4W Power Supply Blocul de alimentare conform recomandărilor producătorilor Surge protector 220V, 5 sockets, 5 m UPS Min. UPS 650 VA (min. 4x SurgeProtector + 4x Battery prizei tipuri Schuko)</p>	<p>M.2 SSD), Dimension (overall):100mm W X 304.4mm D X 274.8mm H, 180 watts, autosensing, 85% PSU, Greutate: 4.2 kg, Garantie 3 ani, DOS Back-UPS Economizadora de Energia da APC 700, 230V CEE 7/7 4x SurgeProtector + 4x Battery prizei tipuri Schuko Prelungitor cu protectie Defender ES black 5m, 5 sockets</p>	
	Monitor	T24i-10	China	Lenovo	<p>Rezoluție 1920 x 1080 pixeli; 10 Mărime Min. 23,8 inch; Tip ecran LED, IPS Formatul ecranului Wide (formatul imaginii: 16:9) Reproducere culori Min. 16 milioane; Raportul de contrast Min. 1000:1 (static);</p>	<p>Monitor Lenovo ThinkVision T24i- 10 23.8" IPS, Backlight :WLED , FHD (1920x1080), 16:9, Luminozitate: 250cd/m2, Contrast Ratio: 1000:1, Response Time: 4 ms (Extreme mode) 6 ms (Normal mode), Dot / Pixel Per Inch: 92 dpi, Color Gamut: 72%, View Angle (H / V): 178 / 178, Stand: Tilt, Swivel,</p>	ISO, CE

					<p>Luminozitate tipică Min. 250 cd/m; Unghi maxim de vizibilitate orizontală/verticală 178°/178° Conectivitate DisplayPort/HDMI (compatibil cu placa de bază) Accesorii Livrat cu cablu de conexiune și cablu de alimentare; Ergonomic Reglarea înălțimii. Garanție Min. 24 lun</p>	<p>Pivot, Height Adjust Stand, Side Bezel Width: 2 mm, Dimensions with Stand (HxWxD): 373.4x540.2x261.75 mm, Power Consumption (Typical / Maximum): 16.5W / 59W, Power Adapter: Integrated, Tilt Angle (front / back) - 5° / 30°, Greutate: 5.15kg, VESA Mount: Yes (100 X 100), Kensington Lock Slot: Yes, Video Input Signals: VGA + HDMI™ 1.4 + DP, USB Port: 4 x USB 3.0, Speakers: Integrated Speakers No, Camera: No, Optional Soundbar Support: Yes, Continut cutie: (Monitor with Stand, 1 x Power Cable, 1 x VGA Cable, 1 x DisplayPort™ - DisplayPort™ Cable , 1 x HDMI™ Cable (NA Only), Quick Setup Guide), ENERGY STAR 7.1, TCO 7.0, EPEAT: Gold, Garantie: 2-year</p>	
Lotul 3							
48300000-1	Notebook, Brand International	Latitude 5400	China	Dell	<p>Platform Business Notebook; 1 CPU Min. 4-cores Processor, min. Generatia 8, (min. 1.9 GHz, Turbo Boost Technology, min 8 MB cache, Lithography 14 nm,) RAM Min. 16GB DDR4 HDD SSD Min. 512GB SSD Display 14"; FHD Anti-Glare; 1920x1080 Native resolution; min. 300 nits Luminance and min 600:1 contrast ratio Video <input type="checkbox"/> Integrated HD Grafics Network WiFi-AC/BT4.2, RJ45</p>	<p>Laptop Dell Latitude 5400, 14 FHD WVA (1920x1080) Anti-Glare Non-Touch, Camera & Mic, WLAN/WWAN Capable, Privacy Shutter, Dual Pointing, Touch Fingerprint Reader, Thunderbolt 3, 8th Generation Intel Core i7-8665U Processor (4 Core,8MB Cache,1.9GHz,15W, vPro-Capable), Intel UHD 620 Graphics, Thunderbolt, 16GB, 1x16GB, DDR4 Non-ECC, M.2 512GB PCIe NVMe Solid State Drive, Intel® Dual Band Wireless AC 9560 (802.11ac) 2x2 + Bluetooth 5.0, I/O Ports: 1x USB</p>	ISO, CE

				<p>Ports and Slots</p> <ul style="list-style-type: none"> • HDMI 1.4(1);• Universal Jack;• MultiMedia card reader (SD 4.0);• uSIM ; • 3x USB 3.1 Gen1 (one with PowerShare);• DisplayPort over USB Type-C); • RJ45;• Noble lock wedge slot <p>Multimedia</p> <p>Web camera: HD fixed focus, CMOS sensor technology, Up to 30 frames per second, resolution 1280 x 720</p> <p>Sound: Integrated High-Quality Speakers; Headset and mic combo jack; Noise reducing array microphones</p> <p>Keyboard Backlit keyboard, EN Fingerprint reader</p> <p>Operating System Win 10 Pro</p> <p>Battery Battery Life min. 60 WHr (4-cell)</p> <p>Greutatea Max. 1.8 kg cu baterie</p> <p>Security Power-On/Setup Password; TPM 2.0; Fingerprint Sensor</p> <p>Accesorii incluse</p> <p>Husă Notebook 14"; USB Type-C Dock station with 130W Adapter - 1*HDMI, 1*mini DP, 1*VGA, 1*RJ-45, 2*USB 2.0, 3*USB 3.0; Adapter USB TYPE C to VGA Female; Adapter USB TYPE C to HDMI Female.</p> <p>Certificari EU Regulatory and Environmental;EU CE Declaration of Conformity;</p>	<p>Type C™ 3.1 Gen 2 with Power Delivery & DisplayPort, 3x USB 3.1 Gen 1 (one with PowerShare), 1x HDMI 1.4, 1x RJ-45 10/100/1000 Ethernet, 1x uSD 4.0 Memory card reader, Noble Wedge Lock, Dimensions: Width: 323.05mm Height (Non-Touch): 19.6mm, 20.85mm (rear) Depth: 216mm, Starting weight: 1.52kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA), Dual Pointing Backlit US English Keyboard, 4 Cell 68Whr ExpressCharge Capable Battery, 65W AC Adapter, 7.4mm Barrel, Windows 10 Pro 64bit English, Arabic, French, Russian, Turkish, 3 years Basic Onsite Service Extension</p> <p>Dell Dock WD19, 130W - USB-C 3.1 Gen 2, USB-A 3.1 Gen 1 with PowerShare, Combo Audio/Headset, Audio Out, DisplayPort 1.4, HDMI 2.0b, USB-C Multifunction DisplayPort, Dual USB-A 3.1 Gen 1, Gigabit Ethernet RJ45.</p> <p>GEANTA CASE LOGIC notebook 14" - ERAA-114 OBSIDIAN</p>	
--	--	--	--	---	---	--

					Garanție Min. 36 luni garantie completă.		
LOTUL – 4: Imprimantă multifuncțională laser de biroualb/negru – 10 buc							
	Imprimantă multifuncțională laser de biroualb/negru	MF113W	China	Canon	<p>Funcții disponibile</p> <p>Imprimantă/Scanner color/Copiator</p> <p>Tehnologie de printare Monocrom</p> <p>Tehnologie de printare Laser</p> <p>Ciclu de utilizare, lunar 8000 pagini</p> <p>Format A4</p> <p>Rezoluție printare alb/negru 1200dpi</p> <p>Calitatea imprimării alb/negru Până la 2400 x 600 dpi cu rafinare automată a imaginii</p> <p>Viteza de printare alb/negru 18 ppm</p> <p>Tip scanner Comprimat, color, cu suport plat</p> <p>Rezoluție scanner 600x600 Dpi</p> <p>Micșorare/mărire 50-200 %</p> <p>Număr de culori 1</p> <p>Număr de cartușe 1</p> <p>Capacitate memorie Min 64 Mb</p> <p>Interfețe Ethernet (RJ-45), USB 2.0 Hi-Speed</p> <p>Timp de imprimare a prim pag. Max.7,8 sec</p> <p>Timp de ieșire a primei copii Max. 12 sec</p> <p>Tip de suport material Hârtie simplă, groasă, reciclată, folii transparente, etichete, plicuri</p> <p>Greutatea hârtiei 60 - 163 g/m²</p> <p>Cartuș alb/negru min 1600 file</p> <p>Compatibilitate cu OS Windows 7/8/10/Server 2008/Server 2012</p> <p>Software and Printer</p>	<p>MFD Canon i-Sensys MF113w</p> <p>MFD A4, Ethernet, Wi-Fi</p> <p>Print, Copy and Scan</p> <p>Print speed: Up to 22 ppm (A4)</p> <p>Print quality: Up to 2400 equivalent x 600 dpi</p> <p>Print Resolution: 600 x 600 dpi</p> <p>Printer languages: UFR II-LT</p> <p>Paper input (Standard): 150-sheet cassette</p> <p>Paper output: 50-sheet</p> <p>Copy Speed: Up to 22 ppm (A4)</p> <p>Copy resolution: Up to 600 x 600 dpi</p> <p>Copy modes: Text/Photo, Text/Photo (High speed), Photo, Text</p> <p>Multiple Copy: Up to 999 copies</p> <p>Reduction/Enlargement: 25-400% in 1% increments</p> <p>Scanner Type: Flatbed</p> <p>Scan Resolution: Optical: Up to 600 x 600 dpi</p> <p>Enhanced: Up to 9600 x 9600 dpi</p> <p>Scan speed: Single sided mono: 2.4 sec/page (300x600dpi)</p> <p>Colour scanning depth: 24 bit/24 bit (input/output)</p> <p>Greyscales: 256 levels</p> <p>Recommended Monthly Print Volume: 150 - 1,500 pages per month</p> <p>Duty cycle: Max. 10,000 pages per month</p> <p>Processor Speed: 400MHz</p> <p>Memory : 256MB</p>	ISO, CE

				Management Page Manager, MF Toolbox Ascensorii Cablu 220v – 1 buc., cablu USB 2.0 3m – 1 buc. Garanție Min.12 luni	Control Panel: 5 lines B&W LCD Interface: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection Cartridges: Cartridge 047 (1,600 pages) Drum Cartridge 049 (12,000 pages) Printer ships with Starter Cartridge (700 pages), Drum Cartridge 049 (12,000 pages) Ascensorii Cablu 220v – 1 buc., cablu USB 2.0 3m – 1 buc. Garanție.12 luni	
	TOTAL					

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16