



CP-RN 109/24

EU pregled tipa proveden je sukladno **Uredbi (EU) 2016/425**, Prilog V (Modul B) o osobnoj zaštitnoj opremi (OZO)
EU type-examination is conducted acc. to Regulation (EU) 2016/425, Annex V (Module B) on personal protective equipment (PPE)

EU CERTIFIKAT O PREGLEDU TIPAA EU TYPE-EXAMINATION CERTIFICATE

OZO220-CPT002/24

Proizvođač: <i>Manufacturer:</i>	Brandbull International S.A. Boulevard Royal nr 25A, L-2449 Luxembourg, Lëtzebuerg <i>branch:</i> Brandbull International S.A. Oddział w Polsce ul. Przybrzeżna 37, 62-800 Kalisz, Polska
Kategorija i vrsta OZO: <i>Category and PPE Type:</i>	OZO kategorije III, sigurnosna obuća <i>PPE category III, safety footwear</i>
Artikl, tip ili model: <i>Article, type or model:</i>	FHR 006, FHR 006 PL FHR 006 N, FHR 006 PL N
Norma: <i>Standard:</i>	HRN EN 15090:2012 (EN 15090:2012) Obuća za vatrogasce <i>Footwear for firefighters</i> HRN EN ISO 20345:2022 (EN ISO 20345:2022) Osobna zaštitna oprema – Sigurnosna obuća <i>Personal protective equipment – Safety footwear</i>
Razred: <i>Class:</i>	I obuća napravljena od kože i drugih materijala, isključujući potpuno gumenu ili potpuno polimernu obuću <i>footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear</i>
Dizajn – tip: <i>Design – type:</i>	C polučizma <i>half-knee boot</i> D čizma <i>knee-height boot</i>
Simboli zaštite / kategorija vatrogasne obuće: <i>Symbols / Category of firefighters footwear:</i>	F2A zadovoljeni svi osnovni normativni zahtjevi za tip 2 i antistatičko svojstvo <i>complies with all basic standard requirements for type 2 and antistatic property</i> HI₃ izolacija od topline razine 3 <i>insulation against heat level 3</i> CI donjište izolirano od hladnoće <i>cold insulation of sole complex</i> SR otpornost na klizanje na keramičkom podu s glicerolom <i>slip resistance on ceramic tile floor with glycerine</i>

Simboli zaštite / kategorija sigurnosne obuće: <i>Symbols / Category of safety footwear:</i>	S7L	zadovoljeni svi osnovni normativni zahtjevi, uz dodatne: zatvoreni lub, apsorpcija energije u području pete (E), antistatička svojstva (A), propuštanje i upijanje vode gornjišta (WPA), otpornost na probijanje (PL), potplat s profilima, otpornost na vodu cijele obuće (WR) <i>complies with all basic standard requirements and additional: closed heel area, energy absorption of seat region (E), antistatic properties (A), upper water penetration and absorption (WPA), perforation resistance (PL), cleated outsole, water resistance of whole footwear (WR)</i>
	HI	donjište izolirano od topline <i>heat insulation of outsole complex</i>
	CI	donjište izolirano od hladnoće <i>cold insulation of outsole complex</i>
	SC	abrazija vanjske zaštite kapice <i>scuff cap abrasion</i>
	SR	otpornost na klizanje na keramičkom podu s glicerolom <i>slip resistance on ceramic tile floor with glycerine</i>
	HRO	otpornost potplata na toplinu dodirom <i>outsole resistance to hot contact</i>
	FO	otpornost potplata na pogonsko gorivo <i>outsole resistance to fuel oil</i>
	LG	hvat za ljestve <i>ladder grip</i>

Dokumenti o pregledu:
Examination documents:

Tehnička dokumentacija / *Technical documentation* FHR 006, FHR 006 PL, FHR 006 N, FHR 006 PL N, ver6
Izveštaj o ocjenjivanju br. / *Evaluation Report No.* OZO220-R005/24, OZO220-R006/24

Opis i prikaz OZO:
PPE description and appearance:

Gornjište obuće je izrađeno od crne kože, sa višeslojnom tekstilnom podstavom. Obuća ima uklonjivu tekstilnu uložnu tabanicu, metalnu kapicu, nemetalni umetak otporan na probijanje (temeljna tabanica) i crni profilirani gumeni potplat.
Upper is made of black leather, lining is multilayered textile. Footwear with removable multilayered textile insole, metallic safety toecap, non-metallic penetration resistant insert (insole) and black cleated rubber outsole.



Označivanje OZO:
PPE Marking:

Naziv i adresa proizvođača
Manufacturer's name and address

Oznaka veličine
Size designation

Artikl, tip ili model: **FHR 006, FHR 006 N**
Article, type or model: **FHR 006 PL, FHR 006 PL N**

Datum proizvodnje
Date of manufacture

Piktogram, norma i kategorija / simboli zaštite:
Pictogram, standard and category / symbols:



EN 15090:2012

EN ISO 20345:2022

HI₃ CI SR

S7S HI CI SC SR HRO FO LG



Oznaka sukladnosti i broj NB
Conformity marking and NB number

Certifikat se odnosi samo na pregledani tip, prethodno opisane OZO i vrijedi do 03. travnja 2029. godine ili do prve promjene materijala izrade, konstrukcije, tehnoloških i drugih procesa koji mogu utjecati na kvalitetu proizvoda. Ovaj dokument potvrđuje sukladnost proizvoda sa primjenjivim bitnim zdravstvenim i sigurnosnim zahtjevima iz Uredbe (EU) 2016/425 (Prilog II), prema primjenjivim zahtjevima iz navedenih (usklađenih) normi. Odgovornost za sukladnost proizvoda s navedenim tipom je na proizvođaču OZO.

Navedeni tip OZO podliježe provjeri sukladnosti izrađene OZO s tipom opisanim u ovom Certifikatu sukladno članku 19. točka c) tj. Prilog VII ili Prilog VIII Uredbe (EU) 2016/425 o osobnoj zaštitnoj opremi.

Certificate relates only to type examined, previously described PPE and it is valid until 03 April 2029 or until first material, constructional or technological change or others that may influence product quality. This document confirms compliance of the product with the applicable essential health and safety requirements stated in Regulation (EU) 2016/425 (Annex II), provided with applicable requirements of stated (harmonized) standards. PPE manufacturer is responsible for product compliance with type examined.

PPE type stated in this Certificate is subject to one of the two procedures referred to in Article 19, clause c) i.e. Annex VII or Annex VIII of Regulation (EU) 2016/425.

Certifikat se smije predočiti samo u cjelovitom obliku. Certifikat ostaje vlasništvo MIRTA-KONTROL d.o.o. i na čiji se zahtjev mora vratiti.

This certificate shall not be reproduced except in full and remains the property of MIRTA-KONTROL d.o.o. to whom it must be returned on request.

Zagreb, 04.04.2024

Ocijenio:
Assessed:

Vuk Opačić, ing.

Odobrila:
Approved:

Magdalena Vasilj, ing.



MIRTA-KONTROL

d.o.o.