



Viale G.di Vittorio, 30
20090 Pantigliate (MI) Italy
Phone: 02.55230061
<http://www.histoline.com>
email: export@histoline.com

Data Sheet

Automatic Vacuum Tissue Processor Histo-Pro200



Version 1.0

Histo-Line Laboratories s.r.l

10/01/2026



Manufacturer: Histo-Line Laboratories s.r.l

In vitro diagnostic -medical device

1.2 Information and use of the instrument

The Histo-Pro 200 is an automatic tissue processor is designed for the laboratories of Histology and research.

This recently-built instrument Histo-Line Laboratories home combines the simplicity of use of the same by operators with maximum safety and reliability.

Clarity and ease of access to the controls can be found in front of the instrument, equipped with a touch screen color screen attached to the control panel.

S2 It equipped with an intelligent software and easy to use, with an alarm system as a reminder or failure of the instrument

S13 Multiple system of sample protection.

Histo-Pro 200 processes all biological tissues, both with standard protocols and substitutes do not as toxic as Diaphane (xylene substitute and d-lemonene). For both the processor is designed with optimized protocols and adaptable to all circumstances.

S2 The software maintains all the necessary protocols, with the option to set: the reagents used, the processing time, the operating temperature, the stirring time. **S9**



S12 Using the control panel, you can view and modify the operating parameters, such as processing programs, the temperature of the wax rooms.

Also it allows for daily and weekly programming on and off.

The adjustment of the working temperature is carried out via electronic thermostat with microprocessor.





The operator can set the different programs, diversified by time, temperature; there are also special programs for the cleaning of paraffin rooms.

In the front part, behind a small flap retractable, there are the hose connections for filling and emptying of reagent tanks and / or paraffin.

The basket provided offers the possibility of having different load quantities: ~70, ~140, ~200 cassettes with use controlled amounts of reagent according to the load.

S2 Screen 14" a color touch screen, is resistant to solvents, with a graphical representation of the management process of the instrument, through an intuitive software.
S21



The ergonomic design allows for easy accessibility.

All major functions for the user are easy to access. This includes the hose connections for filling and emptying of the remote reagents and / or paraffin.

The filling and emptying increase user safety.

The simple and safe filling of the system, thanks to the level sensors, ensures that the reagent tanks are always filled in the correct amounts.

S13 The result: maximum protection of the operator, quality of materials and minimization of operational errors.