

Test Report issued under the responsibility of:





TEST REPORT IEC 60598-2-3 Luminaires

Part 2: Particular requirements Section 3: Luminaires for road and street lighting

 Report Number.....
 P1613-14-IIb

 Date of issue....
 2023-08-10

Total number of pages 91

Name of Testing Laboratory SGS BELGIUM division SGS CEBEC preparing the Report:

Applicant's name Schréder SA

Address...... Rue de Mons, 3,B-4000 LIEGE

Test specification:

Standard IEC 60598-2-3:2002, IEC 60598-2-3:2002/AMD1:2011 used in

conjunction with IEC 60598-1:2020

Test procedure: CB Scheme

Non-standard test method: N/A

TRF template used.....: IECEE OD-2020-F1:2021, Ed.1.4

Test Report Form No.: IEC60598_2_3M
Test Report Form(s) Originator: Intertek Semko AB

Master TRF 2021-11-11

Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Test item description	Street lighting
Trade Mark	SCHREDER
Manufacturer	SCHREDER
Model/Type reference	IZYLUM LT 1 (IZYLLT11); IZYLUM LT 2 (IZYLLT12); IZYLUM LT 3 (IZYLLT13)
Ratings	220-240 V, 50-60 Hz, Cl. II , IP66, IK08, Led module: Max 1050 mA, Pin max 203W.