


FORCEPS

OF 175.01

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM / STAINLESS




Overall length 82 mm, 3.2 inches

- Flat handle
- Delicate shafts 11.5 mm long
- Angled 45 degree
- Very sharp tips

OF 300

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM / STAINLESS




Overall length 82 mm, 3.2 inches

- Flat handle
- Delicate shafts 12.3 mm long
- Angled 45 degree
- Very sharp tips

OF 265

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM




Overall length 83 mm, 3.2 inches

- Flat handle
- Very delicate shafts 12.5 mm long
- Angled 45 degree
- TC tips

OF 265.01

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS




Overall length 83 mm, 3.2 inches

- Flat handle
- Very delicate shafts 12.5 mm long
- Angled 45 degree

OF 272

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM




Overall length 83 mm, 3.3 inches

- Flat handle
- Delicate shafts 11.5 mm long
- Angled 45 degree
- TC sharp tips

OF 223

UTRATA CAPSULORHEXIS FORCEPS
CURVED, STAINLESS




Overall length 105 mm, 4.1 inches

- Flat handle
- Delicate shafts 11 mm long
- TC sharp tips

OF 251

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS




Overall length 70 mm, 2.7 inches

- Flat handle
- Delicate shafts 11 mm long
- Angled 40 degree
- TC sharp tips

FORCEPS

OF 074

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.3 mm height
- 6 mm tying platform
- Tips 0.5 mm wide




Overall length 85 mm, 3.3 inches

- TC teeth and platforms
- Flat handle

OF 074.03

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.3 mm height
- 90 degree teeth
- 6 mm tying platform




Overall length 85 mm, 3.3 inches

- TC teeth and platforms
- Tips 0.5 mm wide
- Flat handle

OF 074.01

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.5 mm height
- 6 mm tying platform
- Tips 0.8 mm wide




Overall length 85 mm, 3.3 inches

- TC teeth and platforms
- Flat handle

OF 074.04

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.5 mm height
- 90 degree teeth
- 6 mm tying platform




Overall length 85 mm, 3.3 inches

- Tips 0.8 mm wide
- TC teeth and platforms
- Flat handle

OF 074.02

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.8 mm height
- 6 mm tying platform




Overall length 85 mm, 3.3 inches

- Tips 1.2 mm wide
- TC teeth and platforms
- Flat handle

OF 074.05

PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM



- 1x2 teeth, 0.8 mm height
- 90 degree teeth
- 6 mm tying platform




Overall length 85 mm, 3.3 inches

- Tips 1.2 mm wide
- TC teeth and platforms
- Flat handle

OF 184

WRIGHT TYING SCLERAL FORCEPS
STRAIGHT, TITANIUM



- 1x2 teeth, 0.75 mm height
- 6 mm tying platform




Overall length 105 mm, 4.1 inches

- Tips 1.2 mm wide
- TC teeth and platforms
- Flat handle

FORCEPS

OF 184.02

TYING SCLERAL FORCEPS
STRAIGHT, TITANIUM



- 1×2 teeth, 0.65 mm height
- 6 mm tying platform
- Tips 1.15 mm wide




Overall length 105 mm, 4.1 inches

- TC teeth and platforms
- Flat handle

OF 278.03

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM



- 1×2 teeth, 0.9 mm height
- 6 mm tying platform
- Tips 0.55 mm wide




Overall length 110 mm, 4.3 inches

- TC teeth and platforms
- Flat handle

OF 278.04

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM



- 1×2 teeth, 1.25 mm height
- 6 mm tying platform
- Tips 0.55 mm wide




Overall length 110 mm, 4.3 inches

- TC teeth and platforms
- Flat handle

OZ 027

SCLERAL PLUG FORCEPS CROSS
ACTION, TITANIUM



- Angled shafts with groove 0.3 mm
- Flat handle





Overall length 107 mm, 4.2 inches

- Designed to securely hold scleral plugs during insertion and removal. The cross action handle is designed to reduce hand fatigue while grasping plug

FORCEPS

OF 187

TYING FORCEPS ANGLED,
STAINLESS





Overall length 80 mm, 3.1 inches

- 1x2 teeth, 0.1 mm height
- Pointed platform 11 mm long
- Tips 0.3 mm wide
- Flat handle

OF 187.01

TYING FORCEPS ANGLED,
STAINLESS




Overall length 80 mm, 3.1 inches

- 1x2 teeth, 0.1 mm height
- 45 degree teeth
- Pointed platform 11 mm long
- Tips 0.3 mm wide
- Flat handle

OF 250

TYING FORCEPS ANGLED,
STAINLESS




Overall length 80 mm, 3.1 inches

- 1x2 teeth, 0.2 mm height
- Pointed platform 10 mm long
- Tips 0.5 mm wide
- Flat handle

OF 250.01

TYING FORCEPS ANGLED,
STAINLESS




Overall length 80 mm, 3.1 inches

- 1x2 teeth, 0.2 mm height
- 40 degree teeth
- Pointed platform 10 mm long
- Tips 0.5 mm wide
- Flat handle

OF 293

TYING FORCEPS STRAIGHT,
TITANIUM




Overall length 104 mm, 4.1 inches

- 1x2 teeth, 0.12 mm height
- 6 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Light round handle

OF 082

TENNANT TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.1 mm height
- 6 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle

OF 082.01

TENNANT TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.12 mm height
- 6 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle

FORCEPS

OF 036

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 87 mm, 3.4 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 036.01

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 87 mm, 3.4 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 036.02

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 87 mm, 3.4 inches

- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 036.03

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM




Overall length 87 mm, 3.4 inches

- 10 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 037

McPHERSON TYING FORCEPS
ANGLED, TITANIUM




Overall length 84 mm, 3.3 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 037.01

McPHERSON TYING FORCEPS
ANGLED, TITANIUM




Overall length 84 mm, 3.3 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

OF 037.02

McPHERSON TYING FORCEPS
ANGLED, TITANIUM



Overall length 84 mm, 3.3 inches

- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle

FORCEPS

OF 085

FRANCIS CHALAZION FORCEPS,
TITANIUM



Overall length 100 mm, 3.9 inches

- Lower plate 20 mm × 12 mm, external size
- Upper plate window 17 mm × 9 mm, inner size
- Flat handle

OF 086

DESMARRES CHALAZION FORCEPS,
TITANIUM



Overall length 100 mm, 3.9 inches

- Lower plate 34 mm × 24 mm, external size
- Upper plate window 31 mm × 21 mm, inner size
- Flat handle

OF 087

HUNT CHALAZION FORCEPS,
TITANIUM



Overall length 100 mm, 3.9 inches

- Lower plate 14 mm, external size
- Upper plate window 11.6 mm, inner size
- Flat handle

OF 088

DESMARRES CHALAZION FORCEPS,
TITANIUM



Overall length 100 mm, 3.9 inches

- Lower plate 12 mm × 11 mm, external size
- Upper plate window 10 mm × 9 mm, inner size
- Flat handle

OF 183

CHALAZION FORCEPS, TITANIUM



Overall length 98 mm, 3.8 inches

- Lower plate 17 mm x 15 mm, external size
- Upper plate window 14 mm × 12 mm, inner size
- Flat handle

OF 252

FRANCIS CHALAZION FORCEPS,
TITANIUM




Overall length 98 mm, 3.8 inches

- Lower plate 15.5 mm, external size
- Upper plate window 15.5 mm x 12.5 mm, inner size
- Flat handle

FORCEPS

OF 215

MEDEZ FORCEPS FOR LASIK
CURVED, TITANIUM




Overall length 103 mm, 4 inches

- Angled 45 degree
- Tips 10 mm long
- Tips 0.25 mm wide
- Round handle

OF 242

OGAWA FORCEPS FOR DSAEK,
TITANIUM




Overall length 118 mm, 4.6 inches

- Angled 50 degree
- Shafts 11.2 mm long
- Tips 0.85 mm wide
- 0.9 mm tying platforms
- Round handle

OF 176

NUGENT UTILITY FORCEPS
ANGLED, TITANIUM




Overall length 104 mm, 4.1 inches

- 9 mm cross-wise platform
- Tips 1.1 mm wide
- Flat handle

OF 177

BONACCOLTO UTILITY FORCEPS
STRAIGHT, TITANIUM




Overall length 104 mm, 4.1 inches

- 16 mm tying platforms
- Lengthwise jaws with cross serrated tips 2.5 mm long
- Tips 1.2 mm wide
- Flat handle

OF 249

MICROSURGICAL FORCEPS
STRAIGHT, TITANIUM




Overall length 100 mm, 3.9 inches

- Serrated tips 12 mm long
- Tips 0.4 mm wide
- Flat handle

OF 253

MICROSURGICAL FORCEPS
STRAIGHT, TITANIUM




Overall length 100 mm, 3.9 inches

- Serrated tips 11.5 mm long
- Tips 0.37 mm wide
- Flat handle

OF 275

DRESSING FORCEPS CURVED,
TITANIUM



Overall length 101 mm, 3.9 inches

- Serrated tips 9 mm long
- Tips 0.7 mm wide
- Flat handle

NEEDLE HOLDERS

OH 072.01 U

BARRAQUER NEEDLE HOLDER
CURVED WITH UNIVERSAL LOCK,
TITANIUM



Overall length 135 mm, 5.3 inches

- Strong jaws 10 mm long
- Tips 0.9 mm wide
- TC jaws
- Round handle

OH 050

WRIGHT NEEDLE HOLDER CURVED,
TITANIUM
OH 050.01 (STRAIGHT)



Overall length 135 mm, 5.3 inches

- Strong jaws 11 mm long
- Tips 0.95 mm wide
- TC jaws
- Round handle

OH 005

KALT NEEDLE HOLDER STRAIGHT,
TITANIUM
OH 005.01 (CURVED)



Overall length 135 mm, 5.3 inches

- Strong jaws 10.5 mm long
- Tips 0.8 mm wide
- TC jaws
- Flat locking handle

OH 003

SNEAD NEEDLE HOLDER -
SCISSORS, STAINLESS



Overall length 135 mm, 5.3 inches

- Fine 2.5 mm needle holder jaws
- Curved 6.5 mm scissors blades
- TC jaws
- Round handle

OH 002

SNEAD NEEDLE HOLDER -
SCISSORS, STAINLESS



Overall length 140 mm, 5.5 inches

- Fine 3.5 mm needle holder jaws
- Curved 7.5 mm scissors blades
- TC jaws
- Round handle

OH 029

SNEAD NEEDLE HOLDER -
SCISSORS, TITANIUM
OH 029.01 (CURVED)



Overall length 140 mm, 5.5 inches


- Fine 3.5 mm needle holder jaws
- Straight 7.5 mm scissors blades
- TC jaws
- Round handle

SCISSORS

OS 068VANNAS SCISSORS STRAIGHT,
STAINLESS

Overall length 80 mm, 3.1 inches

- 6.5 mm blades
- Very sharp pointed tips
- Mat finish
- Flat handle


OS 321VANNAS CAPSULOTOMY SCISSORS
STRAIGHT, STAINLESS

Overall length 84 mm, 3.3 inches

- 6 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

OS 322VANNAS CAPSULOTOMY SCISSORS
STRAIGHT, STAINLESS

OS 322.01 (CURVED)



Overall length 85 mm, 3.3 inches

- 6 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

SCISSORS

OS 013

CONJUCTIVAL SCISSORS CURVED, STAINLESS



Overall length 108 mm, 4.2 inches

- 11 mm blades
- Sharp pointed tips
- Mat finish
- Round handle

OS 014

CONJUCTIVAL SCISSORS CURVED, STAINLESS
OS 014.01 (STRAIGHT)



Overall length 100 mm, 3.9 inches

- 11.5 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

OS 060

SCISSORS FOR PLASTIC SURGERY CURVED, STAINLESS- TITANIUM




Overall length 140 mm, 5.5 inches

- 20.5 mm serrated blades, stainless
- Blunt tips
- Mat finish
- Flat titanium handle

OS 062

SCISSORS STRAIGHT, STAINLESS
OS 062.01 (CURVED)



Overall length 108 mm, 4.2 inches

- 9.7 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

OS 064

SCISSORS ANGLED, STAINLESS- TITANIUM



Overall length 112 mm, 4.4 inches

- Angled to side 45 degree 11.5 mm blades, stainless
- Blunt tips
- Mat finish
- Round titanium handle

OS 313

BARRAQUER IRIS SCISSORS, STAINLESS (BUTTERFLY)




Overall length 57 mm, 2.2 inches

- 7 mm blades
- Blunt tips
- Mat finish
- Flat handle

SCISSORS

OS 021

ANTERIOR CAPSULOTOMY
SCISSORS ANGLED, STAINLESS



Overall length 90 mm, 3.5 inches

- Angled 45 degree 10 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

OS 021.01

ANTERIOR CAPSULOTOMY
SCISSORS, STAINLESS




Overall length 90 mm, 3.5 inches

- Angled 45 degree and curved 10 mm blades
- Sharp pointed tips
- Mat finish
- Flat handle

OS 015

ANTERIOR CAPSULOTOMY
SCISSORS ANGLED, STAINLESS



Overall length 82 mm, 3.2 inches

- Angled 45 degree 10 mm blades
- Sharp pointed tips
- Mat finish
- Round handle

OS 052

ANTERIOR CAPSULOTOMY
SCISSORS ANGLED, STAINLESS-
TITANIUM



Overall length 82 mm, 3.2 inches

- Angled 45 degree 10 mm blades, stainless
- Sharp pointed tips
- Mat finish
- Round titanium handle

OS 058

MUSCLE SCISSORS ANGLED RIGHT,
STAINLESS-TITANIUM



Overall length 108 mm, 4.2 inches

- Angled 25 degree 11.5 mm blades, stainless
- Blunt tips
- Mat finish
- Flat titanium handle

OS 059

MUSCLE SCISSORS ANGLED LEFT,
STAINLESS-TITANIUM



Overall length 108 mm, 4.2 inches

- Angled 25 degree 11.5 mm blades, stainless
- Blunt tips
- Mat finish
- Flat titanium handle

EYE SPECULUMS

OR 001

EYE SPECULUM TEMPORAL WITH MOVABLE SUPPORTS




Overall length 80 mm, 3.1 inches

- Closed stainless wire blades 15 mm wide with movable supports
- Titanium mechanism

OR 003

EYE SPECULUM




Overall length 80 mm, 3.1 inches

- Closed wire blades 15 mm wide
- Titanium mechanism

OR 002

MURDOCK EYE SPECULUM, RIGHT




Overall length 70 mm, 2.8 inches

- Closed wire blades 18 mm wide
- Locking titanium mechanism

OR 002.01

MURDOCK EYE SPECULUM, LEFT



Overall length 70 mm, 2.8 inches

- Closed wire blades 18 mm wide
- Locking titanium mechanism

OR 005

SPRING EYE SPECULUM



Overall length 54 mm, 2.1 inches

- Open titanium wire blades 15 mm wide
- Titanium mechanism

OR 005.01

WRIGHT SPRING EYE SPECULUM



Overall length 54 mm, 2.1 inches

- Solid titanium blades 15 mm wide
- Titanium mechanism

EYE SPECULUMS

OR 009

LIEBERMAN NASAL ADJUSTABLE EYE SPECULUM, ADULT

**Overall length 71 mm, 2.8 inches**

- Open wire blades 16 mm wide
- Completely titanium

OR 009.01

LIEBERMAN NASAL ADJUSTABLE EYE SPECULUM, PEDIATRIC

**Overall length 68 mm 2.7 inches**

- Open wire blades 12 mm wide
- Completely titanium

OR 009.02

LIEBERMAN ADJUSTABLE EYE SPECULUM, ADULT

**Overall length 71 mm 2.8 inches**

- Open wire blades 16 mm wide
- Completely titanium

OR 009.03

LIEBERMAN ADJUSTABLE EYE SPECULUM, PEDIATRIC

**Overall length 68 mm 2.7 inches**

- Open wire blades 12 mm wide
- Completely titanium

OR 010

NASAL ADJUSTABLE EYE SPECULUM, ADULT

**Overall length 67 mm 2.7 inches**

- Solid blades 15 mm wide
- Completely titanium

OR 010.01

NASAL ADJUSTABLE EYE SPECULUM, PEDIATRIC

**Overall length 65 mm 2.6 inches**

- Solid blades 11 mm wide
- Completely titanium

OR 010.02


ADJUSTABLE EYE SPECULUM, PEDIATRIC

**Overall length 61 mm 2.4 inches**

- Solid blades 11 mm wide
- Completely titanium

OR 010.03

KERSHNER REVERSIBLE ADJUSTABLE EYE SPECULUM, ADULT


**Overall length 67 mm, 2.7 inches**

- Solid blades 15 mm wide
- Can be used for both nasal & temporal approach
- Completely titanium

PROBES

OPT 006

BOWMAN LACHRYMAL PROBE
DOUBLE ENDED, STAINLESS




Overall length 130 mm, 5.1 inches

- OPT 006 tips 0.5 mm and 0.6 mm dia (Size 0000-000)
- OPT 006.01 tips 0.7 mm and 0.8 mm dia (Size 00-0)
- OPT 006.02 tips 0.9 mm and 1.1 mm dia (Size 1-2)
- OPT 006.03 tips 1.3 mm and 1.4 mm dia (Size 3-4)
- OPT 006.04 tips 1.5 mm and 1.6 mm dia (Size 5-6)
- OPT 006.05 tips 1.8 mm and 1.9 mm dia (Size 7-8)

OPT 007

QUICKERT LACHRYMAL INTUBATION
PROBE, STAINLESS




Overall length 110 mm, 4.3 inches

- OPT 007 tip 0.4 mm, 0.7 mm dia
- OPT 007.01 tip 0.8 mm 0.8 mm dia
- OPT 007.02 tip 0.9 mm, 0.9 mm dia
- OPT 007.03 tip 1.1 mm, 1.1 mm dia
- OPT 007.04 tip 1.3 mm, 1.3 mm dia
- OPT 007.05 tip 1.4 mm, 1.4 mm dia

OPT 010

PROBE, STAINLESS




Overall length 150 mm, 5.9 inches

- Working tips 0.4 mm and 0.5 mm dia (Size 00000-0000)

OPT 013

PROBE, STAINLESS




Overall length 140 mm, 5.5 inches

- OPT 013 Tips 0.6 mm and 0.7 mm dia (Size 000-00)
- OPT 013.01 Tips 0.7 mm and 0.8 mm dia (Size 00-0)

OPT 014

PROBE, STAINLESS




Overall length 130 mm, 5.1 inches

- Working tips 0.5 mm and 0.6 mm dia (Size 0000-000)

OE 051

WORST PIGTAIL PROBE



Overall length 146 mm, 5.7 inches

- Stainless working parts with holes 0.6 mm dia
- Used in plastic surgery
- Round titanium handle

CANNULAS

ON 001

HANDLE FOR CANNULAS (ADAPTER LUER), TITANIUM




Overall length 101 mm, 4 inches

ON 001.01

HANDLE FOR CANNULAS (ADAPTER RECORD), TITANIUM



Overall length 101 mm, 4 inches




OC 001
VITREOUS ASPIRATING CANNULA, STAINLESS



Overall length 41 mm, 1.6 inches

- Cannula tube angled 30 degree
- Tube 20G, 1.0 mm external dia




OC 001.01
VITREOUS ASPIRATING CANNULA, STAINLESS



Overall length 41 mm, 1.6 inches

- Cannula tube angled 30 degree
- Tube 19G, 1.2 mm external dia




OC 001.02
VITREOUS ASPIRATING CANNULA, STAINLESS



Overall length 41 mm, 1.6 inches

- Cannula tube angled 30 degree
- Tube 16G, 1.6 mm external dia




OC 001.03
FOREIGN BODY ASPIRATING CANNULA, STAINLESS



Overall length 41 mm, 1.6 inches

- Cannula tube angled 30 degree
- Tube 14G, 2.0 mm external dia




OC 002
ANTERIOR CHAMBER CANNULA, STAINLESS



Overall length 38 mm, 1.5 inches

- Gently curved blunt tip
- Tube 21G, 0.8 mm external dia
- Aspirating port 0.4 mm dia




OC 002.01
ANTERIOR CHAMBER CANNULA, STAINLESS



Overall length 38 mm, 1.5 inches

- Gently curved blunt tip
- Tube 20G, 1.0 mm external dia
- Aspirating port 0.4 mm dia




OC 002.05
ANTERIOR CHAMBER CANNULA, STAINLESS



Overall length 38 mm, 1.5 inches

- Gently curved blunt tip
- Tube 27G, 0.4 mm external dia
- Aspirating port 0.2 mm dia




OC 003
SIMCOE SUTURING NEEDLE, STAINLESS



Overall length 34 mm, 1.3 inches

- Beveled sharp tip with hole for suturing
- Tube 25G, 0.5 mm external dia

CANNULAS




OC 023.03
LASIK IRRIGATION CANNULA, STAINLESS



Overall length 41 mm, 1.6 inches

- Curved part 10 mm long
- 6 side ports 0.35 mm dia
- Tube 21G




OC 024
RAININ NUCLEUS HYDRODISSECTOR
ANGLED, STAINLESS



Overall length 41 mm, 1.6 inches

- Angled part 8 mm long
- Oval front port 0.58 × 0.4 mm dia
- Tube flattened at the end
- Tube 25G




OC 024.01
RAININ NUCLEUS HYDRODISSECTOR,
CURVED, STAINLESS



Overall length 41 mm, 1.6 inches

- Oval front port 0.58 × 0.4 mm dia
- Tube flattened at the end
- Tube 25G




OC 025
NUCLEUS HYDRODISSECTOR, STAINLESS



Overall length 51 mm, 2 inches

- Front port 0.9 mm dia
- Curved tube 33 mm long
- Tube 18G




OC 025.01
NUCLEUS HYDRODISSECTOR, STAINLESS



Overall length 46 mm, 1.8 inches

- Front port 0.7 mm dia
- Curved tube 33 mm long
- Tube 19G



OC 026
PEARCE J-SHAPED MICRO
HYDRODISSECTOR, STAINLESS



Overall length 33 mm, 1.3 inches

- Front port 0.3 mm dia
- Hook 1.5 x 2 mm
- Tube 25G



OCT 001
ADAPTER FROM "LUER" TO "RECORD",
TITANIUM

Overall length 25 mm, 0.9 inches



OCT 002
ADAPTER FROM "RECORD" TO "LUER",
TITANIUM

Overall length 25 mm, 0.9 inches



OCT 003
ADAPTER, TITANIUM

Overall length 30 mm, 1.2 inches


- One end- Internal link port "Luer"
- Second end- smooth 2.8 mm dia
- 1.9 mm internal dia



OCT 004
ADAPTER, TITANIUM

Overall length 30 mm, 1.2 inches

- One end- External Cone "Luer"
- Second end- smooth 4 mm dia
- 3 mm internal dia



OC 009
SIMCOE IRRIGATING/ASPIRATING
CANNULA, STAINLESS

Overall length 38 mm, 1.5 inches

- Aspirating port 0.2 mm dia
- Silicone tube 160 mm long, 6.3 inches
- Tube 23G

