



PCI



PTA



IVR



INR


Diagnostic
devices

ASAHI Caravel

A versatile microcatheter that completes
the simple and simplifies the complex.



Ultra low profile tip

Tip tapers to 0.48 mm (0.019" (1.4 Fr))
Exceptional tip flexibility
Smoothly tracks into tortuous anatomy



Low profile microcatheter

Excellent crossing profile : 0.62 mm (1.9 Fr)
Low profile design to cross microchannels


ACT ONE precision braided shaft

Unique braiding delivers best-in-class flexibility
Precision engineering ensures unmatched performance in tortuous anatomy


Internal lumen integrity

Enhanced resistance to kinking in tortuous anatomy
Facilitates optimal guidewire performance

ACT ONE Maintains Inner Lumen



Structure & ordering information



Product	Catalog No.	Tip	Outer diameter		Inner diameter		Length	Hydrophilic coating length
			Distal shaft	Proximal shaft	Tip	Shaft		
ASAHI Caravel	CRV135-19P	0.48mm (1.4Fr)	0.62mm (1.9Fr)	0.85mm (2.6Fr)	0.40mm (0.016inch)	0.55mm (0.022inch)	135cm	70cm
	CRV150-19P	0.48mm (1.4Fr)	0.62mm (1.9Fr)	0.85mm (2.6Fr)	0.40mm (0.016inch)	0.55mm (0.022inch)	150cm	85cm

Indications for Use

This microcatheter is intended to provide support to facilitate the placement of guidewires in the coronary and peripheral vasculatures, and can be used to exchange one guide wire for another.

This microcatheter is also intended to assist in the delivery of contrast media into the coronary and peripheral vasculatures.

Do not use this microcatheter other than for use in the coronary and peripheral vasculatures.



"ASAHI", "Caravel" and "ACT ONE" are trademarks or registered trademarks of ASAHI INTECC CO., LTD. in Japan and other countries.

