



Veriton X



































TPM Easy-swap

Veriton X6660G **SPECIFICATIONS**





Product views	1. Power button 6. Headphone/speaker 2. One button recovery 7. Four USB 3.1 Gen 2 p 3. Optical media drive 8. Two USB Type-C™ G 4. Status LEDs 9. PS/2 ports 5. Microphone-in jack 10. Two DisplayPorts™	rts 12. Four USB 3.1 Gen 1 ports 17. Ethernet (RJ-45) port
Operating system ^{1, 2}	Windows 10 Pro 64-bit Windows 10 Home 64-bit Endless OS	
CPU and chipset ¹	8th Generation Intel® Core™ i7+ vPro™ processors, Intel® UHD Graph 8th Generation Intel® Core™ i7 vPro™ processors, Intel® UHD Graphi 8th Generation Intel® Core™ i5+ vPro™ processors, Intel® UHD Graphis 8th Generation Intel® Core™ i5 vPro™ processors, Intel® UHD Graphis 8th Generation Intel® Core™ i3 processors, Intel® UHD Graphics 630 Intel® Pentium® Gold processors, Intel® UHD Graphics 630 / 610 Intel® Celeron® processors, Intel® UHD Graphics 630 / 610 Chipset: Intel® Q370 Express Chipset	s 630 cs 630
Memory ^{1, 3, 4}	16 GB / 8 GB / 4 GB DDR4 2666 MHz UDIMM Up to 64 GB of Dual-channel DDR4 2666 MHz	
Storage ^{1, 5}	Hard disk drive: 2TB / 1TB / 500GB 2.5" Solid State Drive: 128GB / 256GB / 512 GB / 16GB / 32 GB (in 2.5" and	M.2 depending capacity)
Optical media drive	8X DVD-RW drive	
Graphics ⁶	NVIDIA® GeForce® GT 720 with 2 GB of DDR3 AMD Radeon™ R7 430, 2 GB GDDR5	
Audio	Integrated high-definition, 5.1-channel surround sound	
Communication	WLAN 802.11ac/a/b/g/n, aggregate bandwidth up to 1.73 Gbps Bluetooth [®] 5.0	LAN Gigabit Ethernet
Expansion slot(s)	PCIe x16 slot: 2 PCIe x1 slot: 1 PCI slot: 1	M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1
Windows Desktop Apps ⁷	Acer Office Manager Acer Control Center Acer ProShield	 • Intel[®] Unite
Commercial features ^{8, 9}	TPM v2.0 (Trusted Platform Module) Intel® Active Management Technology Intel® vPro™ Technology RAID support (via BIOS) 100% solid capacitors One-button recovery (OBR)	Kensington lock slot 2-in-1 cable and padlock slot Intrusion alert (via BIOS) Hard drive password protection (via BIOS) PXE (Preboot eXecution Environment) WOL (Wake On Lan)
Commercial selected options ¹⁰	Parallel (printer) port COM (Series) port SD card reader module SMART card reader module	DisplayPort-to-DVI adapter HDMI-to-DVI adapter DisplayPort-to-VGA adapter
m: ·	102 (W) x 305.08 (D) x 332 (H) mm (4.02 x 12.01 x 13.07 inches)	
Power supply and battery	250 W PFC, auto-sensing, 80PLUS* Platinum, TFX 180 W PFC, auto-sensing, 80PLUS* Platinum, TFX	
System compliance	180 W PFC, auto-sensing, 80PLUS* Bronze, TFX RoHS, DMI, GS, ENERGY STAR®, PC2001	
Options and	USB keyboard and mouse Wireless (2.4 GHz RF) keyboard and mouse	
accessories	<u>-</u>	
1. Specifications vary dep	BSMI, CE, FCC, CB	Bundled software may vary depending on hardware configuration, OS and regional availability
	ending on model. ired to enjoy the advantages of 64-bit processing.	 bundled sortware may vary depending on naroware configuration, US and regional availability Intel® AMT is a feature of Intel® Core™ processors with Intel® vPro™ Technology.
	em is required to enjoy the ultimate performance of 4 GB or higher memory.	 Intel[®] vPro™ technology is sophisticated and requires setup and activation. Availability of
Memory speed may var	y, depending on the CPU, chipset or memory fitted.	features and results will depend upon the setup and configuration of your hardware, software IT environments. To learn more visit: www.intel.com/content/www/us/en/architecture-and-
	Actual formatted capacity is less and may vary depending on preloaded materials nent. Recovery Management uses a portion of the stated hard disk capacity as e.	technology/vpro/vpro-technology-general.html. 10. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.
	s memory comprises dedicated video memory, system memory, and shared gure will vary depending on system memory, installed drivers, BIOS settings and	

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2018. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel, Intel Core, Core Inside, Pentium, and Pentium Inside are trademarks of intel Corporation in the U.S. and other countries.

other factors.