

Lot 28

Extendible


Dead space (ml): Close: 25, Open: 40

Length	Code	Qty/Box
15 cm / 6"	317300	50

Lot 49

Thoracic Catheter

- ▶ Flexible tubing wall provides leak proof tissue/tubing interface
- ▶ Atraumatic, rounded, open distal tip
- ▶ Easy to milk
- ▶ Cross side eyes to prevent tissue aspiration
- ▶ Radiopaque line
- ▶ Accurate positioning depth marks at each cm starting 2 cm from the distal end
- ▶ Flared end to accept different sized connectors
- ▶ Straight or right angled design
- ▶ Length: 52 cm




Ref		Size
Straight	Angled	
180 1201 1	182 1201 1	12 Ch
180 1601 1	182 1601 1	16 Ch
180 2001 1	182 2001 1	20 Ch
180 2401 1	182 2401 1	24 Ch
180 2801 1	182 2801 1	28 Ch
180 3201 1	182 3201 1	32 Ch
180 3601 1	182 3601 1	36 Ch
180 4001 1	182 4001 1	40 Ch

Lot 50

Thoracic Catheter

- ▶ Flexible tubing wall provides leak proof tissue/tubing interface
- ▶ Atraumatic, rounded, open distal tip
- ▶ Easy to milk
- ▶ Cross side eyes to prevent tissue aspiration
- ▶ Radiopaque line
- ▶ Accurate positioning depth marks at each cm starting 2 cm from the distal end
- ▶ Flared end to accept different sized connectors
- ▶ Straight or right angled design
- ▶ Length: 52 cm



Ref		Size
Straight	Angled	
180 1201 1	182 1201 1	12 Ch
180 1601 1	182 1601 1	16 Ch
180 2001 1	182 2001 1	20 Ch
180 2401 1	182 2401 1	24 Ch
180 2801 1	182 2801 1	28 Ch
180 3201 1	182 3201 1	32 Ch
180 3601 1	182 3601 1	36 Ch
180 4001 1	182 4001 1	40 Ch

Lot 51

Toraks Dren Thorax Drain



Toraks Dren göğüs cerrahisinde kullanılan, göğüs şişesi ürünleriyle uyumlu kullanılan ürünlerdir. 22F, 24F, 26F, 28F, 30F, 32F, 34F ve 36F ölçülerde üretilebilmektedir. İsteğe bağlı olarak PVC veya silikon olarak üretilmektedir. Ürünün üstünde X ray çizgisi mevcuttur.

Thorax drains are the products used in the thoracic surgery along with the chest bottle products in accordance. They could be produced in sizes 22F, 24F, 26F, 28F, 30F, 32F, 34F and 36F. There is X ray line on the product.

Depending on the request, they could be produced as PVC or silicon.

4a medical[®]
producing health for the world


ANNEX:

PRODUCT	SIZE	INNER DIAMETER	OUTER DIAMETER	DIAMETER TOLERANCE	HOSE LENGTH	LENGTH TOLERANCE
4ASTRX30 SILICONE THORAX DRAIN	30F	7 mm	10 mm	± 0,5 MM	50CM	± 2CM

Thoracic Catheter

- ▶ Flexible tubing wall provides leak proof tissue/tubing interface
- ▶ Atraumatic, rounded, open distal tip
- ▶ Easy to milk
- ▶ Cross side eyes to prevent tissue aspiration
- ▶ Radiopaque line
- ▶ Accurate positioning depth marks at each cm starting 2 cm from the distal end
- ▶ Flared end to accept different sized connectors
- ▶ Straight or right angled design
- ▶ Length: 52 cm

Ref		Size
Straight	Angled	
180 1201 1	182 1201 1	12 Ch
180 1601 1	182 1601 1	16 Ch
180 2001 1	182 2001 1	20 Ch
180 2401 1	182 2401 1	24 Ch
180 2801 1	182 2801 1	28 Ch
180 3201 1	182 3201 1	32 Ch
180 3601 1	182 3601 1	36 Ch
180 4001 1	182 4001 1	40 Ch



Lot 56

Rectal Tube

- ▶ Frosted surface for easy insertion
- ▶ Appropriate degree of hardness provides kink resistance
- ▶ Atraumatic, soft rounded closed tip
- ▶ Two lateral eyes with smooth edges
- ▶ Color coded connector
- ▶ Length: 40 cm



Ref	Size	Color
199 1801 1	18 Ch	Red
199 2001 1	20 Ch	Yellow
199 2201 1	22 Ch	Violet
199 2401 1	24 Ch	Dark Blue
199 2501 1	25 Ch	Grey
199 2601 1	26 Ch	White
199 2801 1	28 Ch	Dark Green
199 3001 1	30 Ch	Silver Grey
199 3201 1	32 Ch	Brown
199 3501 1	35 Ch	Light Grey



Lot 102

Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Lot 103

Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Lot 104

Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Lot 105

Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Lot 106

Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Lot 110

Three Way Stopcock

- ▶ For pressures up to 5 bar (7.2 PSI)
- ▶ 360° rotation
- ▶ Color coded arrows indicating flow direction
- ▶ Transparent housing
- ▶ Rotating male luer lock and two female luer lock connectors
- ▶ Lipid Resistance



Ref	Color
760 3011 1	White
760 3031 1	Blue
760 3041 1	Red

Lot 180



BVM RESUSCITATORS

- Medical grade PVC material
- Disposable
- Latex-free and leakage free
- Single hand operate, elastic material with easy squeezing and well recovery
- Three sizes available - Adult, Pediatric and Infant
- Pressure Pop Off Valve
- Meet ISO Standard

BVM Resuscitator Large, Mask, O₂ Tubing



Code

9000

Qty/Box

24

Lot 182

Redon Drain

- ▶ Appropriate degree of hardness provides kink resistance and easy insertion
- ▶ Atraumatic, soft rounded open tip
- ▶ Cross-perforated
- ▶ Radiopaque line
- ▶ Cm depth marks
- ▶ Length: 50 cm



Ref	Drain Size	Drain I.D.
790 0601 1	06 Ch	1.0 mm
790 0801 1	08 Ch	1.5 mm
790 1001 1	10 Ch	1.8 mm
790 1201 1	12 Ch	2.0 mm
790 1401 1	14 Ch	2.5 mm
790 1601 1	16 Ch	3.0 mm
790 1801 1	18 Ch	4.0 mm

Redon Drain

- ▶ Appropriate degree of hardness provides kink resistance and easy insertion
- ▶ Atraumatic, soft rounded open tip
- ▶ Cross-perforated
- ▶ Radiopaque line
- ▶ Cm depth marks
- ▶ Length: 50 cm



Ref	Drain Size	Drain I.D.
790 0601 1	06 Ch	1.0 mm
790 0801 1	08 Ch	1.5 mm
790 1001 1	10 Ch	1.8 mm
790 1201 1	12 Ch	2.0 mm
790 1401 1	14 Ch	2.5 mm
790 1601 1	16 Ch	3.3 mm
790 1801 1	18 Ch	4.0 mm

LoT 188



Product No.	Volume(ml)	Description	Models
42.16.10003	200	Used for CT: STELANT	CT-200/200-A2

- Maximum pressure up to 350 Pa or 1200 Pa;

Angiographic Syringes

- Clear body Provides excellent clarification and smooth as glass feeling ,it could see air bubble and contrast medium
- It could be used for computed tomographic scanning, angiography, Nuclear magnetic resonance and imaging
- Great Variety of Syringes, it could match so many injectors



Product No.	Volume(ml)	Description	Models
Single		Used for Medrad	Single
42.16.10000	200	Used for CT: MCT+ OP-100;VCT610; ECT710	CT-200-A1

- Maximum pressure up to 350 Pa or 1200 Pa;

Rectal Tube

- ▶ Frosted surface for easy insertion
- ▶ Appropriate degree of hardness provides kink resistance
- ▶ Atraumatic, soft rounded closed tip
- ▶ Two lateral eyes with smooth edges
- ▶ Color coded connector
- ▶ Length: 40 cm



Ref	Size	Color
199 1801 1	18 Ch	Red
199 2001 1	20 Ch	Yellow
199 2201 1	22 Ch	Violet
199 2401 1	24 Ch	Dark Blue
199 2501 1	25 Ch	Grey
199 2601 1	26 Ch	White
199 2801 1	28 Ch	Dark Green
199 3001 1	30 Ch	Silver Grey
199 3201 1	32 Ch	Brown
199 3501 1	35 Ch	Light Grey



Lot 233

Mucous Aspirators

40 ml



229 01

40 ml