



500 XLE

TREATMENT CHAIR



EOA7202

ENJOY QUALITY AND DESIGN

500 XLE



Item No.: 1500 0006

The perfect reclining treatment chair for rotation systems in outpatient operating rooms.

**Powerful
and agile**



MED.TEC at its highest level


Double castors

Four fully rotating double-run castors for back-friendly, easy rolling motion.




Chassis/frame

Precision steel frame chassis, zinc primed with anthracite textured paint coating.



Chassis cover/upholstery


The mirror-finish plastic cover panels with their scratch-resistant and impact-modified surface finish are extremely hygienic and easy to disinfect.



Precise positioning of the head part

Headrest

3D and longitudinally adjustable headrest element with head molding and neck support for guaranteed safe and correct head positioning.



Components


Headrest with ball joint and more

Discover additional features and extensive components on page 34.

Item No.: 3351 1021



Sterile adjustment by surgeon/maximum legroom



Flexible reaction by foot control

Removable foot keypad for infinite electronic height and head adjustment including reactivation button from the stand-by mode.



Positioning



The 500 **XLE** treatment chair is designed for ergonomic and comfortable patient positioning and treatment, particularly for outpatient surgical techniques. It offers versatile adjustment of the head, back, seat and leg sections and overall chair height for patient transport.

- Eight freely programmable memory positions
- CPR button
- Reset button
- Auto run function
- Battery charge indicator



Hand control

Multi-functional manual keypad

 Battery charge indicator

 Reset button


 CPR button

 Auto run function

 8 free configurable memory positions

Positioning by hand control

Standard recommended memo keys




For additional desired memory positions, the system features three additional numeric keys.

Mechanical maneuvering aid on the chassis


Operation via foot lever on the chassis

Activation of directional guidance

Pushing from
the head direction



Pushing from
the foot direction



Push handles

Detachable push handles on the foot ends
for easy maneuvering.



Armrests


Hinged and removeable armrests for easy entry
and exit as well as transfer of the patient.




Braking system

Manually adjustable foot lever

Castors are
braked



Castors are released,
directional guidance is
deactivated



Components

Additional handles/shoulder parts and more

Discover additional features and extensive
components on page 34.



500 XLE comfort



Item No.: 1500 0006
+ 3037 0080

Our 500 **XLE** with extra thick upholstery, integrated knee support cushion and flattened neck area - for extra reclining comfort.

**Outstanding comfort,
particular flexibility.**



Upholstery

Comfort

Thick comfort upholstery and integrated knee support cushion, individually positionable to suit every patient's body height. The treatment chair featuring comfort upholstery is particularly well suited for longer surgical procedures (e.g. retina surgery).



Available in a wide variety of colors. Please refer to page 94 for our complete range of colors.



Flexibility in every detail

Headrest

The flattened back cushion of the Comfort upholstery in the neck area offers maximum freedom of movement for the headrest.



Components

Integrated knee support cushion

Optimum patient comfort thanks to the integrated knee support cushion which can be easily adjusted to accommodate any patient height.



An optional legrest extension can be attached when treating tall or very tall patients.



Foot part extension

Adjustable foot part extension incl. foot support for easier entry and exit of the patient. See page 34.



Besides, entry height is reduced by 80 mm.

Item No.: 3351 1028



190 mm

Technical specifications



Chassis

- Frame profile 90 x 50 mm
- Outside length 785 mm
- Outside width incl. lever 720 mm
- Steel tube frame, powder-coated elegant anthracite matte finish
- Brake operable from both sides and acting on two castors each; two castors featuring independent directional steering function
- Double rimmed castors $\varnothing$ 125 mm
- Detachable foot keypad (total, head up/down)
- Emergency stop button
- Visible screws are made of stainless steel
- With equipotential bonding connection

Upper frame

- 4-part support frame (head, back, seat, leg part)
- Removeable upholstery 610 mm
- Width of upholstery 850 mm
- Width incl. armrests 850 mm
- Length 1.760 – 1.900 mm
- Length (incl. legrest extension) + 190 mm

	Angle	Dimensions (L x W)
• Head part	-29°/+35°	255 x 245 mm
• Back part	0°/+83°	610 x 610 mm
• Seat part	-5°/+35°	450 x 610 mm
• Leg part	0°/-77°	510 x 610 mm
• Height adjustment		625 – 925 mm
		(comfort) 655 – 955 mm
• Armrests	0°/+180°	(2x) 470 x 75 mm
• Entry height		(standard) 580 mm/500 mm (incl. legrest extension)
		(comfort) 610 mm/530 mm (incl. legrest extension)
• Legroom		520 – 820 mm
• Trendelenburg	-12°/Reverse Trendelenburg	+5°

Electrical control

- All components according to IP54
- Hand control with 8 individually programmable memory positions, auto run function, reset button
- Foot keypad with 4 foot switches and reactivation button

Electric Drives

- Head, back, seat, leg part, total up/down
- Trendelenburg/Reverse Trendelenburg


Lifting column

- Max. lifting 300 mm
- Max. load 250 kg
- Motors IP54 with HAL sensors, to be memorized


Trendelenburg/Reverse Trendelenburg/CPR



Back part/leg part



Height adjustment



Powerful accumulators

- Battery box with 2 batteries (lead-gel), pollution free, maintenance-free, cadmium-free 2 x 12 V, 7,2 Ah
- As back-up-system exchangeable without tools
- Acoustic low voltage signal for discharge protection
- Universal battery charger Input: 100 – 240 V
Output: 30 V

Operating time per battery charge

- Measured by operating circle (Prepare-Operate-Recover) 100 OPs
- Quantity of operating circles depends on individual operation

Mains-free operation

Easy recharging of the equipment thanks to charging adapter and integrated battery charger circuit board.



Simple battery replacement

Additional safety due to replaceable battery box (back-up system **Item No.:** 3047 0000 see page 34). Discharged battery box can be replaced quickly.



Further technical details

- Chair has detachable, swiveling armrests made completely with PUR foam
- Detachable seat for service friendly access to electric components

Max. load 250 kg

Weight 135 kg

Subject to technical modifications.

Equipment protection

Cover drapes *stayClean*

2,000 x 730 mm, box á 160 Pieces
4 x 40 Pieces

Item No.: 3034 0014

Page 102



Upholstery/color card

Standard color

500 XL

anthracite **Item No.:** 3037 0052

500 XLE comfort

anthracite (main color)
+ chrome (accent color)
Item No.: 3037 0092

„skai®Tundra“
on page 96

„skai®Pandoria Plus“
on page 97





Components



Side parts right and left, swiveling incl. locking, upholstered, 580x200 mm

Item No.: 3351 0012



Norm rail seat part

Item No.: 3351 0047



Side parts right and left, 580x200 mm, incl. quick-release clamp for mounting on norm rail (norm rail 3351 0047 not included)

Item No.: 3351 0050



Pushing handles back part, pair

Item No.: 3351 0046



Pushing handles back part, pair

Item No.: 3351 0017

500 XLE

Item No.: 1500 0006



Anesthesia arm board with universal joint, with arm secure straps

Item No.: 3351 0011




Flexible surgical drape support rod

Item No.: 3205 0000



Flexible surgical drape support rod with air connection

Item No.: 3206 0000



Hand control holder, PVC (component holder 3351 0037 not included)

Item No.: 3351 1023



Hand control holder for attachment onto an I.V. Pole Ø 25/18 mm, PVC

Item No.: 3351 1022

500 XLE comfort

Comfort upholstery incl. integrated knee roll, upcharge

Item No.: 1500 0006 + 3037 0080



Headrest with ball joint, 360° all-round adjustment, factory-fitted

Item No.: 3351 1021



Backup battery

Item No.: 3047 0000




Head part bumper stainless steel

Item No.: 3028 0000



Wrist rest, adjustable, incl. mounting plate 3013 0000, adjustment 115 mm

Item No.: 3014 0000




Wrist rest, adjustable, tiltable, incl. mounting plate 3013 0000, adjustment 115 mm

Item No.: 3014 0005



Mounting plate stainless steel, for wrist rest 3014 0000 and 3014 0005

Item No.: 3013 0000



Head fixation pillow with hollow (rubins pillow), 410x250 mm, height 100 mm, factory-fitted

Item No.: 3022 0000



Facial pillow,
horseshoe-shaped,
incl. adapter plate,
factory-fitted

Item No.: 3351 1016



Instrument table
500x300x15 mm, height
adjustable, swiveling,
detachable, incl. adapter
(component holder
3351 0037 not included)

Item No.: 3065 0000



Shoulder parts
right and left
500 XLE
Item No.: 3071 0000

500 XLE comfort
Item No.: 3071 0001



Knee half roll,
600x280x140 mm,
PUD-coated

Item No.: 3019 0000



Knee roll round,
500x150 mm,
PUD-coated

Item No.: 3050 0000

Medical device



Instrument table
supportLine
height adjustable
730 – 1,000 mm

Item No.: 3351 0026



NEW

500 XLE
Trapeze cushion, wedge,
for back/seat part

Item No.: 3351 1052



NEW

500 XLE comfort
Trapeze cushion, wedge,
for back/seat part

Item No.: 3022 0005



Wrist secure straps,
pair

Item No.: 3015 0000



Body strap with Velcro straps,
2-piece

Item No.: 3083 0000



Foot part extension
incl. foot support,
factory-fitted,
upcharge

Item No.: 3351 1028



Foot protection foil

Item No.: 3092 0001



IV. Pole stainless steel
Ø 25/18 mm,
one-hand height adjustable
1,070 – 1,660 mm, 4 hooks,
max. 2 kg/hook, glass and
holder (component holder
3351 0037 not included)

Item No.: 3068 0000



Component arm stainless
steel, swiveling,
incl. extendible IV. Pole
Ø 25 mm

Item No.: 3024 0014



Component holder,
stainless steel

Item No.: 3351 0037



Cylinder holder

Item No.: 3072 0002

Color cards



Customize the upholstery of your products to color-coordinate them with your workplace environment.

To do this, select one or two colors (main and accent color - as with the 500 **XLE** *comfort* and 500 **ECO**) from one of the following color cards.



Application example *motionLine-E*

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Example: standard version

Main color:
anthrazit F6461197
Item No.: 3037 0052

Accent color:
chrom F6461205
Item No.: 3037 0056



500 *XLE* comfort

Item No.: 1500 0006
+ 3037 0080

Examples of color combinations

schoko F6461357
Item No.: 3037 0060

feuer F6461454
Item No.: 3037 0063



safran F6461542
Item No.: 3037 0069

schoko F6461357
Item No.: 3037 0060



atoll F6461453
Item No.: 3037 0062

weiß F6461198
Item No.: 3037 0134



Color card

skai® Tundra



High quality skai® material with fine calf leather grain and subdued matte-gloss-effect. The very extensive and trend-orientated color spectrum enables many applications and combinations.

Product Specification

- Long-lasting
- Tear resistant
- Easy to clean
- Abrasion resistant (DIN EN ISO 6570-2)
- Lightfast
- Disinfectant resistant
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Blood- and urine resistant
- Phthalate-free
- Vegan

eyeForce	1800 0000
500 XLE	1500 0006
500 XLE comfort	1500 0006
	+ 3037 0080
500 XLS	1500 0005
500 ECO	1500 0008
400 XL	1400 0001
surgiForce	Formed seat 2600 0008
surgiForce light	Formed seat 2600 0009
surgiLine	Formed seat 2200 0008
assistLine	2400 0015
motionLine	1700 0000
motionLine-E	1700 0001

+ Item No.: 3037 0...

weiß F6461198 Item No.:134	creme F6461210 Item No.:057	beige F6461636 Item No.:094	sand F6461230 Item No.:058	pistazio F6461610 Item No.:153	mint F6461495 Item No.:067	aqua F6461456 Item No.:001	türkis F6461338 Item No.:008
perle F6461288 Item No.:007	silber F6461550 Item No.:070	stone F6461608 Item No.:075	bleu F6461496 Item No.:068	dolphin F6461609 Item No.:076	sky F6461581 Item No.:073	royal F6461196 Item No.:051	atoll F6461453 Item No.:062
violett F6461356 Item No.:059	cyclame F6461381 Item No.:119	orchidee F6461354 Item No.:011	bordeaux F6461350 Item No.:010	kirsche F6461199 Item No.:054	feuer F6461454 Item No.:063	karneol F6461557 Item No.:072	orange F6461556 Item No.:071
apricot F6461458 Item No.:066	mais F6461457 Item No.:065	mango F6461607 Item No.:074	safran F6461542 Item No.:069	limonade F6461343 Item No.:009	limone F6461543 Item No.:109	smaragd F6461455 Item No.:064	agave F6461273 Item No.:006
chrom F6461205 Item No.:056	ocean F6461204 Item No.:055	schoko F6461357 Item No.:060	schwarz F6461195 Item No.:050	anthrazit F6461197 Item No.:052			

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Color card

skai® Pandoria Plus



skai® Pandoria Plus is a high-quality upholstery material, whose fine micropore structure gives a certain unobtrusiveness, which is refined by an attractive tone-in-tone effect. The very pleasant feel of the material and the excellent material characteristic and the broad, modern color spectrum make skai® Pandoria Plus universally usable.


Product Specification

- Long-lasting
- Tear resistant
- Easy to clean
- Abrasion resistant (DIN EN ISO 5470-2)
- Resistant to oil and fat
- Lightfast
- Disinfectant resistant
- Flame protection
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Resistant to sudor, blood and urine
- Antibacterial according to JIS Z 2801
- Vegan


eyeForce	1800 0000
500 XLE	1500 0006
500 XLE comfort	1500 0006
	+ 3037 0080
500 XLS	1500 0005
500 ECO	1500 0008
400 XL	1400 0001
surgiForce	Formed seat 2600 0008
surgiForce light	Formed seat 2600 0009
surgiLine	Formed seat 2200 0008
assistLine	2400 0015
motionLine	1700 0000
motionLine-E	1700 0001

+ Item No.: 3037 0136

+ Item No.: 3037 0...



weiß F6413046
Item No.:053



hellbeige F6413047
Item No.:141



kiesel F6413048
Item No.:158



birke F6413049
Item No.:159



smoke F6413050
Item No.:221



silbergrau F6413075
Item No.:275



platin F6413053
Item No.:161



anthrazit F6413076
Item No.:276



schwarz F6413052
Item No.:170



schoko F6413051
Item No.:160



gletscher F6413055
Item No.:162



sky F6413074
Item No.:277



royal F6413056
Item No.:163




smaragd F6413073
Item No.:278




kaktus F6413077
Item No.:281




feuer F6413058
Item No.:166



kirsche F6413079
Item No.:279



fuchsia F6413078
Item No.:280



mais F6413057
Item No.:164



limone F6413054
Item No.:165

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



motionLine-E



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean



stayClean roll



stayClean kick bucket



stayClean collector



assistTrend



assistPro F



assistPro H



easyPro F



easyPro R



easyLine F



easyLine R



assistLine



supportLine

CONTACT US



UFSK
INTERNATIONAL

OSYS

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Tel. +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
E-Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing