


MINDSION

FLEXIBLE DIGITAL  
BRONCHOSCOPE


**BF Series**




## Ultra Slim with channel $\Phi$ 1.2mm



## Large Field of View



## 180° Bending



| Specifications                       | BF20            | BF30         | BF42         | BF45         | BF52         | BF58         | BF62         |
|--------------------------------------|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Outer diameter of insertion tube     | $\Phi$ 2.0mm    | $\Phi$ 3.0mm | $\Phi$ 4.2mm | $\Phi$ 4.5mm | $\Phi$ 5.2mm | $\Phi$ 5.8mm | $\Phi$ 6.2mm |
| Inner diameter of instrument channel | /               | $\Phi$ 1.2mm | $\Phi$ 2.0mm | $\Phi$ 2.2mm | $\Phi$ 2.6mm | $\Phi$ 3.0mm | $\Phi$ 3.2mm |
| Field of view                        | 120°            |              |              |              |              |              |              |
| Depth of view field                  | 3mm-200mm       |              |              |              |              |              |              |
| Range of tip Bending                 | (U)180° (D)130° |              |              |              |              |              |              |
| Working length                       | 600mm           |              |              |              |              |              |              |

| Specifications      | VS100                                    |
|---------------------|------------------------------------------|
| Imaging resolution  | 1280x800                                 |
| Video output        | HDMI                                     |
| Data storage        | USB Disk, SD card(Built-in 8GB)          |
| Inner/ Video format | JPG/ BMP/ MP4                            |
| Power               | DC3.7V Li-ion Battery; 100~240V; 50/60Hz |

+86 400-0756-365 (Service)  
 +86 (0) 756 6910150  
 301 Building 4, No. 30 Feipeng Road, GMTCM Park,  
 Hengqin New Area, Zhuhai City, Guangdong Province, China  
 international@vision-medt.com



LINKEDIN  
Vision-medt



TWITTER  
Vision-medt

[www.vision-medt.com](http://www.vision-medt.com)

MINDSION

FLEXIBLE  
VIDEO ENDOSCOPE DISPLAY

VS100



**1280\*800  
Resolution**



| Specifications      | VS100                                    |
|---------------------|------------------------------------------|
| Imaging resolution  | 1280x800                                 |
| Video output        | HDMI                                     |
| Data storage        | USB Disk, SD card(Built-in 8GB)          |
| Inner/ Video format | JPG/ BMP/ MP4                            |
| Power               | DC3.7V Li-ion Battery; 100~240V; 50/60Hz |

+86 400-0756-365 (Service)  
+86 (0) 756 6910150  
301 Building 4, No. 30 Feipeng Road, GMTCM Park,  
Hengqin New Area, Zhuhai City, Guangdong Province, China  
international@vision-medt.com



LINKEDIN  
Vision-medt



TWITTER  
Vision-medt

[www.vision-medt.com](http://www.vision-medt.com)

MINDSION

FLEXIBLE  
VIDEO ENDOSCOPE DISPLAY

VS50



Display can adjust view angle for up/down and left/right rotation.



Portable



| Specifications      | VS50                            |
|---------------------|---------------------------------|
| Imaging resolution  | 1920x1080                       |
| Video output        | Mini HDMI                       |
| Data storage        | USB Disk, SD card(Built-in 8GB) |
| Inner/ Video format | JPG/ BMP/ MP4                   |
| Power               | DC3.7V Li-ion Battery           |

+86 400-0756-365 (Service)  
+86 (0) 756 6910150  
301 Building 4, No. 30 Feipeng Road, GMTCM Park,  
Hengqin New Area, Zhuhai City, Guangdong Province, China  
international@vision-medt.com

  
LINKEDIN  
Vision-medt

  
TWITTER  
Vision-medt

www.vision-medt.com

