

062 4.0mm SMALL CANCELLOUS CANNULATED SCREW, FULL THREAD

Lot 1.1

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
16	062.016	062.016.Ti
18	062.018	062.018.Ti
20	062.020	062.020.Ti
22	062.022	062.022.Ti
24	062.024	062.024.Ti
26	062.026	062.026.Ti
28	062.028	062.028.Ti
30	062.030	062.030.Ti
32	062.032	062.032.Ti
34	062.034	062.034.Ti
36	062.036	062.036.Ti
38	062.038	062.038.Ti
40	062.040	062.040.Ti
42	062.042	062.042.Ti
44	062.044	062.044.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
46	062.046	062.046.Ti
48	062.048	062.048.Ti
50	062.050	062.050.Ti
52	062.052	062.052.Ti
54	062.054	062.054.Ti
56	062.056	062.056.Ti
58	062.058	062.058.Ti
60	062.060	062.060.Ti
62	062.062	062.062.Ti
64	062.064	062.064.Ti
66	062.066	062.066.Ti
68	062.068	062.068.Ti
70	062.070	062.070.Ti
72	062.072	062.072.Ti



Code No: 062


IS-09-05C 4.0mm CANNULATED SCREW INSTRUMENT SET, PREMIUM

NEW


Set consists of:

CODE	PRODUCTS	QUANTITY
091.04.01C	Hexagonal Screw Driver With Screw Holding Sleeve 2.5mm	1 Pc
091.04.02C	Cannulated Hexagonal Screw Driver 2.5mm - 1.2mm	1 Pc
091.04.03C	Cannulated Countersink Dia. 6.0mm	1 Pc
091.04.04C	Cannulated Drill Bit Dia. 2.7mm X 150mm With Unlimited Block	1 Pc
091.04.05C	Cannulated Screw Measuring Devise	1 Pc
091.04.06C	Cannulated Tap, With T Handle, Cannulated Screw 4.0mm	1 Pc
091.04.07C	Stylet 1.2mm	1 Pc
091.04.08C	Protection Sleeve 8.0mm - 2.7mm With 2.7mm - 1.2mm Drill Sleeve	1 Pc
091.04.09C	Screw Forceps 4.0mm Cannulated Screws	1 Pc
091.04.10C	Threaded Guide Wire 1.2mm	1 Pc
091.04.11C	Guide Wire 1.2mm	1 Pc
091.04.12C	Wrench For Limited Block	1 Pc

Supplied in a Sterilize Box



INSTRUMENT SET



Top Tray

365 CLOVERLEAF PLATE

NO. OF HOLES	LENGTH (mm)	CODE	
		STAINLESS STEEL	TITANIUM
3	88	365.003	365.003.Ti
4	105	365.004	365.004.Ti
5	120	365.005	365.005.Ti
6	136	365.006	365.006.Ti
7	162	365.007	365.007.Ti
8	168	365.008	365.008.Ti
9	184	365.009	365.009.Ti
10	200	365.010	365.010.Ti
12		365.012	365.012.Ti



Code No: 365

366 SEMI TUBULAR PLATE FOR Ø3.5mm SCREW
Lot 1.2

NO. OF HOLES	CODE	
	STAINLESS STEEL	TITANIUM
4	366.004	366.004.Ti
5	366.005	366.005.Ti
6	366.006	366.006.Ti
7	366.007	366.007.Ti
8	366.008	366.008.Ti
9	366.009	366.009.Ti
10	366.010	366.010.Ti
12	366.012	366.012.Ti
14	366.014	366.014.Ti



Code No: 366

367 CALCANEAL PLATE FOR Ø3.5mm SCREW

LENGTH (mm)	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
60	367.060L	367.060LTi	367.060R	367.060RTi
70	367.070L	367.070LTi	367.070R	367.070RTi

For Calcaneal fractures
Fixation with 3.5mm & 4.0mm screw



Code No: 367

361 EPICONDYLAR PLATE

SHAFT HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
5	361.05L	361.05L.Ti	361.05R	361.05R.Ti
7	361.07L	361.07L.Ti	361.07R	361.07R.Ti
9	361.09L	361.09L.Ti	361.09R	361.09R.Ti
11	361.11L	361.11L.Ti	361.11R	361.11R.Ti
13	361.13L	361.13L.Ti	361.13R	361.13R.Ti



Code No: 361

376 3.5mm LECESTRE PLATE

SHAFT HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
5	376.05L	376.05LTi	376.05R	376.05RTi
6	376.06L	376.06LTi	376.06R	376.06RTi
7	376.07L	376.07LTi	376.07R	376.07RTi
8	376.08L	376.08LTi	376.08R	376.08RTi
9	376.09L	376.09LTi	376.09R	376.09RTi
10	376.10L	376.10LTi	376.10R	376.10RTi
11	376.11L	376.11LTi	376.11R	376.11RTi
12	376.12L	376.12LTi	376.12R	376.12RTi
13	376.13L	376.13LTi	376.13R	376.13RTi



Code No: 376

NEW

362 3.5mm RECONSTRUCTION PLATE, STRAIGHT

Lot 1.3

NO. OF HOLES	LENGTH	CODE	
		STAINLESS STEEL	TITANIUM
5	58	362.005	362.005.Ti
6	70	362.006	362.006.Ti
7	82	362.007	362.007.Ti
8	94	362.008	362.008.Ti
9	106	362.009	362.009.Ti
10	118	362.010	362.010.Ti
11	130	362.011	362.011.Ti
12	142	362.012	362.012.Ti
13	154	362.013	362.013.Ti
14	166	362.014	362.014.Ti
15	178	362.015	362.015.Ti



Code No: 362

Members



308

KIRSCHNER WIRE WITH TROCAR TIP BOTH ENDS S.S.

DIAMETER (mm)	CODE						
	LENGTH						
	70mm	100mm	150mm	225mm	250mm	300mm	400mm
0.8	308.070.08	308.100.08	308.150.08	308.225.08	308.250.08	308.300.08	
0.9	308.070.09	308.100.09	308.150.09	308.225.09	308.250.09	308.300.09	
1.0		308.100.10	308.150.10	308.225.10	308.250.10	308.300.10	Lot 1.9
1.1		308.100.11	308.150.11	308.225.11	308.250.11	308.300.11	
1.2		308.100.12	308.150.12	308.225.12	308.250.12	308.300.12	
1.4		308.100.14	308.150.14	308.225.14	308.250.14	308.300.14	
1.5			308.150.15	308.225.15	308.250.15	308.300.15	Lot 1.4
1.6			308.150.16	308.225.16	308.250.16	308.300.16	
1.8			308.150.18	308.225.18	308.250.18	308.300.18	308.400.18
2.0			308.150.20	308.225.20	308.250.20	308.300.20	308.400.20
2.2			308.150.22	308.225.22	308.250.22	308.300.22	308.400.22
2.3			308.150.23	308.225.23	308.250.23	308.300.23	308.400.23
2.5			308.150.25	308.225.25	308.250.25	308.300.25	308.400.25
3.0			308.150.30	308.225.30	308.250.30	308.300.30	308.400.30

Code No: 308

309

KIRSCHNER WIRE, FULLY
THREADED S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309.150.15	1.5	150
309.200.15	1.5	200
309.250.15	1.5	250
309.150.18	1.8	150
309.200.18	1.8	200
309.250.18	1.8	250
309.300.18	1.8	300
309.150.20	2.0	150
309.200.20	2.0	200
309.250.20	2.0	250
309.300.20	2.0	300

309A

KIRSCHNER WIRE, THREADED TIP
BOTH ENDS S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309A.150.15	1.5	150
309A.200.15	1.5	200
309A.250.15	1.5	250
309A.150.18	1.8	150
309A.200.18	1.8	200
309A.250.18	1.8	250
309A.300.18	1.8	300
309A.150.20	2.0	150
309A.200.20	2.0	200
309A.250.20	2.0	250
309A.300.20	2.0	300

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.