

ARTHOR Otomotiv ve Güç Sistemleri A.Ş. İstanbul D.O.S.B. Karadeniz Cd. No:17 XIII-5 Özel Parsel A Blok No:2 34957 Tuzla – İSTANBUL Tel: +90 216 394 91 31 Fax: +90 216 394 91 39 www.arthor.com.tr

## Technical Specifications for MERCEDES SPRINTER VAN, LONG 4X4 HIGH ROOF, AT

No.	The required technical specification	Compliance	Ref/ Note
		Complete technical specification of the manufacturer	
	Cerințe generale/ General requirements	SPRINTER VAN, LONG 4X4 HIGH ROOF, AUTOMATIC	
1	Destinația/ Purpose		
	Provision of transport services for the mobile team in the field for blood collection from donors, as well as for the delivery of food packages for blood and/or blood component donors.	field for blood collection from donors, as well as for the	
2	Numărul de locuri/ Number of seats		
	A minimum of 8 seats shall be provided for passengers and institutional staff, including the driver's seat.	A minimum of 8 seats will be provided for passengers and institutional staff, including the driver's seat.	T1
3	Secția marfară/ Freight compartment		
	The space shall be separated from the passenger compartment by a fixed partition wall.	The space will be separated from the passenger compartment by a fixed partition wall.	T2
	<ul> <li>Minimum dimensions of the space shall be as follows:</li> <li>Length: 2300 mm;</li> <li>Width: 1740 mm;</li> <li>Height: 1990 mm.</li> </ul>	Dimensions of the space before conversion will be as follows:  O Length: min 2400 mm O Width: min 1740 mm O Height: 1990 mm	T2
	doors secured with locks, intended for the transportation of food packages, plasmapheresis devices, and medical	Equipped with 8 compartments with roller shutter doors secured with locks, intended for the transportation of food packages, plasmapheresis devices, and medical equipment used in the mobile collection of blood and blood components.	Т3

		The state of the s	
	<ul> <li>Furniture with drawers positioned between the compartments with roller shutter doors, intended for consumables required for the collection of blood and blood components during mobile collection.</li> </ul>	compartments with roller shutter doors, intended for	Т4
	• Fitted with at least 4 twelve-volt (12 V) power outlets.	Fitted with 4 twelve-volt (12 V) power outlets.	T5
	<ul> <li>Equipped with two trolleys (each designed to carry 4 folding chairs for donors) included in the equipment.</li> </ul>	Equipped with two trolleys (each designed to carry 4 folding chairs for donors) included in the equipment.	Т6
	• Equipped with two specialized refrigerated boxes, featuring wheels and a transport handle, a display for temperature monitoring, programmable temperature range from -20 °C to +10 °C, graphic or digital recorder, volume ≥ 50 liters, and connectivity to 12 V/220 V power sources.	featuring wheels and a transport handle, a display for temperature monitoring, programmable temperature ranges from -20 °C to +10 °C, graphic or digital recorder,	Т7
4	Caracteristici tehnice/ Technical characteristics		
	Van featuring a roof height of at least 2600 mm.	Van featuring a roof height of 2646 mm. (Depends on the vehicle weight and/or manufacturer's production features)	
	Drive configuration: front-wheel drive, rear-wheel drive, or four-wheel drive (4x4).	Drive configuration: 4x4	
	Diesel engine with a minimum power output of 135 kW (184 horsepower), meeting Euro 6 (Euro VI) emission standards.		
	Minimum 6-speed manual or automatic transmission.	9-G Tronic Automatic transmission.	
	Minimum engine displacement of 1950 cm <sup>3</sup> .	Engine displacement of <b>1950 cm³</b> .	
	Maximum permissible weight of not less than 3500 kg.	Maximum permissible weight of not less than 4100 kg.	
	Fuel tank capacity of not less than 90 liters.	Fuel tank capacity of 93 liters.	
5	Dotări/ Features		
	<ul> <li>Spare wheel carrier under the end of the chassis.</li> <li>Spare wheel.</li> <li>Tires with optimized rolling resistance.</li> </ul>	<ul> <li>Spare wheel carrier under the end of the chassis.</li> <li>Spare wheel.</li> <li>Tires with optimized rolling resistance.</li> </ul>	Vehicle Manufacturer's original features will be provided

Tire pressure monitoring sensors.	Tire pressure monitoring sensors.	
Parking sensors.	Parking sensors.	
Rear-view camera.	Rear-view camera.	Т8
<ul> <li>Rear-view camera.</li> <li>Suspension designed for comfort and load protection.</li> <li>Enhanced stability package, grade I.</li> <li>Vibration damper.</li> <li>Reinforced body structure.</li> <li>Reinforced longitudinal beams.</li> <li>Rear towing hook.</li> <li>Front mudguards.</li> <li>Rear mudguards.</li> <li>Steps for the rear door.</li> <li>Armrest for the driver's seat.</li> <li>Armrest for the passenger seat.</li> <li>Comfort driver's seat, height-adjustable.</li> <li>Comfort passenger seat.</li> <li>Triple comfort bench, first row.</li> <li>Triple comfort bench, second row.</li> <li>Black fabric upholstery.</li> <li>Warm air duct to the passenger area and cargo section.</li> </ul>	<ul> <li>Suspension designed for comfort and load protection.</li> <li>Enhanced stability package, grade I.</li> <li>Vibration damper.</li> <li>Reinforced body structure.</li> <li>Reinforced longitudinal beams.</li> <li>Rear towing hook.</li> <li>Front mudguards.</li> <li>Rear mudguards.</li> <li>Steps for the rear door.</li> <li>Armrest for the driver's seat.</li> <li>Armrest for the passenger seat.</li> <li>Comfort driver's seat, height adjustable.</li> <li>Comfort passenger seat.</li> <li>Triple comfort bench, first row.</li> <li>Triple comfort bench, second row.</li> <li>Black fabric upholstery.</li> <li>Warm air duct to the passenger area and cargo section.</li> </ul>	Vehicle Manufacturer's original features will be provided
• Enhanced climate control system.	<ul> <li>Enhanced climate control system.</li> </ul>	
Auxiliary heating.	Auxiliary heating.	
Additional rear heat exchanger.	Additional rear heat exchanger	Т9
<ul> <li>Semi-automatic air conditioning.</li> <li>Steering wheel adjustable in height and depth.</li> <li>Leather-wrapped steering wheel.</li> <li>Interior rear-view mirror.</li> <li>Plastic flooring for passenger transport.</li> <li>Digital radio (DAB).</li> <li>Smartphone integration package.</li> </ul>	<ul> <li>Semi-automatic air conditioning.</li> <li>Steering wheel adjustable in height and depth.</li> <li>Leather-wrapped steering wheel.</li> <li>Interior rear-view mirror.</li> <li>Plastic flooring for passenger transport.</li> <li>Digital radio (DAB).</li> <li>Smartphone integration package.</li> </ul>	Vehicle Manufacturer's original features will be provided
Navigation pre-installation.	Navigation pre-installation.	T10

• Front and rear speakers.	Front and rear speakers.	Vehicle
Active brake assist.	Active brake assist.	Manufacturer's original features
<ul> <li>Heated exterior mirrors with electric adjustment.</li> </ul>	Heated exterior mirrors with electric adjustment.	will be provided
Driver airbag.	Driver airbag.	landar landar
<ul> <li>Minimum of 3 passenger airbags.</li> </ul>	<ul> <li>Minimum of 3 passenger airbags.</li> </ul>	
<ul> <li>Seat belts for the driver and all passengers.</li> </ul>	<ul> <li>Seat belts for the driver and all passengers.</li> </ul>	
<ul> <li>Audible warning for unfastened seat belts.</li> </ul>	<ul> <li>Audible warning for unfastened seat belts.</li> </ul>	
• Driver and passenger cabin heating with temperature	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
control.	control.	
Electronic immobilizer: anti-theft system.	Electronic immobilizer: anti-theft system.	
Sliding side door.	Sliding side door on the right.	
Floor covering:	• Floor covering:	T11
<ul> <li>In the driver's cabin and passenger area: rubber mats.</li> </ul>	o In the driver's cabin and passenger area: rubber	
o In the cargo section: coating resistant to disinfectant		
solutions (pH 4–10), with anti-slip properties and wear		
resistance.	solutions (pH 4–10), with anti-slip properties and	
	wear resistance with pvc material.	
Anti-lock braking system: ABS.	Anti-lock braking system: ABS.	Vehicle Manufacturer's
Electronic stability control system: ESP or equivalent.      The system is a second system.	Electronic stability control system: ESP or equivalent.	original features
• Traction control system: ASR.	• Traction control system: ASR.	will be provided
Fog lights: High-intensity LED, front and rear.	Fog lights: High-intensity LED, front and rear.	
Passenger-cargo compartment: Partition wall.	Passenger-cargo compartment: Partition wall.	T2
• LED lighting: In the passenger area and cargo section.	• LED lighting: In the passenger area and cargo section.	T12
• Cargo anchoring: Rings and straps in the cargo section.	• Cargo anchoring: Rings and straps in the cargo section.	T13
• Front windows: Electric.	• Front windows: Electric operated.	
• 12 V power outlets: In the driver's cabin, passenger area,	• 12 V power outlets: In the driver's cabin, passenger	T5
and cargo section.	area, and cargo section.	
<ul> <li>Color: White, with the red inscription "Centrul Naţional de Transfuzie a Sângelui, Coleta Mobilă" and the institution's logo on both sides of the vehicle, according to Annex 1 (one page).</li> </ul>	de Transfuzie a Sângelui, Coleta Mobilă" and the	T14
L TO AUDEX I TODE DAVEL	L TO ADDEX 1 TONE DAREL	1

	Year of manufacture: 2025.	• Year of manufacture: 2025 or 2026	
6	Accesorii/ Accessories		
	• Winter tires: 4 pieces.	Winter tires: 4 pieces	T15
	• Rims for winter tires: 4 pieces.	Rims for winter tires: 4 pieces	
	• Rubber mats: 2 pieces.	Rubber mats: 2 pieces	T16
	• Seat covers: 1 set.	• Seat covers: 1 set	
	Hubcaps: 2 sets.	Hubcaps: 2 sets	
	• Tool kit: fire extinguisher, medical kit, warning triangle,	• Tool kit: fire extinguisher, medical kit, warning triangle,	T17
	reflective vest.	reflective vest.	
7	Altele/ Additional items		
	WARRANTY	WARRANTY	
	• All equipment must have a warranty period of at least 24	Conversion equipment will have a warranty period of 24	
	months from the date of signing the acceptance report.	months from the date of signing the acceptance report.	
	• The vehicle must have a warranty of at least 200.000 km	Responsibility of SRL "Autoritate Grup"	
	or 24 months, whichever condition is met first.		
	SERVICE AND MAINTENANCE	SERVICE AND MAINTENANCE	374
	Vehicle servicing and maintenance	Responsibility of SRL "Autoritate Grup"	
	• Response time from the moment of request: maximum		
	24 hours.		
	• During the warranty period, upon reasonable request by		
	the user, repair, adjustment, and maintenance of the		
	vehicle, according to the manufacturer's guidelines, shall		
	be performed free of charge.		
	<ul> <li>Spare parts and labor are free of charge, except for consumables specified by the manufacturer.</li> </ul>		
	Service and maintenance of equipment	Responsibility of SRL "Autoritate Grup"	
	• Ensuring the availability of the necessary technical		
	facilities for equipment servicing, in accordance with the		
	general warranty conditions and the manufacturer's user		
		1	
	manual.		

	Delivery	
documents and certificates required for the vehicle registration at the Public Services Agency of the Republic of Moldova.		
Registration  • The seller shall provide the buyer with all necessary		
technical and medical personnel (for the vehicle and equipment), including both theoretical and practical instruction, to acquire the necessary knowledge and skills.		
<ul> <li>Training</li> <li>Upon delivery, the awardee shall provide training for</li> </ul>	Responsibility of SRL "Autoritate Grup"	
<ul> <li>Manuals</li> <li>It is mandatory to provide a technical manual and a user guide in the Romanian language.</li> </ul>	User manuals will be provided in English	
<ul> <li>Each bidder assumes full responsibility for the availability of spare parts, accessories, and consumables for all offered items on the market of the Republic of Moldova, either free of charge or for a fee, as follows: spare parts and labor are free of charge during the warranty period.</li> </ul>		
<ul> <li>24 hours.</li> <li>Maximum time for defect repair: 72 hours.</li> <li>If repair is not completed within 72 hours, the equipment and devices shall be replaced free of charge.</li> <li>Temporary replacement of the equipment must be provided according to the aforementioned timeframes.</li> <li>During the warranty period, upon reasonable request by the user, repair, adjustment, and maintenance of the equipment, according to the manufacturer's specifications, shall be performed free of charge.</li> </ul> Availability of Spare Parts	Responsibility of SRL "Autoritate Grup"	

<ul> <li>The vehicle shall be delivered under DDP terms, according to INCOTERMS 2020, within 4 months from the date of signing the contract with the winning bidder.</li> </ul>	
<ul> <li>The vehicle shall be delivered as a fully functional unit, detailing the included equipment and devices, in accordance with the acceptance report.</li> </ul>	
<ul> <li>The offer price includes: devices, packaging, transportation to the beneficiary's premises, installation and commissioning, technical training for operation and maintenance, as well as training of medical personnel.</li> </ul>	
<ul> <li>The cost of consumables, spare parts, and periodic maintenance during the warranty period shall comply with the terms of reference.</li> </ul>	
<ul> <li>Bidders shall submit a catalog with color photographs and/or sketches that reproduce the configuration requested in the terms of reference.</li> </ul>	Will submit a catalog with color photographs and/or sketches that reproduce the configuration requested in the terms of reference.

## Serhat AKPINARLI

Chairman, General manager Arthor Otomotiv ve Güç Sistemleri AŞ

Date: 09.08.2025

ARTHOR Otomotiv ve Güç Sistemleri A.Ş.

(Istanbul D.S.B. Karadeniz Cad. No: 17

(III - 5 Izel Parseri Blok No:2 34957 Tuzla - ISTANBUL

Tuzla D. 805 037 7174 Tic. Sic. No.: 856827