

Numărul licitației:	30200000-1	Data: „20” iulie 2019	Alternativa nr.: _____
	Echipament și accesorii pentru computer	Lot: <b><u>Lot nr. 10 Proiector</u></b>	Pagina: 1 din 6

Cod CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Produ-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către oferant	Standarde de referință
1	2	3	4	5	6	7	8
	Echipament și accesorii pentru computer						
<b>Lotul <u>nr. 10 Proiector</u></b>							

<p style="text-align: center;"><b>1</b></p> <p>38652100-1</p>	<p style="text-align: center;"><b>Projector</b></p>	<p style="text-align: center;">Vivitek</p>	<p style="text-align: center;">Taiwan</p>	<p style="text-align: center;">DX881ST</p>	<p><b>Projector Native Resolution XGA (1024x768)</b>          Brightness 3300 ANSI Lumens          Contrast Ratio 15000:1          Max. Supported Resolution WUXGA (1920x1200)@60Hz          Native Aspect Ratio 4:3          Lamp Life and Type 3500h/5000h/7000h, UHP Osram 240W/190W (Normal/Eco/Dyn. Eco)          Display Type Single chip DLP®          Technology by Texas Instruments          Chip Size 0.55" DMD          Throw Ratio 0.62          Image Size (Diagonal) 60" - 100"          Projection Distance 763 - 1273 mm          Projection Lens F = 2.8. f = 7.26 mm          Zoom Ratio Fixed          Offset (Based on Full Image Height) 114%          Keystone Correction +/-40 Degree; +/- 40 Steps          Speakers 10W x1          Video Compatibility SDTV (480i, 576i) / EDTV (480p, 576p) / HDTV (720p, 1080i, 1080p), NTSC (M, 3.58/4.43 MHz), PAL (B,D,G,H,I,M,N) SECAM</p>	<p>Vivitek DX881ST DLP, 1024x768, 15000 : 1, 3300LM, Eco:7000hrs, HDMI, VGA, S-video, audio Mini Jack, MIC, RS-232, USB, 3.20Kg</p>	<p style="text-align: center;">Garanție 12 luni</p>
---	---	--	---	--	---	---	---

(B,D,G,K,K1,L)  
I/O Connection Ports VGA-In (15pin D-Sub) (x2), HDMI (x1), S-Video (x1), Composite Video (x1), Audio-In (Mini-Jack) (x3), VGA-Out (15pin D-Sub) (x1), Audio-Out (Mini-Jack) (x1), RJ45 (x1), IP Telnet Capable Over RJ-45, 12v Trigger (x1), RS-232 (x1), USB A (Yes, 5V Power), USB miniB (x1 Service), Microphone (Mini-Jack) (x1)  
Dimensions (W x D x H) 314 x 216 x 126 mm  
Weight 3.2 kg  
Noise Level 36dB/32dB (Normal/Eco)  
Power Supply: AC 100-240V, 50/60Hz Consumption: 310W (Normal Mode), <0.5W (Standby Mode)  
**Minim 12 luni de garantie.**

2 32351000-8	<b><u>Suport pentru proiector</u></b>	KSL	Elvetia	CMPR-3	<b><u>Suport pentru proiector</u></b> Tip: perete Max. projector weight:10 kg Swivel:noTilt:+/- 42° Distance from the mounting point:83.5 - 146.5 cm Cables can be pulled through: yes Color:white Material:aluminium	Projector Wall Mount KSL "CMPR-3" Universal White, 890 ~ 1520mm, max.load 20kg
-----------------	---	-----	---------	--------	---	--

Semnat: \_\_\_\_\_ Numele, Prenumele: Slobozean Alexandr În calitate de: Vinzator

Ofertantul: Andix SRL Adresa: mun. Balti str. Lesecco 18/49

Cod CPV	Denumirea bunurilor și/sau a serviciilor	Unitate a de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare
1	2	3	4	5	6	7	8	9
	Echipament și accesorii pentru computer							
<b>Lotul: 10 Proiector</b>								
38652100-1	<b>Proiector</b>	<b>Buc.</b>	<b>1</b>	13292.73	15950.00	13292.73	15950	45 zile din data înregistrării contractului la Trezoreria de Stat

32351000-8	<u>Support pentru proiector</u>	Buc.	2	1750.14	2100.00	3500.28	4200.00	45 zile din data înregistrării contractului la Trezoreria de Stat
	<b>TOTAL</b>			15042.87	18050.00	16793.01	20150.00	