

Техническое описание продукта

NAV-T 250 W SUPER 4Y

VIALOX NAV-T SUPER 4Y | Натриевые лампы высокого давления для открытых и закрытых светильников



Техническое описание продукта

Technical data


Электрические параметры

ZLDV_Ignition voltage [AGGR]	3.3/5.0 kVp
ZLDV_Nominal current [AGGR]	2.95 A A

Фотометрические данные

ZLDV_Rated LLMF at 2,000 h [AGGR]	0.98
ZLDV_Rated LLMF at 4,000 h [AGGR]	0.97
ZLDV_Rated LLMF at 6,000 h [AGGR]	0.96
ZLDV_Rated LLMF at 8,000 h [AGGR]	0.95
ZLDV_Rated LLMF at 12,000 h [AGGR]	0.94
ZLDV_Rated LLMF at 16,000 h [AGGR]	0.94
ZLDV_Rated LLMF at 20,000 h [AGGR]	0.94
ZLDV_Luminous flux [AGGR]	33200 lm

Размеры и вес



ZLDV_Light center length (LCL) [AGGR]	158,0 mm
ZLDV_Product weight [AGGR]	135.00 g
ZLDV_Overall length [AGGR]	257.00 mm

Температуры и условия управления

ZLDV_Maximum permitted base edge temperature [AGGR]	250 °C
---	--------

Срок службы

ZLDV_Lifespan B50 [AGGR]	36000 h
ZLDV_Lifespan B10 [AGGR]	24000 h
ZLDV_Lifespan B5 [AGGR]	20000 h

Техническое описание продукта

Дополнительные данные

ZLDV_Product remark [AGGR]	Important: Before replacing for NAV Standard lamps in existing installations, check that the igniters are suitable
ZLDV_Design / version [AGGR]	Clear
ZLDV_Mercury content [AGGR]	21.6 mg
Утилизация по WEEE	Да

Возможности / мощности

ZLDV_Burning position [AGGR]	Any
ZLDV_Enclosed luminaire required [AGGR]	No

Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	E
ZLDV_Energy consumption [AGGR]	267.00 kWh/1000h

Классификация


ZLDV_ILCOS [AGGR]	ST-250-H/E/SL-E40-47/257
-------------------	--------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4050300024417
Declaration No. in SCIP database	In work

Техническое описание продукта

Распределение силы света



NAV_SUPER_4Y_SUPER_6Y

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4050300024417	NAV-T 250 W SUPER 4Y	Shipping carton box 12 шт. Sleeves	241 mm x 324 mm x 200 mm	15.62 дм³	2588.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Ссылки

Более подробную информацию по системной гарантии и положениям и условиям гарантийного обслуживания см. на странице

Техническое описание продукта

► www.osram.com/system-guarantee

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany

NAV-T 250 W SUPER 4Y

VIALOX NAV-T SUPER 4Y | Натриевые лампы высокого давления для открытых и закрытых светильников

Название продукта	Название продукта ЭПРА	ЕАН-код
NAV-T 250 W SUPER 4Y	РТо 250/220-240 3DIM	4008321863669