



Laparoscopy

Access, Visualization & Instrumentation

Our Vision

"True to our vision **INNOVATING TRADITION.** it has always been our goal to not only provide our customers and healthcare professionals with an industry-leading value proposition through continuous innovation in our products and processes.


Ackermann

We believe that it is equally important to not lose sight of our roots and to preserve the craftsmanship that has been perfected over generations as an established family business. This enables us to maintain a productive and sustainable home for our staff and to improve clinical outcomes every single day in over 100 countries around the world."

Peter Grassl, CEO

+ 20k SKUs

As **Full-Range-System Manufacturer** we are able to provide you with a coherent product portfolio - from endoscopy to ligation, from implantology to general surgery.



Capabilities

+ Manufacturing

Surgical Instruments, Units, Implants, Optics

+ Regulatory

ISO 13485:2016, US FDA, CFDA, ANVISA,
COFEPRIS


+ Service

+ R&D



Global Player

Sales subsidiaries located in
Greece, India, USA & Mexico



Serving over
100
Countries

More than
80
Employees



3
Manufacturing
Sites

400
Strategic
Partners



Table of Contents

Product Range at a Glance



Laparoscopy Sets

Basic Lap Set	p. 6
Lap Chole Set	p. 8
Bariatric Lap Set	p. 10
Urology Lap Set	p. 14
Gynaecology Lap Set	p. 16
Pediatric Lap Set	p. 20
Miniature Lap Set	p. 22

Access Instrumentation

Trocars

Silicone Valve Trocars	p. 26
Multifunctional Trocars	p. 28
Hasson Trocars	p. 30
Miniature Trocars	p. 32
Thoracoscopy/ Single Port Trocars	p. 34
Custom Trocar Configuration	p. 36

Obturators

Safety Obturators	p. 38
Minimal Trauma Obturators	p. 40
Standard Obturators	p. 42
Miniature Obturators	p. 44

Fascia Closing Instruments

Fascia Closing Suture Passer	p. 47
Fascia Closing Cannula	p. 47

Accessories

Reducers	p. 49
Dilators	p. 50
Verres Needles	p. 50
Compatibility: Obturators, Dilators, Reducers	p. 52

Visualization

Laparoscopes

4k UHD Laparoscopes	p. 57
FullHD Laparoscopes	p. 57
Standard Laparoscopes	p. 58
Laparoscopes with Working Channel	p. 60

Accessories

Fiber Light Cables	p. 63
--------------------	-------

Light Cable Adapters	p. 64	Retractors	p. 206
Light Cable Testers	p. 64	Other Speciality Instruments	p. 211
Monopolar & Bipolar Electrodes		Connecting Cables	
Ceramic Tip Monopolar Electrodes	p. 68	Monopolar Cables	p. 216
Standard Monopolar Electrodes	p. 70	Bipolar Cables	p. 216
Suction/Irrigation Monopolar Electrodes	p. 76		
Standard Bipolar Electrodes	p. 80	Lap Containers	
		Lap Containers & Accessories	p. 218
Suction/ Irrigation Accessories			
High-Flow Suction/ Irrigation Line	p. 84		
Pistol Handle Suction/ Irrigation Line	p. 86		
Interchangeable Suction/ Irrigation Line	p. 88		
Laparoscopic Monopolar Instrument Lines			
Reusable			
(Miniature) XPress Lock™ Handles & Sheaths	p. 94		
(Miniature) Ceramix Cut™ Scissors	p. 96		
System CS™ Handles & Sheaths	p. 100		
Inserts for XPress Lock™ & System CS™	p. 106		
Inserts for Miniature XPress Lock™	p. 147		
Hybrid			
Ti Line™ Handles & Tips	p. 162		
(Miniature) Future Lap™ Handles & Inserts	p. 166		
Single-use			
Single-use Instruments	p. 170		
Laparoscopic Bipolar Instrument Lines			
(Miniature) Premium Bipolar Instrument Line	p. 174		
Standard Bipolar Instrument Line	p. 180		
Endoscopic Clip Appliers & Removers			
Endo Europclip™ Appliers	p. 186		
Endo VeSeal™ Appliers	p. 188		
Endo Polymer Clip Appliers & Removers	p. 190		
Speciality Instruments			
System ADG™ & DG™	p. 194		
(Miniature) Needleholders	p. 198		



Basic Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 0°, Ø 10 mm, 330 mm	# 11-1130UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Threaded silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115THC
3 x Pyramidal / triangular tip obturator, Ø 5.5 mm	# 10-1034
2 x Threaded silicone valve trocar, demount., carbon fiber, Ø 11 mm	# 10-1116THC
2 x Pyramidal / triangular tip obturator, Ø 11 mm	# 10-1044
1 x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1 x Reduction sleeve, Ø 11 mm to Ø 5.5 mm	# 10-1075
1 x Endoscopic clinch, Ø 5 mm, 330 mm (insert)	# 13-1323XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Maryland dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1318XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Cross-serrated grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1354XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Johan grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1312XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Hook scissors, Ø 5 mm, 330 mm (insert)	# 13-1431XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert)	# 13-1461CI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1701I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar fenestrated grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1702I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar scissors, Ø 5 mm, 330 mm (insert)	# 13-1703I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes	# 11-1235
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x L-Hook electrode, monopolar, Ø 5 mm, 330 mm	# 11-1175
1x Fascia closing suture passer with stop, Ø 3 mm, 180mm	# 10-1114
1x Axial needleholder, right curved jaws, angled handle, Ø 5 mm	# 13-1593P
1x Axial needleholder, left curved jaws, angled handle, Ø 5 mm	# 13-1594P
1x Applicator for medium-large Europclips™, Ø 10 mm, 330 mm	# 13-1615AS
1x Medium-large Europclips™, 120 clips/ per box	# AI74CML6
1x Monopolar cable, Ackermann / Erbe T1/ Martin ¹ / Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Lap Chole Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm	# 11-1135UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Threaded silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115THC
1 x Pyramidal / triangular tip obturator, Ø 5.5 mm	# 10-1034
1 x Threaded silicone valve trocar, demount., carbon fiber, Ø 11 mm	# 10-1116THC
1 x Pyramidal / triangular tip obturator, Ø 11 mm	# 10-1044
1 x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1 x Maryland dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1318XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Maxi fundus grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1302XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
2 x Wave grasping forceps DG, double-act., Ø 5 mm, 330 mm (insert)	# 13-1381XPI
2 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Wave grasping forceps DG, single-act., Ø 5 mm, 330 mm (insert)	# 13-1375XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Mixer clamp, Ø 5 mm, 330 mm (insert)	# 13-1376XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP



- 1x Retraction forceps, Ø 5 mm, 330 mm (insert) # 13-1380XPI
- 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1x XPress Lock™ handle with universal ratchet # 13-1368XP




- 1x Hook scissors, Ø 5 mm, 330 mm (insert) # 13-1431XPI
- 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert) # 13-1461CI
- 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1x Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes # 11-1235



- 1x Verres needle, Ø 2 mm, 120 mm # 10-1105



- 1x Graduated palpation probe, Ø 5 mm, 330 mm # 10-1110



- 1x Spatula electrode, monopolar, Ø 5 mm, 330 mm # 11-1170



- 1x L-Hook electrode, monopolar, Ø 5 mm, 330 mm # 11-1175



- 1x Fascia closing suture passer with stop, Ø 3 mm , 180mm # 10-1114



- 1x Monopolar cable, Ackermann / Erbe T1/ Martin1 / Berchthold1, 3 m # 11-1260



Bariatric Lap Set

Ordering Information and Recommendations

1x 4k UHD Laparoscope, 0°, Ø 10 mm, 450 mm	# 11-1130-45UHD
1x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3x Plain multifunct. trocar, demount., Ø 5.5 mm, 150 mm	# 10-1002-150
1x Pyramidal / triangular tip obturator, Ø 5.5 mm, 150 mm	# 10-1034-150
1x Plain multifunct. trocar, demount., Ø 11 mm, 150 mm	# 10-1012-150
1x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1044-150
1x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1x Reduction sleeve, Ø 11 mm to Ø 5.5 mm	# 10-1075
1x Duval grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1580XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x US Babcock grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1544XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Johan grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1312XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Maryland grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1411XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP



1x Maxi fundus grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1302XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Endoscopic clinch, Ø 5 mm, 450 mm (insert)	# 13-1323XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Hook scissors, Ø 5 mm, 450 mm (insert)	# 13-1431XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 450 mm (insert)	# 13-1461CI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1701I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar fenestrated grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1702I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar scissors, Ø 5 mm, 450 mm (insert)	# 13-1703I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Trumpet valve handle	# 11-1235-102
1x High-flow tube with drillings, Ø 5 mm, 450 mm	# 11-1235-100-45
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x Esophageal retractor, Ø 10 mm, 330 mm	# 13-1668-10
1x Esophageal retractor, Ø 10 mm, 450 mm	# 13-1668-10-45
1x L-Hook electrode, monopolar, Ø 5 mm, 450 mm	# 11-1175-45



- | | |
|---|---------------|
| 1 x Fascia closing suture passer with stop, Ø 3 mm , 180mm | # 10-1114 |
| 1 x Axial needleholder, right curved, angled handle, Ø 5 mm, 450 mm | # 13-1593P-45 |
| 1 x Axial needleholder, left curved, angled handle, Ø 5 mm, 450 mm | # 13-1594P-45 |
| 1 x Applicator for medium-large Europclips™, Ø 10 mm, 330 mm | # 13-1615AS |
| 1 x Medium-large Europclips™, 120 clips/ per box | # AI74CML6 |
| 1 x Monopolar cable, Ackermann / Erbe T ¹ / Martin ¹ /Berchthold ¹ , 3 m | # 11-1260 |
| 1 x Bipolar cable, EU flat plug, 2-banana , 3 m | # 13-1641 |





Urology Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm	# 11-1135UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Plain silicone valve trocar, demountable, carbon fiber, Ø 5.5 mm	# 10-1115
3 x Pyramidal / triangular tip obturator, Ø 5.5 mm, 150 mm	# 10-1034
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 11 mm	# 10-1116
2 x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1044
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 12.5 mm	# 10-1117
2 x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1049
2 x Flip-on reducer, Ø 11 mm to Ø 5.5 mm	# 10-1021-101
1 x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
2 x Manhes grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1326XPI
2 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Kelly dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1419XPI
1 x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
2 x Dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1422XPI
2 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2 x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Dissecting forceps, Ø 10 mm, 330 mm (insert)	# 13-0530XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Maryland dissecting forceps, Ø 10 mm, 330 mm (insert)	# 13-1340XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Biopsy spoon forceps, Ø 10 mm, 330 mm (insert)	# 13-1660XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert)	# 13-1461CI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1701I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes	# 11-1236
1x Standard tube, Ø 5 mm	# 11-1237
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x Axial needleholder, straight jaws, angled handle, Ø 5 mm, 330 mm	# 13-1591P
1x Axial needleholder, self-upright., angled handle, Ø 5 mm, 330 mm	# 13-1590PSFU
1x Monopolar cable, Ackermann / Erbe T ¹ / Martin ¹ / Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Gynaecology Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 0°, Ø 10 mm, 330 mm	# 11-1130UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Plain silicone valve trocar, demountable, carbon fiber, Ø 5.5 mm	# 10-1115
3 x Blunt obturator, Ø 5.5 mm	# 10-1034BL
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 11 mm	# 10-1116
2 x Blunt obturator, Ø 11 mm	# 10-1044BL
1 x Allis grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1350XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Claw forceps, Ø 5 mm, 330 mm (insert)	# 13-1606XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Johan grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1312XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Tenaculum grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1537XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Kelly dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1419XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1357XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP



- 1 x Biopsy spoon forceps, Ø 10 mm, 330 mm (insert) # 13-1660XPI
- 1 x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm # 13-1357XP
- 1 x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1 x Hook scissors, Ø 5 mm, 330 mm (insert) # 13-1431XPI
- 1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1 x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1 x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert) # 13-1461CI
- 1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1 x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1 x Claw forceps, Ø 10 mm, 330 mm (insert) # 13-1605XPI
- 1 x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm # 13-1357XP
- 1 x XPress Lock™ handle with universal ratchet # 13-1368XP



- 1 x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert) # 13-1701I
- 1 x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1 x Handle for bipolar detachable instruments # 13-1700SI



- 1 x Bipolar fenestrated grasping forceps, Ø 5 mm, 330 mm (insert) # 13-1702I
- 1 x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1 x Handle for bipolar detachable instruments # 13-1700SI



- 1 x Bi. fenestrated grasping forceps, curved, Ø 5 mm, 330 mm (insert) # 13-1706I
- 1 x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1 x Handle for bipolar detachable instruments # 13-1700SI



- 1 x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes # 11-1236



- 1 x Standard tube, Ø 5 mm # 11-1237



- 1 x Suction needle, Ø 5 mm # 11-1237-400



- 1 x Verres needle, Ø 2 mm, 120 mm # 10-1105



- 1 x Knot pusher, open eyelet, Ø 4 mm, 330 mm # 13-1617




- 1 x Two-way handle for adaptable suction-irrigation electrodes # 11-1173



1x L-Hook electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1179
1x Button electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1184
1x Needle electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1200
1x Axial needleholder, right curved, angled handle, Ø 5 mm, 330 mm	# 13-1593P
1x Axial needleholder, left curved, angled handle, Ø 5 mm, 330 mm	# 13-1594P
1x Myoma screw, Ø 5 mm, 380 mm	# 10-1096
1x Uterus manipulator without adapters	# 18-2356
1x Portio adapter, curved, Ø 8 mm / 80 mm	# 18-2356-100
1x Portio adapter, curved, Ø 10 mm / 100 mm	# 18-2356-200
1x Portio adapter, cone shaped, short	# 18-2356-500
1x Portio adapter, cone shaped, long	# 18-2356-600
1x Monopolar cable, Ackermann /Erbe T ¹ / Martin ¹ /Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana , 3 m	# 13-1641





combiF

Pediatric Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 0°, Ø 5 mm, 330 mm	# 11-1120UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
1 x Plain silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115
1 x Conical tip obturator, Ø 5.5 mm	# 10-1035
4 x Miniature silicone valve trocar, Ø 3 mm, 70 mm	# 23-3086
4 x Miniature triangular tip obturator for 23-3086, Ø 3 mm	# 23-3021
1 x Verres needle, Ø 2 mm, 100 mm	# 10-1100
1 x Miniature Metzenbaum scissors, Ø 2.9 mm, 200 mm (insert)	# 23-3000XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
2 x Miniature grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3015XPI-20
2 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature bowel grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3082XPI-20
1 x XPress Lock™ handle with french ratchet	# 13-1369XP
1 x Miniature hook scissors, Ø 2.9 mm, 200 mm (insert)	# 23-3001XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature Kelly grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3020XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Miniature Pylorus grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3092XPI-20
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Mini bipolar Maryland grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3025BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar fenestrated grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3082BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar Metzenbaum scissors, Ø 3 mm, 290 mm (insert)	# 23-3000BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tube	# 11-1236
1x Standard tube, Ø 3 mm	# 11-1237-700
1x L-Hook electrode, monopolar, Ø 3 mm, 200 mm	# 23-3070-20
1x Axial needleholder, right curved jaws, angled handle, Ø 3 mm	# 23-3027P-20
1x Axial needleholder, left curved jaws, angled handle, Ø 3 mm	# 23-3028P-20
1x Monopolar cable, Erbe ACC ¹ / ICC-VIO ¹ , 3 m	# 11-1261
1x Bipolar cable, EU flat plug, 2-banana , 3 m	# 13-1641



Miniature Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm

11-1135UHD

OPTIONAL

1 x 4k UHD Laparoscope, 30°, Ø 5 mm, 330 mm

11-1125UHD

1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m

11-1161

1 x Adaptor scope-side, Ackermann / Storz¹ / Olympus¹

11-1146-100

1 x Adaptor lightsource-side, Ackermann / Storz¹

11-1147-100

1 x Plain silicone valve trocar, demount., carbon fiber, Ø 5.5 mm

10-1115

1 x Conical tip obturator, Ø 5.5 mm

10-1035

1 x Plain silicone valve trocar, demount., carbon fiber, Ø 11 mm

10-1116

1 x Pyramidal / triangular tip obturator, Ø 11 mm

10-1044

3 x Miniature silicone valve trocar, Ø 3 mm, 70 mm

23-3086

3 x Miniature triangular tip obturator for 23-3086, Ø 3 mm

23-3021

1 x Verres needle, Ø 2 mm, 120 mm

10-1105

1 x Miniature Metzenbaum scissors, Ø 2.9 mm, 360 mm (insert)

23-3000XPI

1 x XPress Lock™ handle w/o ratchet

13-1367XP

1 x Miniature grasping forceps, Ø 2.9 mm, 360 mm (insert)

23-3015XPI

1 x XPress Lock™ handle w/o ratchet

13-1367XP

1 x Miniature bowel grasping forceps, Ø 2.9 mm, 360 mm (insert)

23-3082XPI

1 x XPress Lock™ handle with french ratchet

13-1369XP



1 x Miniature hook scissors, Ø 2.9 mm, 360 mm (insert)	# 23-3001XPI
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature Kelly grasping forceps, Ø 2.9 mm, 360 mm (insert)	# 23-3020XPI
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature Pylorus grasping forceps, Ø 2.9 mm, 360 mm (insert)	# 23-3092XPI
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Mini bipolar Maryland grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3025BP
1 x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1 x Handle for mini bipolar detachable instruments	# 23-3090
1 x Mini bipolar fenestrated grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3082BP
1 x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1 x Handle for mini bipolar detachable instruments	# 23-3090
1 x Mini bipolar Metzenbaum scissors, Ø 3 mm, 290 mm (insert)	# 23-3000BP
1 x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1 x Handle for mini bipolar detachable instruments	# 23-3090
1 x Injection needle Ø 2.8 mm, 330 mm	# 13-1619-3
1 x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tube	# 11-1236
1 x Standard tube, Ø 3 mm	# 11-1237-700
1 x L-Hook electrode, monopolar, Ø 3 mm, 330 mm	# 23-3070
1 x Axial needleholder, right curved jaws, angled handle, Ø 3 mm	# 23-3027P
1 x Axial needleholder, left curved jaws, angled handle, Ø 3 mm	# 23-3028P
1 x Monopolar cable, Erbe ACC ¹ / ICC-VIO ¹ , 3 m	# 11-1261
1 x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Access Instrumentation


Table of Contents

Trocars / **p. 26 - 37**

Obturators / **p. 38 - 45**

Fascia Closing Instruments / **p. 46 - 47**

Reducers, Dilators & other Accessories / **p. 48 - 50**





Silicone Valve Trocars

Key Features

- Silicone valve trocar **weights less than 40 g**
- Maintenance-free **silicone valve**
- **Less damage** of scope and instrument tip due to less instrument friction
- **Excellent tactile feedback** when inserting into the abdominal cavity
- Available on request with 150 mm WL for **bariatric procedures**
- **Safe** CO² sealing



... more Features

- Trocars made of ultra light-weight reinforced carbon fiber
- With threaded or plain cannula
- Ergonomic design with LL stopcock
- Easy cleaning due to demountability
- Bayonet locking for easy valve exchange
- Color-coded sealing cap
- Diameters of 5.5 mm, 11 mm and 12.5 mm available
- + Available without luer-lock on request



Silicone Valve Trocars, Threaded Cannula



	Diameter			Working length		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	105 mm		
Threaded silicone valve trocar, demountable, carbon fiber	•			•		•	10-1115THC
Threaded silicone valve trocar, demountable, carbon fiber		•			•	•	10-1116THC
Threaded silicone valve trocar, demountable, carbon fiber			•		•	•	10-1117THC

Silicone Valve Trocars, Plain Cannula



	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	98 mm	101 mm		
Plain silicone valve trocar, demountable, carbon fiber	•			•			•	10-1115
Plain silicone valve trocar, demountable, carbon fiber		•				•	•	10-1116
Plain silicone valve trocar, demountable, carbon fiber			•		•		•	10-1117

Multifunctional Trocars

Key Features

- Trocars made of **high-quality stainless steel**
- **Robust design** with LL stopcock
- Model with traditional **multifunctional trap door valve**
- Available on request with 150 mm WL for **bariatric procedures**



... more Features

- Available with plain and threaded cannula
- Easy cleaning due to demountability
- Color-coded sealing cap
- Diameters of 5.5 mm, 11 mm and 12.5 mm available
- Fully modular



Multifunctional Trocars, Threaded Cannula



	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	105 mm			
Threaded multifunct. trocar, demountable, stainless steel	•			•			•	10-1002THC
Threaded multifunct. trocar, demountable, stainless steel		•			•		•	10-1012THC
Threaded multifunct. trocar, demountable, stainless steel			•		•		•	10-1012-12,5THC

Multifunctional Trocars, Plain Cannula




	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	98 mm	101 mm		
Plain multifunct. trocar, demountable, stainless steel	•			•			•	10-1002
		•				•	•	
Plain multifunct. trocar, demountable, stainless steel			•		•		•	10-1012-12,5

Hasson Trocars

Key Features

- Model used for **half-open technique** when inserting the first trocar **under direct vision**
- Preferred use with patients who had **prior abdominal surgical procedures** and may have tissue adhering to the abdominal wall
- **Additional cones** of different types available



... more Features

- Made of high-quality stainless steel
- Comes with blunt obturator and integrated suture ties
- Robust design with LL stopcock
- Diameters of 5.5 mm or 11 mm available



Hasson Trocar, Threaded Cannula



	Diameter		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm		
Hasson trocar , trap door, stainless steel, incl. obturator and cone	•		•	10-1067-05
Hasson trocar , trap door, stainless steel, incl. obturator and cone		•	•	10-1067

Spare Hasson Cone w/o Suture Ties

For Use with 10-1067

	Type	Made of	Item no.
Spare Hasson cone, Ø 11 mm	w/o suture ties	carbon fiber	10-1067-501
Spare Hasson cone, Ø 11 mm	with suture ties	carbon fiber	10-1067-502
Spare Hasson cone, Ø 11 mm	for fascia sealing	stainless steel	10-1067-505
Spare Hasson cone, Ø 11 mm	with suture ties	stainless steel	10-1067-506



S-Retractor for Hasson Technique

For Use with 10-1067





	Diameter		Item no.
	Ø 11.5 mm	Ø 15 mm	
S-Retractor for Hasson technique, pair	•		10-1098S
S-Retractor for Hasson technique, pair		•	10-1098

Miniature Trocars


Key Features

- Silicone valve trocar **weights less than 18 g**
- Maintenance-free **silicone valve**
- **Less damage** of scope and instrument tip due to less instrument friction
- **Excellent tactile feedback** when inserting into the abdominal cavity
- **Safe** CO² sealing



... more Features

- Trocars made of ultra light-weight reinforced carbon fiber and high-quality stainless steel
- Use with accompanying miniature laparoscopy obturators and instruments
- Ergonomic design with LL stopcock
- Easy cleaning due to demountability
- Easy valve exchange
- Color-coded sealing cap
- Diameters of 3 mm and working length of 70 mm
- + Other cannula lengths and diameters on request



MINILAP

Miniature Silicone Valve Trocar, Plain Cannula

For Use with Miniature Instruments



	Color coding	Item no.
Miniature silicone valve trocar, Ø 3 mm, 70 mm, matching obturators: 23-3021 / 23-3021BL	●	23-3086

MINILAP

Miniature Multifunctional Trocar, Plain Cannula

For Use with Miniature Instruments



	Color coding	Item no.
Miniature multifunctional trocar, Ø 3.5 mm, 70 mm, matching obturator: 23-3022 / 23-3022BL	●	23-3084

Single Port / Thoracoscopy Access

Key Features

- **Decreasing trauma** and risk for herniation
- Enhanced **cosmetic benefits** and no visible scarring
- **Accelerated** recovery time
- **Obturator already included**
- **Color-coded** sealing cap



... more Features

- Use for trans-umbilical single port surgery with accompanying instruments
- Reduced postoperative pain
- Revolutionary technology in minimally-invasive laparoscopic surgery
- Made of maintenance-free silicon
- Single port trocar enables a 20 mm incision
- Diameters of 5.5 mm or 11 mm available
- Specially designed for use with Ackermann thoracoscopy / single port instruments



Flexible Single Port / Thoracoscopy Trocars

Models incl. Obturator



	Diameter		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm		
Flexible trocar with obturator, threaded, 70 mm	•		•	13-1699A
Flexible trocar with obturator, threaded, 70 mm		•	•	13-1699B

Single Port Silicone Trocar



	Item no.
Single port trocar for 20 mm umbilical incision, silicone, reusable	13-1699

Custom Trocar Configuration

How to

- 1 Choose between a trocar diameter of 5.5 mm, 11 mm or 12.5 mm.
- 2 Choose an appropriate trocar cannula.
- 3 Add a trocar body.

Note

Each component of the trocar body is also available separately as a spare part.



Trocar Cannulas


Step 2

	Diameter			Cannula type		Cannula material		Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	Threaded	Plain	Carbon fiber	Stainless steel	
Trocar cannula only	•			•		•		10-1018
Trocar cannula only	•			•			•	10-1014
Trocar cannula only	•				•	•		10-1014NT
Trocar cannula only	•				•		•	10-1002-100
Trocar cannula only		•		•		•		10-1019
Trocar cannula only		•		•			•	10-1017
Trocar cannula only		•			•	•		10-1017NT
Trocar cannula only		•			•		•	10-1012-100
Trocar cannula only			•	•		•		10-1019-12,5
Trocar cannula only			•	•			•	10-1017-12,5
Trocar cannula only			•		•	•		10-1017NT-125
Trocar cannula only			•		•		•	10-1012-12,5-100


Trocar Bodies

Step 3

Silicone valve trocar, illustration



Multifunctional valve trocar, illustration




	Diameter	Body type		Color coding	Item no.
		Silicone valve	Multifunctional valve		
Trocar body, silicone valve, complete includes Trocar body 10-1115-200 and Silicone valve 10-1008-100 and Top housing 10-1115-400 and Sealing cap 10-1029	Ø 5.5 mm	•		●	10-1115BODY
Trocar body, multifunctional, complete includes Trocar body 10-1002-200 and O-ring 25x1,5 and Upper housing 10-1002-300 and Inner sealing 10-1031 and Top housing 10-1002-400 and Sealing cap 10-1029	Ø 5.5 mm		•	●	10-1002BODY
Trocar body, silicone valve, complete includes Trocar body 10-1116-200 and Silicone valve 10-1013-100 and Top housing 10-1116-400 and Sealing cap 10-1030	Ø 11 mm	•		●	10-1116BODY
Trocar body, multifunctional, complete includes Trocar body 10-1012-200 and O-ring 30x1,5 and Upper housing 10-1012-300 and Inner sealing 10-1032 and Top housing 10-1012-400 and Sealing cap 10-1030	Ø 11 mm		•	●	10-1012BODY
Trocar body, silicone valve, complete includes Trocar body 10-1117-200 and Silicone valve 10-1013-100 and Top housing 10-1117-400 and Sealing cap 10-1030-12,5	Ø 12.5 mm	•		●	10-1117BODY
Trocar body, multifunctional, complete includes Trocar body 10-1012-12,5-200 and O-ring 30x1,5 and Upper housing 10-1012-300 and Inner sealing 10-1032 and Top housing 10-1012-12,5-400 and Sealing cap 10-1030-12,5	Ø 12.5 mm		•	●	10-1012-12,5BODY

Safety Obturators

Key Features

- **Increased protection** after penetration of the trocar in the abdominal cavity due to self-locking mechanism
- **Less abdominal injuries**
- **Rounded trocar blades** in the lateral area result in a **dilating effect**



... more Features

- Obturators made of high-quality stainless steel
- If the cutting protection is activated, the trocar tip is not released until it is inserted into the abdominal cavity
- As soon as the trocar tip has passed the abdominal wall, it is again instantly secured
- Easy cleaning and reprocessing
- The triangular dilating tip obturator successfully penetrates the abdominal wall the internal gas escapes, indicating when to stop



Lockable Safety Obturators




	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Lockable safety obturator, active	•			10-1037
Lockable safety obturator, active		•		10-1047
Lockable safety obturator, active			•	10-1047-12,5

Safety Obturators



	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Safety obturator, half-moon, oblique tip	•			10-1036
Safety obturator, half-moon, oblique tip		•		10-1046
Safety obturator, half-moon, oblique tip			•	10-1051

Triangular Dilating Tip Obturators



	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Triangular dilating tip obturator with indication channel	•			10-1033
Triangular dilating tip obturator with indication channel		•		10-1048
Triangular dilating tip obturator with indication channel			•	10-1053


Minimal Trauma Obturators

Key Features

- **Minimal trauma** after penetration of the trocar in the abdominal cavity due to patented design of the obturator tip
- **Small incision** is required due to dilating effect
- Easy to clean **high-quality stainless steel**
- Available for trocars in diameters of 5.5 mm, 11 mm and 12.5 mm



Minimal Trauma Obturators




	For trocars with	Item no.
	Ø 5.5 mm Ø 11 mm Ø 12.5 mm	
Minimal trauma obturator	•	10-1068
Minimal trauma obturator	•	10-1069
Minimal trauma obturator	•	10-1069-12,5



Standard Obturators


Key Features

- Standard designs with **pyramidal / triangular, conical or blunt tip**
- To be used with all Ackermann **multifunctional and silicone valve trocars**
- Other diameters and cannula lengths e.g. **150 mm for bariatric procedures on request**




... more Features

- Obturators made of high-quality stainless steel
- For trocar diameters of 5.5 mm, 11 mm und 12.5 mm available
- Proven standard designs
- Maintenance free



Pyramidal / Triangular Tip Obturators




	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Pyramidal / triangular tip obturator	•			10-1034
Pyramidal / triangular tip obturator		•		10-1044
Pyramidal / triangular tip obturator			•	10-1049

Conical Tip Obturators



	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Conical tip obturator	•			10-1035
Conical tip obturator		•		10-1045
Conical tip obturator			•	10-1050

Blunt Tip Obturators



	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Blunt tip obturator	•			10-1034BL
Blunt tip obturator		•		10-1044BL
Blunt tip obturator			•	10-1049BL

Miniature Obturators

Key Features

- Obturators made of high-quality stainless steel sheath and **light-weight carbon fiber top**
- Compatible with **Ackermann Miniature Laparoscopy trocars**



3
mm
DIAMETER

LIGHT
WEIGHT

TRIANGULAR

PREVENTS
INJURIES


STAINLESS
STEEL

BLUNT

MINI LAP


... more Features

- For trocar diameters of 3 mm
- Easy reprocessing
- Standard designs with proven pyramidal and blunt tip for easy access
- + Other designs and patterns on request



MINI LAP

Miniature Triangular Obturators



	Item no.
Triangular tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3086	23-3021
Triangular tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3084	23-3022

MINI LAP

Miniature Conical / Blunt Tip Obturators




	Item no.
Conical / blunt tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3086	23-3021BL
Conical / blunt tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3084	23-3022BL

Fascia Closing Instruments

Key Features

- Simple but **smart and light-weight** design for optimal comfort and ease of use
- **Needle cone shaped tip** to facilitate insertion
- Single action serrated inner jaws for **optimal suture grip**
- Large opening of movable tip to **facilitate gripping of the suture**
- Distance holder allows for a controlled insertion and helps to **prevent injuries to tissues and organs**




... more Features

- Medical grade high-quality stainless steel
- 100% made in Germany
- Working length of 180 mm
- Small diameter of 2.8 mm – for a minimally invasive approach
- Ergonomic spring handle suitable for left and right-handed physicians
- Flush port for easy reprocessing



Fascia Closing Suture Passer




Fascia closing suture passer with stop, Ø 3 mm , 180mm

Item no.

10-1114

How to use the Fascia Closing Suture Passer



Fascia Closing Cannula



Fascia closing cannula, Ø 2.3 mm, 140mm


Item no.

10-1113

Reducers & Dilators

Key Features

- Ackermann reducers enable **switching between instruments with a smaller diameter** without changing the trocar
- **Reduces** the loss of gas
- Dilators allow for **switching to a larger sized trocar** whenever indicated



... more Features

- Reducing accessories are to be used depending on the trocar diameter
- Plastic reducers with a silicone latch are particularly well suited for trocars with a manual trap door
- Our full range includes various reduction sleeves, slide-on reducers, flip-on reducers as well as dilation sets



Flip-on Reducers



	Reduction diameter		Item no.
	Ø 11 mm to Ø 5.5 mm	Ø 12.5 mm to Ø 5.5 mm	
Flip-on reducer	•		10-1021-101
Flip-on reducer		•	10-1021-102

Slide-on Reducer




	Item no.
Slide-on reducer, Ø 11 mm / Ø 12.5 mm to Ø 5.5 mm	10-1021-201

Reduction Sleeves



	Reduction diameter			Item no.
	Ø 5.5 mm to Ø 3 mm	Ø 10 mm to Ø 5.5 mm	Ø 11 mm to Ø 5.5 mm	
Reduction sleeve	•			10-1070-3
Reduction sleeve		•		10-1070
Reduction sleeve			•	10-1075

Dilation Sets



	Dilation diameter		Item no.
	Ø 5.5 mm to Ø 11 mm	Ø 10 mm to Ø 15 mm	
Dilation set	•		10-1085
Dilation set		•	10-1090

Verres Needles



	Length			Item no.
	100 mm	120 mm	150 mm	
Verres needle, Ø 2 mm	•			10-1100
Verres needle, Ø 2 mm		•		10-1105
Verres needle, Ø 2 mm			•	10-1111



Obturator, Dilators and Reducers

Designs at a Glance



Compatibility Matrix

For Trocars, Obturators, Dilators and Reducers

	Diameter				Color coding of trocar	Item no.
	Ø 3 mm	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm		
Silicone valve trocar , plain, miniature	•				●	23-3086
Multifunctional valve trocar , plain, miniature	•				●	23-3084
Obturator , triangular tip, for 23-3086	•				●	23-3021
Obturator , conical/blunt tip, for 23-3086	•				●	23-3021BL
Obturator , triangular tip, for 23-3084	•				●	23-3022
Obturator , conical/blunt tip, for 23-3084	•				●	23-3022BL
Silicone valve trocar , threaded		•			●	10-1115THC
Silicone valve trocar , plain		•			●	10-1115
Multifunctional valve trocar , threaded		•			●	10-1002THC
Multifunctional valve trocar , plain		•			●	10-1002
Obturator , dilating tip		•			●	10-1033
Obturator , pyramidal tip		•			●	10-1034
Obturator , blunt tip		•			●	10-1034BL

Description	Diameter				Color coding of trocar	Item no.
	Ø 3 mm	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm		
Obturator , conical tip		•			•	10-1035
Obturator , safety shield tip		•			•	10-1036
Obturator , safety shield tip, lockable		•			•	10-1037
Obturator , minimal trauma tip		•			•	10-1068
Reduction sleeve	•	•			•	10-1070-3
Dilation set		•	•		•	10-1085
Silicone valve trocar , threaded			•		•	10-1116THC
Silicone valve trocar , plain			•		•	10-1116
Multifunctional valve trocar , threaded			•		•	10-1012THC
Multifunctional valve trocar , plain			•		•	10-1012
Obturator , dilating tip			•		•	10-1048
Obturator , pyramidal tip			•		•	10-1044
Obturator , blunt tip			•		•	10-1044BL
Obturator , conical tip			•		•	10-1045
Obturator , safety shield tip			•		•	10-1046
Obturator , safety shield tip, lockable			•		•	10-1047
Obturator , minimal trauma tip			•		•	10-1069
Reduction sleeve			•		•	10-1075
Dilation set			•	•	•	10-1090
Flip-on reducer			•		•	10-1021-101
Slide-on reducer		•	•		•	10-1021-201
Silicone valve trocar , threaded				•	•	10-1117THC
Silicone valve trocar , plain				•	•	10-1117
Multifunctional valve trocar , threaded				•	•	10-1012-12,5THC
Multifunctional valve trocar , plain				•	•	10-1012-12,5
Obturator , dilating tip				•	•	10-1053
Obturator , pyramidal tip				•	•	10-1049
Obturator , blunt tip				•	•	10-1049BL
Obturator , conical tip				•	•	10-1050
Obturator , safety shield tip				•	•	10-1051
Obturator , safety shield tip, lockable				•	•	10-1047-12,5
Obturator , minimal trauma tip				•	•	10-1069-12,5
Dilation set				•	•	10-1090
Flip-on reducer				•	•	10-1021-102
Slide-on reducer				•	•	10-1021-201

Laparoscopes & Accessories

Table of Contents

4k UHD, FullHD & Standard Laparoscopes / **p. 57 - 58**

Laparoscopes with Working Channel / **p. 60 - 61**

Fiber Light Cables, Adapters & Light Cable Testers / **p. 62 - 64**





Laparoscopes

Key Features

- Available in **4k UHD, FullHD and standard resolution**
- **Sapphire glass lense** at proximal and distal end
- Nitrogen filled optical system to **avoid fogging** from the inside
- Three-tube construction for **more stability**
- Sealing by **laser welding** with **excellent** optical transmission
- **Autoclavable**



... more Features

- Made of high-quality stainless steel
- Sophisticated, anti-reflective optical system
- Powerful optical fibers
- Highly refractive lenses for optimum colour rendering even at high magnification
- Light cable adapters to Ackermann, Storz¹, Olympus¹, Wolf¹, ACMI¹
- High-quality glass cone for optimizing light input
- Standard C-Mount coupling
- Extremely precise centering of the optical and mechanical components for a brilliant and high-contrast image right up to the edge area the inside



4k UHD Laparoscopes



	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
4k UHD Laparoscope	•		•			•				11-1120UHD
4k UHD Laparoscope	•			•		•				11-1125UHD
4k UHD Laparoscope	•				•	•				11-1126UHD
4k UHD Bariatric Laparoscope	•		•					•		11-1120-45UHD
4k UHD Bariatric Laparoscope	•			•				•		11-1125-45UHD
4k UHD Bariatric Laparoscope	•				•			•		11-1126-45UHD
4k UHD Laparoscope		•	•				•			11-1130UHD
4k UHD Laparoscope		•		•			•			11-1135UHD
4k UHD Laparoscope		•			•		•			11-1136UHD
4k UHD Bariatric Laparoscope		•	•						•	11-1130-45UHD

FullHD Laparoscopes



	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
FullHD Laparoscope	•		•			•				11-1120HD
FullHD Laparoscope	•			•		•				11-1125HD
FullHD Laparoscope	•				•	•				11-1126HD
FullHD Bariatric Laparoscope	•		•					•		11-1120-45HD
FullHD Bariatric Laparoscope	•			•				•		11-1125-45HD
FullHD Bariatric Laparoscope	•				•			•		11-1126-45HD
FullHD Laparoscope		•	•				•			11-1130HD
FullHD Laparoscope		•		•			•			11-1135HD
FullHD Laparoscope		•			•		•			11-1136HD
FullHD Bariatric Laparoscope		•	•						•	11-1130-45HD

Standard Laparoscopes




	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
Standard Laparoscope	•		•			•				11-1120
Standard Laparoscope	•			•		•				11-1125
Standard Laparoscope	•				•	•				11-1126
Standard Laparoscope		•	•				•			11-1130
Standard Laparoscope		•		•			•			11-1135
Standard Laparoscope		•		•					•	11-1135-45
Standard Laparoscope		•			•		•			11-1136



Laparoscopes with Working Channel

Key Features

- **Highest resolution** and depth of view
- Larger magnification
- Wide angle
- Ocular angled **90° or 45°**



... more Features

- Available in 10 mm with 0°, featuring an 6 mm instrument channel
- Polished lenses made of sapphire glass
- Autoclavable at 134°
- Brilliant and bright picture
- Distortion-free picture
- C-Mount coupling
- Includes various adapters (Ackermann, Storz¹, Olympus¹, Wolf¹, ACMI¹)



OP Laparoscopes




	Ocular		Item no.
	45° angled	90° angled	
Laparoscope with working channel, Ø 10 mm, 0°, 265 working length	•		11-1140
Laparoscope with working channel, Ø 10 mm, 0°, 265 working length		•	11-1145

Fiber Light Cables & Adapters

Key Features

- No gaps between the fibers ensure **30% more light** in comparison to conventionally bundled fiber light cables
- Extremely **sturdy material but highly flexible** at the same time



... more Features

- Transverse pressure resistant
- Excellent bending property
- + Other colors and patterns on request



High-Performance Fiber Light Cables



	Length			Item no.
	1.8 m	2.3 m	3 m	
High-performance fiber light cable, Ø 4.8 mm	•			11-1168
High-performance fiber light cable, Ø 4.8 mm		•		11-1167
High-performance fiber light cable, Ø 4.8 mm			•	11-1161

Standard Fiber Light Cables



	Length			Item no.
	1.8 m	2.3 m	3 m	
Standard fiber light cable, Ø 3.5 mm	•			11-1150
Standard fiber light cable, Ø 3.5 mm		•		11-1151
Standard fiber light cable, Ø 3.5 mm			•	11-1152

Anti-Fogging Lube

For Use with Ackermann Scopes



	Item no.
Anti-fogging lube, UOM 30 pcs.	11-1121

Scope-side Adapters

	Ackermann / Storz ¹ / Olympus ¹	Type Wolf ¹	ACMI ¹ / Circon ¹ / Stryker ¹	Item no.
Scope-side adapter	•			11-1146-100
Scope-side adapter		•		11-1146-200
Scope-side adapter			•	11-1146-300

Lightsource-side Adapters

	Ackermann / Storz ¹	Wolf ¹	ACMI ¹ / Circon ¹ / Stryker ¹	Olympus ¹	Item no.
Lightsource-side adapter	•				11-1147-100
Lightsource-side adapter		•			11-1147-200
Lightsource-side adapter			•		11-1147-300
Lightsource-side adapter				•	11-1147-400

Light Cable Testers



	Ackermann / Storz ¹	Type Wolf ¹	Olympus ¹	Item no.
Light cable tester	•			11-16000CB
Light cable tester		•		11-16000CBWOL
Light cable tester			•	11-16000CBOLY



Monopolar & Bipolar Electrodes

Table of Contents

Ceramic Tip Monopolar Electrodes / **p. 68 - 69**

Standard Monopolar Electrodes / **p. 70 - 74**

Suction/Irrigation Electrodes & Handles / **p. 77 -79**

Standard Bipolar Electrodes / **p. 80 -81**






Ceramic Tip Monopolar Electrodes

Key Features

- Due to lasting and precise coagulation, **less collateral tissue damage**
- Easier cleanable surface
- Cost-effective due to **long-term stable surface**
- **Low-tempered coagulation** preserves the electrodes' insulation



... more Features

- Easy assembly and disassembly
- Fully insulated
- Wear-resistant ceramic tip
- More resistant to detergents and disinfectants in comparison to standard electrodes
- Available in Ø 5 mm with 330 mm or 450 mm working length



L-Hook Electrodes, Ceramic Tip



	Length		Item no.
	330 mm	450 mm	
L-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•		11-1175C
L-Hook electrode with ceramic tip, monopolar, Ø 5 mm		•	11-1175C-45

J-Hook Electrodes, Ceramic Tip



	Length		Item no.
	330 mm	450 mm	
J-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•		11-1185C
J-Hook electrode with ceramic tip, monopolar, Ø 5 mm		•	11-1185C-45

Spatula Electrodes, Ceramic Tip



	Length		Item no.
	330 mm	450 mm	
Spatula electrode with ceramic tip, monopolar, Ø 5 mm	•		11-1170C
Spatula electrode with ceramic tip, monopolar, Ø 5 mm		•	11-1170C-45

Standard Monopolar Electrodes

Key Features

- **Various** tip pattern options
- **Extended and durable** insulation
- Available in Ø 5 mm with **330 mm or 450 mm working length** and in Ø 3 mm for **pediatric use**



Spatula Electrodes



	Length		Item no.
	330 mm	450 mm	
Spatula electrode, monopolar, Ø 5 mm	•		11-1170
Spatula electrode, monopolar, Ø 5 mm		•	11-1170-45

L-Hook Electrodes



	Length		Item no.
	330 mm	450 mm	
L-Hook electrode, monopolar, Ø 5 mm	•		11-1175
L-Hook electrode, monopolar, Ø 5 mm		•	11-1175-45

Knife Electrodes



	Length		Item no.
	330 mm	450 mm	
Knife electrode, monopolar, Ø 5 mm	•		11-1180
Knife electrode, monopolar, Ø 5 mm		•	11-1180-45

J-Hook Electrodes



	Length		Item no.
	330 mm	450 mm	
J-Hook electrode, monopolar, Ø 5 mm	•		11-1185
J-Hook electrode, monopolar, Ø 5 mm		•	11-1185-45

Sickle Electrodes



	Length		Item no.
	330 mm	450 mm	
Sickle electrode, monopolar, Ø 5 mm	•		11-1188
Sickle electrode, monopolar, Ø 5 mm		•	11-1188-45

Needle Electrodes



	Length		Item no.
	330 mm	450 mm	
Needle electrode, monopolar, Ø 5 mm	•		11-1200
Needle electrode, monopolar, Ø 5 mm		•	11-1200-45

Cone Electrodes



	Length		Item no.
	330 mm	450 mm	
Cone electrode, monopolar, Ø 5 mm	•		11-1205
Cone electrode, monopolar, Ø 5 mm		•	11-1205-45

Button Electrodes



	Length		Item no.
	330 mm	450 mm	
Button electrode, monopolar, Ø 5 mm	•		11-1210
Button electrode, monopolar, Ø 5 mm		•	11-1210-45

MINI LAP

Miniature Spatula Electrodes



	Length		Item no.
	200 mm	330 mm	
Miniature spatula electrode, monopolar, Ø 3 mm	•		23-3065-20
Miniature spatula electrode, monopolar, Ø 3 mm		•	23-3065

MINI LAP

Miniature Button Electrodes



	Length		Item no.
	200 mm	330 mm	
Miniature button electrode, monopolar, Ø 3 mm	•		23-3066-20
Miniature button electrode, monopolar, Ø 3 mm		•	23-3066

MINI LAP Miniature L-Hook Electrodes



	Length		Item no.
	200 mm	330 mm	
Miniature L-Hook electrode, monopolar, Ø 3 mm	•		23-3070-20
Miniature L-Hook electrode, monopolar, Ø 3 mm		•	23-3070

MINI LAP Miniature J-Hook Electrodes




	Length		Item no.
	200 mm	330 mm	
Miniature J-Hook electrode, monopolar, Ø 3 mm	•		23-3075-20
Miniature J-Hook electrode, monopolar, Ø 3 mm		•	23-3075



Suction/Irrigation Monopolar Electrodes

Key Features

- Various electrode patterns with **suction/irrigation channel**
- **3 different valve handle options** enable higher flexibility during each surgical procedure
- Available in Ø 5 mm with **330 mm or 450 mm working length**
- Fully **insulated**
- **Easy** assembly and disassembly



Spatula Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
Spatula electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1178
Spatula electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1178-45

L-Hook Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
L-Hook Electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1179
L-Hook Electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1179-45

Knife Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
Knife electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1181
Knife electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1181-45

J-Hook Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
J-Hook electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1182
J-Hook electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1182-45

Cone Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Cone electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1186
Cone electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1186-45

Needle Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Needle electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1187
Needle electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1187-45

Button Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Button electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1184
Button electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1184-45

Trumpet Valve Handle for Adaptable Electrodes



	Item no.
Trumpet valve handle for adaptable suction-irrigation electrodes	11-1171

2-Way Handle for Adaptable Electrodes



	Item no.
Two-way handle for adaptable suction-irrigation electrodes	11-1173

Pistol Handle for Adaptable Electrodes



	Item no.
Pistol handle for adaptable suction-irrigation electrodes	11-1174

Standard Bipolar Electrodes

Key Features

- Easy to clean surface
- **Optimized pole arrangement** allows for safe minimally-invasive coagulation and dissection of tissue
- The insulating coating between the electrodes ensures a **constant distance** and thus a **balanced coagulation result**



Spatula Electrode, Bipolar



Spatula electrode, bipolar, Ø 5 mm, 340 mm

Item no.

11-1190

L-Hook Electrode, Bipolar



	Item no.
L-Hook electrode, bipolar, Ø 5 mm, 340 mm	11-1191

Ball Electrode, Bipolar



	Item no.
Ball electrode, bipolar, Ø 5 mm, 340 mm	11-1192

J-Hook Electrode, Bipolar



	Item no.
J-Hook electrode, bipolar, Ø 5 mm, 340 mm	11-1193

Suction/Irrigation Accessories

Table of Contents

High-Flow Line / **p. 84 - 85**

Pistol Handle Line / **p. 86 - 87**

Standard Line / **p. 88 - 90**






High-Flow Suction/Irrigation

Key Features

- **High-flow**, ideal for large cavity procedures
- **Color-coding**: blue - irrigation / green - suction
- **One-handed control** by trumpet valve system



... more Features

- Easy assembly and disassembly
- Maximizing of flow rate due to drillings on the distal end of tube, also preventing vacuum
- Available with Ø 5 mm and Ø 10 mm suction tubing individually or or as complete set
- Large tube connection
- Handle with tube-luer-lock



High-flow Tubing Set



			Item no.
Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes			11-1235
includes	High-flow tube with drillings, Ø 5 mm	11-1235-100	
and	High-flow tube with drillings, Ø 10 mm	11-1235-101	
and	Trumpet valve handle	11-1235-102	

Trumpet Valve Handle


For Use with 11-1235-101 / 11-1235-102



	Item no.
Trumpet valve handle	11-1235-102

High-flow Tubes

For Use with 11-1235-102




	Diameter		Item no.
	Ø 5 mm	Ø 10 mm	
High-flow tube with drillings	•		11-1235-100
High-flow tube with drillings		•	11-1235-101

Pistol Handle Suction/Irrigation

Key Features

- **2-in-1 ergonomic handle:** suction-irrigation-function or coagulation
- Ease of use due to **1-finger action**
- **Dynamic flow and pressure** control



... more Features

- Enlarged suction channel
- Comfortable operation due to swivel movement of sliding valve
- Fully detachable



Pistol Handle


For Use with 11-1277 / 11-1278



	Item no.
Pistol handle	11-1276

Standard Tube

For Use with 11-1276



	Diameter			Item no.
	Ø 3 mm	Ø 5 mm	Ø 10 mm	
Standard tube with drillings MINI LAP	•			11-1278-3
Standard tube with drillings		•		11-1278
Standard tube with drillings			•	11-1277

Electrode Adapter

For Use with 11-1276



	Item no.
Electrode adapter to use 11-1276 with adaptable electrodes	11-1279

Interchangeable Suction/Irrigation

Key Features

- Available as **pre-configured set**
- Flexibly expandable due to **wide range** of different tubes patterns
- **Easy** assembly and disassembly
- Available in **Ø 3 mm, Ø 5 mm and Ø 10 mm** suction tubing
- **Bariatric** lengths on request




Interchangeable Tubing Set



			Item no.
Modular suction-irrigation handle incl. Ø 5 mm and Ø 10 mm tubes			11-1236COM
includes	Standard tube, Ø 5 mm, 330 mm	11-1237	
and	Standard tube, Ø 10 mm, 330 mm	11-1238	
and	Modular handle for 3/5/10 mm suction-irrigation tubes	11-1236	

Modular Handle for Suction-Irrigation-Tubes




Item no.

Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes

11-1236

Standard Tube

For Use with 11-1236



	Diameter			Drillings				Item no.
	Ø 3 mm	Ø 5 mm	Ø 10 mm	4	8	16	32	
Standard tube, 330 mm MINI LAP	•				•			11-1237-700
Standard tube, 330 mm		•		•				11-1237-800
Standard tube, 330 mm		•				•		11-1237
Standard tube, 330 mm			•				•	11-1238

Roundhole Bee Hive Tube


For Use with 11-1236



	Type	Length		Item no.
		330 mm	450 mm	
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	non-rounded	•		11-1237-100
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	non-rounded		•	11-1237-100-45
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	rounded	•		11-1237-200
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	strongly rounded	•		11-1237-300

Blunt Tube

For Use with 11-1236



Blunt tube with tapered tip, Ø 5 mm, 12 drillings, 330 mm

Item no.
11-1237-600

Suction Needle

For Use with 11-1236



Suction needle, Ø 5 mm

Item no.
11-1237-400

Aqua Dissecting Suction Tube

For Use with 11-1236



Aqua dissecting suction tube, Ø 5 mm, 330 mm

Item no.
11-1237-500



Reusable Instrument Lines

Table of Contents

(Miniature) XPress Lock™ Handles & Sheaths / **p. 94 - 95**

(Miniature) Ceramix Cut™ Scissors for XPress Lock™ / **p. 96 - 99**

System CS™ Handles & Sheaths / **p. 101 - 104**

Inserts for XPress Lock™ & System CS™ / **p. 106 - 144**

Inserts for Miniature XPress Lock™ / **p. 146 - 158**






XPress Lock™ Line

Key Features

- Its innovative **quick-lock mechanism** allows for assembly and disassembly within seconds
- **Fully intuitive** and reliable
- **More than 120 different instrument patterns**, from multiple graspers, dissectors, specialty instruments and **Ceramix Cut™**, a high performance Metzenbaum scissor insert featuring ceramic coated blades



... more Features

- Autoclavable
- Lengths of 330 and 450 mm
- No hidden spaces to accommodate blood and debris
- 45° HF-port on the handle
- Ratchet design for on-off action available
- 360° rotatable with audible and tactile feedback
- Unique range of premium instrumentation



XPress Lock™ Handle with Universal Ratchet



	Item no.
XPress Lock™ handle with universal ratchet, black	13-1368XP

XPress Lock™ Handle w/o Ratchet



	Item no.
XPress Lock™ handle without ratchet, black	13-1367XP

XPress Lock™ Handle with French Ratchet



	Item no.
XPress Lock™ handle with french ratchet, black	13-1369XP

XPress Lock™ Sheaths



	Diameter		Length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Sheath for XPress Lock™ and Ceramix Cut™ inserts	•		•		13-1356XP
Sheath for XPress Lock™ and Ceramix Cut™ inserts	•			•	13-1356XP-45
Sheath for XPress Lock™ and Ceramix Cut™ inserts		•	•		13-1357XP
Sheath for XPress Lock™ and Ceramix Cut™ inserts		•		•	13-1357XP-45

CeramiX Cut™ Scissors

Key Features

- **Wear-resistant**
- **Outstanding cutting** ability
- Reduced abrasion
- Minimal optical reflection
- **Substantially harder** than regular stainless steel
- Available for use with **XPress Lock™** and **Miniature XPress Lock™**



... more Features

- Cost-effective due to long-term stable surface
- Non-corrosive
- Temperature- and scratch-resistant
- Smooth and dense surface - easily cleanable
- More resistant to detergents and disinfectants
- Improved sliding characteristics, therefore smoother movement of the scissor blades



Metzenbaum Scissors, Ceramix Cut™

"Slim-line", curved, double-action, Ø 5 mm, 17 mm jaw length




Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1309CI
	•	•	13-1309CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Straight, double-action, Ø 5 mm, 17 mm jaw length



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1460CI
	•	•	13-1460CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Curved, double-action, Ø 5 mm, 17 mm jaw length



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1461CI
	•	•	13-1461CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Straight, serrated, double-action, Ø 5 mm, **17 mm jaw length**



Line	Length		Item no.
XPress Lock™	330 mm	450 mm	
•	•		13-1465CI
•		•	13-1465CI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Metzenbaum Scissors, Ceramix Cut™

Curved, serrated, double-action, Ø 5 mm, **17 mm jaw length**



Line	Length		Item no.
XPress Lock™	330 mm	450 mm	
•	•		13-1466CI
•		•	13-1466CI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors, Ceramix Cut™

Curved, double-action, Ø 2.9 mm



Line	Length		Item no.
XPress Lock™	200 mm	360 mm	
•	•		23-3000CI-20
•		•	23-3000CI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors, Ceramix Cut™

Straight, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm	360 mm
•	•		23-3005CI-20
•		•	23-3005CI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors, Ceramix Cut™

Serrated, curved, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm	360 mm
•	•		23-3010CI-20
•		•	23-3010CI

Recommended use with **handle w/o ratchet**

System CS™ Line


Key Features

- Extremely easy assembly and disassembly of the instrument with **screw connection**
- Comprehensive array of instrument patterns, all hand-made in Germany
- Wide selection of **handle options**
- **Premium performance** at unbeatable value for money without having to compromise on quality



... more Features

- Highly economic and proven line of the laparoscopic instruments serving the medical community around the globe
- Hand-made in Germany
- HF-capabilities
- 360° rotation
- Autoclavable
- Color-coded handles available for better instrument allocation



System CS™ Handle w/o Ratchet

	Color coding	Item no.
System CS™ handle without ratchet		13-1367CS
System CS™ handle without ratchet		13-1367FRIGELB
System CS™ handle without ratchet		13-1367FRIGRUEN
System CS™ handle without ratchet		13-1367FRIROT
System CS™ handle without ratchet		13-1367RCFI



System CS™ Handle with Traditional Ratchet

	Color coding	Item no.
System CS™ handle with traditional ratchet		13-1368CS
System CS™ handle with traditional ratchet		13-1368FRIGELB
System CS™ handle with traditional ratchet		13-1368FRIGRUEN
System CS™ handle with traditional ratchet		13-1368FRIROT
System CS™ handle with traditional ratchet		13-1368RCFI



System CS™ Handle with Universal Ratchet

	Color coding	Item no.
System CS™ handle with universal ratchet		13-1384CS
System CS™ handle with universal ratchet		13-1384FRIGELB
System CS™ handle with universal ratchet		13-1384FRIGRUEN
System CS™ handle with universal ratchet		13-1384FRIROT
System CS™ handle with universal ratchet		13-1384RCFI



System CS™ Handle with French Ratchet

	Color coding	Item no.
System CS™ handle with french ratchet		13-1369CS
System CS™ handle with french ratchet		13-1369FRIGELB
System CS™ handle with french ratchet		13-1369FRIGRUEN
System CS™ handle with french ratchet		13-1369FRIROT
System CS™ handle with french ratchet		13-1369RCFI



System CS™ Standard Handle

	Type		Item no.
	insulated, HF-port	non-insulated	
System CS™ standard handle	•		13-1366SI
System CS™ standard handle		•	13-1364SI



System CS™ Standard Handle with Traditional Ratchet

	Type		Item no.
	insulated, HF-port	non-insulated	
System CS™ standard handle with traditional ratchet	•		13-1362SITI
System CS™ standard handle with traditional ratchet		•	13-1363SRI



System CS™ Axial Handle with Ratchet


	Item no.
System CS™ axial handle with ratchet	13-1358AXDI



System CS™ Sheaths



	Diameter		Length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Sheath for System CS™ inserts	•		•		13-1356CS
Sheath for System CS™ inserts	•			•	13-1356CS-45
Sheath for System CS™ inserts		•	•		13-1357CS
Sheath for System CS™ inserts		•		•	13-1357CS-45



Metzenbaum Scissors

Straight, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1460XPI
•			•	13-1460XPI-45
•		•		13-1460CI
•			•	13-1460CI-45
	•	•		13-1460CSI
	•		•	13-1460CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Straight, serrated, double-action, Ø 5 mm, 17 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1465XPI
•			•	13-1465XPI-45
	•	•		13-1465CSI
	•		•	13-1465CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1461XPI
•			•	13-1461XPI-45
•		•		13-1461CI
•			•	13-1461CI-45
	•	•		13-1461CSI
	•		•	13-1461CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, serrated, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1466XPI
•			•	13-1466XPI-45
•		•		13-1466CI
•			•	13-1466CI-45
	•	•		13-1466CSI
	•		•	13-1466CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, medium blades, double-action, Ø 5 mm, 15 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1467XPI
•			•	13-1467XPI-45
	•	•		13-1467CSI
	•		•	13-1467CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

"Slim-line", curved, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1309XPI
•			•	13-1309XPI-45
•		•		13-1309CI
•			•	13-1309CI-45
	•	•		13-1309CSI
	•		•	13-1309CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Miniature Metzenbaum Scissors

Curved, tapered down to 4 mm, double-action, Ø 5 mm, **12 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1468XPI
•			•	13-1468XPI-45
	•	•		13-1468CSI
	•		•	13-1468CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Metzenbaum Scissors

Straight, single-action, Ø 10 mm, **22 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1655XPI
•			•	13-1655XPI-45
	•	•		13-1655CSI
	•		•	13-1655CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Micro Scissors

Straight, single-action, Ø 5 mm, **6 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1344XPI
•			•	13-1344XPI-45
	•	•		13-1344CSI
	•		•	13-1344CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Mirco Scissors

Curved, single-action, Ø 5 mm, 6 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1346XPI
•			•	13-1346XPI-45
	•	•		13-1346CSI
	•		•	13-1346CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Hook Scissors

Single-action, Ø 5 mm, 9 mm Jaw Length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1431XPI
•			•	13-1431XPI-45
	•	•		13-1431CSI
	•		•	13-1431CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Peritoneal Scissors

Blunt tips, single-action, Ø 5 mm, 10 mm Jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1650XPI
•			•	13-1650XPI-45
	•	•		13-1650CSI
	•		•	13-1650CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Fenestrated Grasping Forceps

Micro jaws, double-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1379XPI
•			•	13-1379XPI-45
	•	•		13-1379CSI
	•		•	13-1379CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Fenestrated Grasping Forceps

Slightly flat jaws, double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1301XPI
•			•	13-1301XPI-45
	•	•		13-1301CSI
	•		•	13-1301CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Fenestrated Grasping Forceps

5 x 20 mm, round, cross serrations, double-action, Ø 5 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1382XPI
•			•	13-1382XPI-45
	•	•		13-1382CSI
	•		•	13-1382CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Endoscopic Clinch Grasping Forceps

Extremely atraumatic serrated, double-action, Ø 5 mm, **22 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1323XPI
•			•	13-1323XPI-45
	•	•		13-1323CSI
	•		•	13-1323CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Fenestrated Clamp

Double-action, Ø 5 mm, **41 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1343XPI
•			•	13-1343XPI-45
	•	•		13-1343CSI
	•		•	13-1343CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Hunter Grasping Forceps

Fenestrated, double-action, Ø 5 mm, **23 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1571XPI
•			•	13-1571XPI-45
	•	•		13-1571CSI
	•		•	13-1571CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1311XPI
•			•	13-1311XPI-45
	•	•		13-1311CSI
	•		•	13-1311CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, 25 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1312XPI
•			•	13-1312XPI-45
	•	•		13-1312CSI
	•		•	13-1312CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, 39 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1313XPI
•			•	13-1313XPI-45
	•	•		13-1313CSI
	•		•	13-1313CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Croce Olmi Grasping Forceps

Serrated, double-fenestrated, curved upwards, single-action, Ø 5 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1353XPI
•			•	13-1353XPI-45
	•	•		13-1353CSI
	•		•	13-1353CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Tumor Grasping Forceps

Blunt end, double-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1300XPI
•			•	13-1300XPI-45
	•	•		13-1300CSI
	•		•	13-1300CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Grasping Forceps

Atraumatic serrated, double-action, Ø 5 mm, **27 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1377XPI
•			•	13-1377XPI-45
	•	•		13-1377CSI
	•		•	13-1377CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Maxi Fundus Grasping Forceps

Maximized grip, double-action, Ø 5 mm, **18 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1302XPI
•			•	13-1302XPI-45
	•	•		13-1302CSI
	•		•	13-1302CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1303XPI
•			•	13-1303XPI-45
	•	•		13-1303CSI
	•		•	13-1303CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Single-action, Ø 5 mm, **14 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1600XPI
•			•	13-1600XPI-45
	•	•		13-1600CSI
	•		•	13-1600CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Alligator Grasping Forceps

Double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1330XPI
•			•	13-1330XPI-45
	•	•		13-1330CSI
	•		•	13-1330CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Standard Grasping Forceps

Cross serrated, double-action, Ø 5 mm, 16 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1354XPI
•			•	13-1354XPI-45
	•	•		13-1354CSI
	•		•	13-1354CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Reddick Grasping Forceps

Double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1335XPI
•			•	13-1335XPI-45
	•	•		13-1335CSI
	•		•	13-1335CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Duckbill Grasping Forceps

Cross serrated, double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1421XPI
•			•	13-1421XPI-45
	•	•		13-1421CSI
	•		•	13-1421CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Grasping Forceps

Rounded jaws, double-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1305XPI
•			•	13-1305XPI-45
	•	•		13-1305CSI
	•		•	13-1305CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Grasping Forceps

With spoon, double-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1310XPI
•			•	13-1310XPI-45
	•	•		13-1310CSI
	•		•	13-1310CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Grasping Forceps

Rounded jaws, double-action, Ø 10 mm, **23 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1378XPI
•			•	13-1378XPI-45
	•	•		13-1378CSI
	•		•	13-1378CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Grasping Forceps

With spoon, pointed, double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1315XPI
•			•	13-1315XPI-45
	•	•		13-1315CSI
	•		•	13-1315CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Dolphin Nose Grasping Forceps

Short version, double-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1409XPI
•			•	13-1409XPI-45
	•	•		13-1409CSI
	•		•	13-1409CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dolphin Nose Grasping Forceps

Long version, double-action, Ø 5 mm, **23 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1416XPI
•			•	13-1416XPI-45
	•	•		13-1416CSI
	•		•	13-1416CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Kocher Grasping Forceps

1 x 2 teeth, single-action, Ø 5 mm, **16 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1316XPI
•			•	13-1316XPI-45
	•	•		13-1316CSI
	•		•	13-1316CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Atraumatic Clamp

Curved, double-action, Ø 10 mm, **40 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1324XPI
•			•	13-1324XPI-45
	•	•		13-1324CSI
	•		•	13-1324CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Strong Atraumatic Clamp

Straight, double-action, Ø 10 mm, **40 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1327XPI
•			•	13-1327XPI-45
	•	•		13-1327CSI
	•		•	13-1327CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Atraumatic Grasping Forceps

Single-action, Ø 5 mm, **19 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1325XPI
•			•	13-1325XPI-45
	•	•		13-1325CSI
	•		•	13-1325CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Atraumatic Grasping Forceps

Diamond serrations, double-action, Ø 5 mm, **22 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1413XPI
•			•	13-1413XPI-45
	•	•		13-1413CSI
	•		•	13-1413CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Atraumatic Grasping Forceps

Diamond serrations, curved to tip, double-action, Ø 5 mm, **22 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1414XPI
•			•	13-1414XPI-45
	•	•		13-1414CSI
	•		•	13-1414CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Manhes Grasping Forceps

Sharp, atraumatic, single-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1326XPI
•			•	13-1326XPI-45
	•	•		13-1326CSI
	•		•	13-1326CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

TC inserted jaws, atraumatic, double-action, Ø 5 mm, **32 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1329XPI
•			•	13-1329XPI-45
	•	•		13-1329CSI
	•		•	13-1329CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Rounded version, double-action, Ø 5 mm, **36 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1337XPI
•			•	13-1337XPI-45
	•	•		13-1337CSI
	•		•	13-1337CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Short version, single-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1350XPI
•			•	13-1350XPI-45
	•	•		13-1350CSI
	•		•	13-1350CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Atraumatic, 3 x 4 teeth, double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1418XPI
•			•	13-1418XPI-45
	•	•		13-1418CSI
	•		•	13-1418CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Fine axial serrations, double-action, Ø 5 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1515XPI
•			•	13-1515XPI-45
	•	•		13-1515CSI
	•		•	13-1515CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Fine axial serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1510XPI
•			•	13-1510XPI-45
	•	•		13-1510CSI
	•		•	13-1510CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Allis Grasping Forceps

Diamond serrations, double-action, Ø 10 mm, **39 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1530XPI
•			•	13-1530XPI-45
	•	•		13-1530CSI
	•		•	13-1530CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Allis Grasping Forceps

Diamond serrations, double-action, Ø 5 mm, **39 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1535XPI
•			•	13-1535XPI-45
	•	•		13-1535CSI
	•		•	13-1535CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Double-action, Ø 10 mm, **33 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1339XPI
•			•	13-1339XPI-45
	•	•		13-1339CSI
	•		•	13-1339CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Atraumatic, TC inserted jaws, double-action, Ø 10 mm, **35 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1328XPI
•			•	13-1328XPI-45
	•	•		13-1328CSI
	•		•	13-1328CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Atraumatic, TC inserted jaws, double-action, Ø 10 mm, **35 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1342XPI
•			•	13-1342XPI-45
	•	•		13-1342CSI
	•		•	13-1342CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Atraumatic serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1520XPI
•			•	13-1520XPI-45
	•	•		13-1520CSI
	•		•	13-1520CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Atraumatic inner teeth, double-action, Ø 5 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1525XPI
•			•	13-1525XPI-45
	•	•		13-1525CSI
	•		•	13-1525CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Babcock Grasping Forceps

Atraumatic serrated, TC jaws, double-action, Ø 10 mm, 29 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1331XPI
•			•	13-1331XPI-45
	•	•		13-1331CSI
	•		•	13-1331CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Babcock Grasping Forceps

Double-action, Ø 10 mm, 29 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1341XPI
•			•	13-1341XPI-45
	•	•		13-1341CSI
	•		•	13-1341CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Babcock Grasping Forceps

Serrated, double-action, Ø 10 mm, 29 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1540XPI
•			•	13-1540XPI-45
	•	•		13-1540CSI
	•		•	13-1540CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Babcock Grasping Forceps

Double-action, Ø 5 mm, 31 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1541XPI
•			•	13-1541XPI-45
	•	•		13-1541CSI
	•		•	13-1541CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Babcock - De Bakey Grasping Forceps

Atraumatic inner teeth, single-action, Ø 5 mm, 31 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1542XPI
•			•	13-1542XPI-45
	•	•		13-1542CSI
	•		•	13-1542CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Babcock Grasping Forceps

Short version, for delicate applications, double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1543XPI
•			•	13-1543XPI-45
	•	•		13-1543CSI
	•		•	13-1543CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

US Backcock Grasping Forceps

Spring tension, flexible, atraumatic, double-action, Ø 10 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1544XPI
•			•	13-1544XPI-45
	•	•		13-1544CSI
	•		•	13-1544CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Babcock - De Bakey Grasping Forceps

Atraumatic serrations, double-action, Ø 10 mm, **29 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1545XPI
•			•	13-1545XPI-45
	•	•		13-1545CSI
	•		•	13-1545CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Duval Grasping Forceps

Fine axial serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1580XPI
•			•	13-1580XPI-45
	•	•		13-1580CSI
	•		•	13-1580CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Collin Grasping Forceps

Double-action, Ø 10 mm, **31 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1585XPI
•			•	13-1585XPI-45
	•	•		13-1585CSI
	•		•	13-1585CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Serrated, double-action, Ø 5 mm, **38 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1332XPI
•			•	13-1332XPI-45
	•	•		13-1332CSI
	•		•	13-1332CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Wave Grasping Forceps DG

Atraumatic wavelike serrations, double-action, Ø 5 mm, **23 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1375XPI
•			•	13-1375XPI-45
	•	•		13-1375CSI
	•		•	13-1375CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Wave Grasping Forceps DG

Atraumatic wavelike serrations, single-action, Ø 5 mm, 22 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1381XPI
•			•	13-1381XPI-45
	•	•		13-1381CSI
	•		•	13-1381CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Retraction Forceps

Atraumatic inner teeth, single-action, Ø 5 mm, 23 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1380XPI
•			•	13-1380XPI-45
	•	•		13-1380CSI
	•		•	13-1380CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Cobra Grasping Forceps

Serrated, double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1417XPI
•			•	13-1417XPI-45
	•	•		13-1417CSI
	•		•	13-1417CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Pointed version, conical, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1546XPI
•			•	13-1546XPI-45
	•	•		13-1546CSI
	•		•	13-1546CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Pointed version, flat, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1547XPI
•			•	13-1547XPI-45
	•	•		13-1547CSI
	•		•	13-1547CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Wide version, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1548XPI
•			•	13-1548XPI-45
	•	•		13-1548CSI
	•		•	13-1548CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Claw Forceps

Traumatic jaws, single-action, Ø 5 mm, **24 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1606XPI
•			•	13-1606XPI-45
	•	•		13-1606CSI
	•		•	13-1606CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Claw Forceps

Traumatic jaws, single-action, Ø 10 mm, **30 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1605XPI
•			•	13-1605XPI-45
	•	•		13-1605CSI
	•		•	13-1605CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Tenaculum Grasping Forceps

1 x 1 sharp teeth, double-action, Ø 10 mm, **28 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1536XPI
•			•	13-1536XPI-45
	•	•		13-1536CSI
	•		•	13-1536CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Tenaculum Grasping Forceps

1x1 sharp teeth, double-action, Ø 5 mm, **28 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1537XPI
•			•	13-1537XPI-45
	•	•		13-1537CSI
	•		•	13-1537CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Mixer Grasping Forceps

Cross serrated, double-action, Ø 5 mm, **18 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1333XPI
•			•	13-1333XPI-45
	•	•		13-1333CSI
	•		•	13-1333CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Mixer Clamp

45° angled, double-action, Ø 10 mm, **24 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1334XPI
•			•	13-1334XPI-45
	•	•		13-1334CSI
	•		•	13-1334CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Mixer Clamp

90° angled, double-action, Ø 10 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1336XPI
•			•	13-1336XPI-45
	•	•		13-1336CSI
	•		•	13-1336CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Mixer Clamp

90° angled, double-action, Ø 5 mm, **26 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1376XPI
•			•	13-1376XPI-45
	•	•		13-1376CSI
	•		•	13-1376CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Glassmann Grasping Forceps

Atraumatic jaws, double-action, Ø 5 mm, **40 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1338XPI
•			•	13-1338XPI-45
	•	•		13-1338CSI
	•		•	13-1338CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Kocher Grasping Forceps

Axial serrations, double-action, Ø 10 mm, **45 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1550XPI
•			•	13-1550XPI-45
	•	•		13-1550CSI
	•		•	13-1550CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Kocher Grasping Forceps

Axial serrations, double-action, Ø 10 mm, **61 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1555XPI
•			•	13-1555XPI-45
	•	•		13-1555CSI
	•		•	13-1555CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Double-action, Ø 10 mm, **45 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1560XPI
•			•	13-1560XPI-45
	•	•		13-1560CSI
	•		•	13-1560CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Long version, double-action, Ø 10 mm, 60 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1565XPI
•			•	13-1565XPI-45
	•	•		13-1565CSI
	•		•	13-1565CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

De Bakey Grasping Forceps

Double-action, Ø 5 mm, 45 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1570XPI
•			•	13-1570XPI-45
	•	•		13-1570CSI
	•		•	13-1570CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Dissecting Forceps

Strong curved, serrated, double-action, Ø 5 mm, for use with 11 mm trocar, 19 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-0530XPI
•			•	13-0530XPI-45
	•	•		13-0530CSI
	•		•	13-0530CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Dissecting Forceps

Soft curved, serrated, single-action, Ø 5 mm, for use with 11 mm trocar, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1304XPI
•			•	13-1304XPI-45
	•	•		13-1304CSI
	•		•	13-1304CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Strong curved, serrated, single-action, Ø 5 mm, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1306XPI
•			•	13-1306XPI-45
	•	•		13-1306CSI
	•		•	13-1306CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Straight, delicate serrated, single-action, Ø 5 mm, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1307XPI
•			•	13-1307XPI-45
	•	•		13-1307CSI
	•		•	13-1307CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Curved, delicate serrated, single-action, Ø 5 mm, 9 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1308XPI
•			•	13-1308XPI-45
	•	•		13-1308CSI
	•		•	13-1308CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Double-action, Ø 5 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1318XPI
•			•	13-1318XPI-45
	•	•		13-1318CSI
	•		•	13-1318CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Double-action, Ø 10 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1340XPI
•			•	13-1340XPI-45
	•	•		13-1340CSI
	•		•	13-1340CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Soft curved, offset, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1322XPI
•			•	13-1322XPI-45
	•	•		13-1322CSI
	•		•	13-1322CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 10 mm, 25 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1411XPI
•			•	13-1411XPI-45
	•	•		13-1411CSI
	•		•	13-1411CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 5 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1412XPI
•			•	13-1412XPI-45
	•	•		13-1412CSI
	•		•	13-1412CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland - De Bakey Forceps

Curved, atraumatic, double-action, Ø 5 mm, **33 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1317XPI
•			•	13-1317XPI-45
	•	•		13-1317CSI
	•		•	13-1317CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Fenestrated Dissecting Forceps

Double-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1345XPI
•			•	13-1345XPI-45
	•	•		13-1345CSI
	•		•	13-1345CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Kelly Dissecting Forceps

Double-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1419XPI
•			•	13-1419XPI-45
	•	•		13-1419CSI
	•		•	13-1419CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Delicate, angled, double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1422XPI
•			•	13-1422XPI-45
	•	•		13-1422CSI
	•		•	13-1422CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Needleholder

Cross-serrated, single-action, Ø 5 mm, 9 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1347XPI
•			•	13-1347XPI-45
	•	•		13-1347CSI
	•		•	13-1347CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Cross-serrated, single-action, Ø 5 mm, 7 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1348XPI
•			•	13-1348XPI-45
	•	•		13-1348CSI
	•		•	13-1348CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Diamond serrated, blunt, single-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1349XPI
•			•	13-1349XPI-45
	•	•		13-1349CSI
	•		•	13-1349CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

TC inserts, pointed version, single-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1351XPI
•			•	13-1351XPI-45
	•	•		13-1351CSI
	•		•	13-1351CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Pointed version, single-action, Ø 5 mm, 12 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1590XPI
•			•	13-1590XPI-45
	•	•		13-1590CSI
	•		•	13-1590CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Pointed version, single-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1595XPI
•			•	13-1595XPI-45
	•	•		13-1595CSI
	•		•	13-1595CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Biopsy Punch

Single-action, Ø 5 mm, 11 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1470XPI
•			•	13-1470XPI-45
	•	•		13-1470CSI
	•		•	13-1470CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Punch

With spike, single-action, Ø 5 mm, 11 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1475XPI
•			•	13-1475XPI-45
	•	•		13-1475CSI
	•		•	13-1475CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Biopsy Punch

Hook style, single-action, Ø 5 mm, 12 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1480XPI
•			•	13-1480XPI-45
	•	•		13-1480CSI
	•		•	13-1480CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

Single-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		11-1645XPI
•			•	11-1645XPI-45
	•	•		11-1645CSI
	•		•	11-1645CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

Double-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1485XPI
•			•	13-1485XPI-45
	•	•		13-1485CSI
	•		•	13-1485CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

With spike, double-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1490XPI
•			•	13-1490XPI-45
	•	•		13-1490CSI
	•		•	13-1490CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon Forceps

Large version, single-action, Ø 10 mm, 30 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1660XPI
•			•	13-1660XPI-45
	•	•		13-1660CSI
	•		•	13-1660CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Blakesley Dissecting & Biopsy Forceps

Fenestrated, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1388XPI
•			•	13-1388XPI-45
	•	•		13-1388CSI
	•		•	13-1388CSI-45



Recommended use with Ø 5 mm sheath and handle w/o ratchet



Miniature XPress Lock™ Line

Key Features

- Reliable **quick-lock mechanism** for one-click assembly and disassembly
- Two-piece instrument line for **increased stability and durability** fully compatible with all **XPress Lock™ handles**
- Industry-leading **small diameter of only 2.9 mm** for reduced trauma
- **Complete array** of instrument patterns and jaw designs, including **Mini Ceramix Cut™** coated scissors



... more Features

- Integrated flush port for fast and convenient reprocessing
- Available in working lengths of 200 and 360 mm
- Fully autoclavable
- 360° rotatable with audible and tactile feedback



MINI LAP

Miniature Metzenbaum Scissors

Straight, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3005XPI-20
	•	•	23-3005XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors

Serrated, curved, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3010XPI-20
	•	•	23-3010XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Scissors

Pointed, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3007XPI-20
	•	•	23-3007XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Metzenbaum Scissors

Curved, double-action, Ø 2.9 mm




Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3000XPI-20
•		•	23-3000XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Hook Scissors

Single-action, Ø 2.9 mm



Line		Length		Item no.
XPress Lock™	System CS™	200 mm	360 mm	
•		•		23-3001XPI-20
•			•	23-3001XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Bowel Grasping Forceps

Fenestrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3082XPI-20
•		•	23-3082XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Grasping Forceps

Fenestrated, single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3089XPI-20
•		•	23-3089XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Pylorus Grasping Forceps

Fenestrated, in- and outside serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3092XPI-20
•		•	23-3092XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Johan Grasping Forceps

Large fenestration, single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3088XPI-20
•		•	23-3088XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Croce Olmi Grasping Forceps

Single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3017XPI-20
•		•	23-3017XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Fundus Grasping Forceps

Double-action, Ø 2.9 mm




Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3042XPI-20
•		•	23-3042XPI

Recommended use with **handle with ratchet**

MINI LAP

Miniature Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3015XPI-20
•		•	23-3015XPI

Recommended use with **handle with ratchet**

MINI LAP Miniature Atraumatic Dissector

Slightly conical, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3030XPI-20
•		•	23-3030XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Dissector

Conical, cross-serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3032XPI-20
•		•	23-3032XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Duckbill Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3045XPI-20
•		•	23-3045XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Rat Teeth Grasping Forceps

1x2 jaws, double-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3038XPI-20
	•	•	23-3038XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Rat Teeth Grasping Forceps

1x2 jaws, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3039XPI-20
	•	•	23-3039XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Maryland Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3025XPI-20
	•	•	23-3025XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Kelly Grasping Forceps

Double-action, long, 10 mm jaw length, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm	360 mm
•	•		23-3019XPI-20
•		•	23-3019XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Kelly Grasping Forceps

Double-action, short, 8 mm jaw length, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm	360 mm
•	•		23-3020XPI-20
•		•	23-3020XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Cobra Grasping Forceps

Heavily serrated, double, action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	330 mm	450 mm
•	•		23-3040XPI-20
•		•	23-3040XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Allis Grasping Forceps

Single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3041XPI-20
•		•	23-3041XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Grasping Forceps

Heavily serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3035XPI-20
•		•	23-3035XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Alligator Grasping Forceps

Serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3055XPI-20
•		•	23-3055XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Alligator Grasping Forceps

Serrated, single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3056XPI-20
•		•	23-3056XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature De Bakey Grasping Forceps

Double-action, single-serration, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3094XPI-20
•		•	23-3094XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Babcock Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3093XPI-20
•		•	23-3093XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Mixer Clamp

90° angled, double-action, Ø 2.9 mm



Line	Length		Item no.
XPress Lock™	200 mm	360 mm	
•	•		23-3023XPI-20
•		•	23-3023XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Claw Forceps

2x3 traumatic jaws, single-action, Ø 2.9 mm



Line	Length		Item no.
XPress Lock™	200 mm	360 mm	
•	•		23-3037XPI-20
•		•	23-3037XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Punch

Single-action, Ø 2.9 mm



Line	Length		Item no.
XPress Lock™	200 mm	360 mm	
•	•		23-3002XPI-20
•		•	23-3002XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature** Needleholder

TC inserts, straight, single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3026XPI-20
•		•	23-3026XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature** Needleholder

Right-angled, single-action, Ø 2.9 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3027XPI-20
•		•	23-3027XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature** Needleholder

Left-angled, single-action, Ø 3 mm



Line	Length		Item no.
	XPress Lock™	200 mm 360 mm	
•	•		23-3028XPI-20
•		•	23-3028XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Biopsy Spoon

Double-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3050XPI-20
•		•	23-3050XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Biopsy Spoon

Single-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3051XPI-20
•		•	23-3051XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Blakesley Dissecting & Biopsy Forceps

Fenestrated, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3053XPI-20
•		•	23-3053XPI

Recommended use with **handle w/o ratchet**



Hybrid & Single-use Instruments


Contents

Ti Line™ Hybrids / **p. 162 - 165**

Future Lap™ Hybrids / **p. 166 - 169**

Single-use Instruments / **p. 170 - 171**





Ti Line™ Hybrids

Key Features

- **Single-use instrument tip**, combined with a **reusable handle/sheath** assembly has proven to be very economically effective
- **Superior** in terms of **performance and haptics** to most other disposable lap instruments
- Tips with **extended insulation** in order to reduce the risk of alternate site burns and arching



... more Features

- 360° rotatability and exceptional tactility
- Special ball and socket coupling for easy, yet fast and safe assembly
- Full array of jaw patterns
- High-quality ergonomic handles, featuring flushing port and standardized HF-connection
- Available in 330 mm and 450 mm, also accommodating bariatric procedures
- Environmentally friendly



STERILE

Metzenbaum Scissors, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **Metzenbaum scissors**, Ti Line™ tip, curved, Ø 5 mm, UOM 10 pcs.**13-1469TI-EC**

STERILE

Maryland, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **Maryland grasping forceps**, Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.**13-1318TI-EC**

STERILE

Endoscopic Clinch, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **Endoscopic Clinch grasping forceps**, Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.**13-1323TI-EC**

STERILE

Fenestrated Clamp, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **fenestrated clamp**, Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.

13-1343TI-EC

STERILE

Miniature Metzenbaum Scissors, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **miniature Metzenbaum scissors**, Ti Line™ tip, Ø 5 mm, UOM 10 pcs.

13-1468TI-EC

STERILE

Fenestrated Grasping Forceps, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **fenestrated grasping forceps**, Ti Line™ tip, flat jaws, double-action, Ø 5 mm, UOM 10 pcs.

13-1301TI-EC

Ti Line™ Handle w/o Ratchet

For Use with Ti Line™ Tips



	Length		Item no.
	330 mm	450 mm	
Ti Line™ handle-sheath-assembly without ratchet, blue	•		13-1383TI-EC
Ti Line™ handle-sheath-assembly without ratchet, blue		•	13-1383TI-45EC

Ti Line™ Handle with Ratchet

For Use with Ti Line™ Tips



	Length		Item no.
	330 mm	450 mm	
Ti Line™ handle-sheath-assembly with ratchet, blue	•		13-1384TI-EC
Ti Line™ handle-sheath-assembly with ratchet, blue		•	13-1384TI-45EC

Future Lap™ Hybrids


Key Features

- Combination of a sterile, **single-use sheath/tip** assembly and a fully **reusable handle**, also available in Ø 2.9 mm for Miniature Laparoscopy procedures
- Fully compatible with the System CS™ range of handles further **increasing versatility** and ability to customize
- **Risks can be radically reduced** by exchanging every component with immediate patient contact



... more Features

- Diameters of 3 mm and 5 mm
- Lengths of 330 and 450 mm on request
- Quick, easy and safe assembly due to ball-socket-locking between handle and sheath
- No cleaning and sterilization of the sheath necessary and degradation or even defectiveness of the insulation is almost impossible
- Future Lap™ provides the possibility of combining quality and efficiency, without having to compromise



STERILE

Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Metzenbaum scissors , Future Lap™, curved, Ø 5 mm, UOM 10 pcs.	•		13-1466DDI
Single-use Metzenbaum scissors , Future Lap™, curved, Ø 5 mm, UOM 10 pcs.		•	13-1466DDI-45

STERILE

Miniature Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use mini Metzenbaum scissors , Future Lap™, Ø 5 mm, UOM 10 pcs.	•		13-1468DDI
Single-use mini Metzenbaum scissors , Future Lap™, Ø 5 mm, UOM 10 pcs.		•	13-1468DDI-45

STERILE

Endoscopic Clinch, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Endoscopic Clinch , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.	•		13-1323DDI
Single-use Endoscopic Clinch , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.		•	13-1323DDI-45

STERILE

Maryland, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Maryland , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.	•		13-1318DDI
Single-use Maryland , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.		•	13-1318DDI-45

STERILE

Fenestrated Grasping Forceps, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use fenestr. grasp. , Future Lap™, flat jaws, d.-act., Ø 5 mm, UOM 10 pcs.	•		13-1301DDI
		•	13-1301DDI-45

MINILAP
STERILE

Miniature Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Item no.
Miniature single-use Metzenbaum scissors , Future Lap™, curved, Ø 2.9 mm, 330 mm, UOM 10 pcs.	23-3000DDI

MINI LAP
STERILE

Miniature Maryland Grasper, Future Lap™ Insert

For Use with System CS™ Handles



	Item no.
Miniature single-use Maryland grasping forceps , Future Lap™, Ø 2.9 mm, 330 mm, UOM 10 pcs.	23-3025DDI

MINI LAP
STERILE

Mini Fenestrated Grasping Forceps, Future Lap™ Insert

For Use with System CS™ Handles



	Item no.
Mini single-use fenestr. grasp. forceps , Future Lap™, flat jaws, d.-act., Ø 2.9 mm, 330 mm, UOM 10 pcs.	23-3082DDI

System CS™ Handles

For Use with Future Lap™ Inserts / System CS™ Inserts and Sheaths

	Length		Item no.
	w/o ratchet	with universal ratchet	
System CS™ handle, blue	•		13-1367CS
System CS™ handle, blue		•	13-1384CS



Single-use Instruments

Key Features

- **One-piece** single-use instrumentation
- Reusable-like feel and performance
- **100%** made in Germany including **sterile packaging**



... more Features

- Solid colour-coded handles
- Standard length of 330 mm, other lengths and designs on request
- High-quality, ergonomic handle with HF-port
- Non-ratchet and ratchet handle available



STERILE **Metzenbaum**, Single-use



	Colour coding	Item no.
Single-use Metzenbaum with HF-port, curved, Ø 5 mm, 330 mm, UOM 6 pcs.	●	13-1466DDRH

STERILE **Maryland**, Single-use



	Length		Colour coding	Item no.
	330 mm	450 mm		
Single-use Maryland with HF-port, cross-serrated, Ø 5 mm, UOM 6 pcs.	●		●	13-1318DDRH
Single-use Maryland with HF-port, cross-serrated, Ø 5 mm, UOM 6 pcs.		●	●	13-1318DDRH-45

STERILE **Endoscopic Clinch**, Single-use



	Handle		Length		Colour coding	Item no.
	330 mm	450 mm	w/o ratchet	with ratchet		
Single-use Endo Clinch, HF-port, Ø 5 mm, UOM 6 pcs.	●		●		●	13-1323DDRH
Single-use Endo Clinch, HF-port, Ø 5 mm, mm, UOM 6 pcs.		●		●	●	13-1323DDRHR
Single-use Endo Clinch, HF-port, Ø 5 mm, UOM 6 pcs.		●		●	●	13-1323DDRHR-45

Bipolar Instruments

Table of Contents

Premium Bipolar Instrument Line / **p. 174 - 179**

Standard Bipolar Instrument Line / **p. 180 - 183**





Premium Bipolar Instruments

Key Features

- **Quick exchange of electrode inserts** for different applications within only a few seconds, also available in Ø 3 mm for Miniature Laparoscopy procedures
- Enhanced full **360° single finger rotation** results in precise control of the electrode
- Demountable into sheath, insert and handle for **convenient and reliable cleaning and component replacement**



... more Features

- Unique mechanism enables well adjustable opening and closing of the jaws combined with very high pressure while grasping and cutting
- Easy handling
- Standard flat plug with common bipolar cable fitting
- Double-hinge jaw design
- Ergonomic handles made of high quality PEEK polymer
- Diameters of 3 mm with 290 mm WL and 5 mm with 330 and 450 mm WL on request



Bipolar Maryland Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Maryland grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-1701I
Maryland grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-1701I-45

Bipolar Fenestrated Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Fenestrated grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-1702I
Fenestrated grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-1702I-45

Bipolar Scissors, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Scissors , bipolar insert, double-action, Ø 5 mm	•		13-1703I
Scissors , bipolar insert, double-action, Ø 5 mm		•	13-1703I-45

Bipolar Micro Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Micro forceps , bipolar insert, double-action, Ø 5 mm	•		13-1704I
Micro forceps , bipolar insert, double-action, Ø 5 mm		•	13-1704I-45

Bipolar Delta Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Delta grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-1705I
Delta grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-1705I-45

Bipolar Fenestrated Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Fenestrated grasping forceps , curved, bipolar insert, double-action, Ø 5 mm	•		13-1706I
Fenestrated grasping forceps , curved, bipolar insert, double-action, Ø 5 mm		•	13-1706I-45

Bipolar Claw Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Claw forceps , bipolar insert, double-action, Ø 5 mm	•		13-1707I
Claw forceps , bipolar insert, double-action, Ø 5 mm		•	13-1707I-45

Bipolar Duckbill Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Duckbill forceps , bipolar insert, double-action, Ø 5 mm	•		13-1708I
Duckbill forceps , bipolar insert, double-action, Ø 5 mm		•	13-1708I-45

Bipolar Grasping Forceps, Curved, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Grasping forceps , curved, bipolar insert, double-action, Ø 5 mm	•		13-1709I
Grasping forceps , curved, bipolar insert, double-action, Ø 5 mm		•	13-1709I-45

MINI LAP

Bipolar Mini Maryland Grasping Forceps, Premium Line

For Use with 23-3090 and 23-3091



Item no.

Miniature Maryland grasping forceps, bipolar insert, double-action, Ø 3 mm, 290 mm

23-3025BP

MINI LAP

Bipolar Mini Fenestrated Grasper, Premium Line

For Use with 23-3090 and 23-3091



Item no.

Miniature fenestrated grasping forceps, bipolar insert, double-action, Ø 3 mm, 290 mm

23-3082BP

MINI LAP

Bipolar Mini Metzenbaum Scissors, Premium Line

For Use with 23-3090 and 23-3091



Item no.

Miniature Metzenbaum scissors, bipolar insert, double-action, Ø 3 mm, 290 mm

23-3000BP

Handles for Bipolar Inserts

For Use with Premium Bipolar Instruments

	Length		Item no.
	for use with 23-3091	for use with 13-1700R(-45)	
Handle for bipolar detachable instruments MINI LAP	•		23-3090
Handle for bipolar detachable instruments		•	13-1700SI



Sheaths for Bipolar Inserts

For Use with Premium Bipolar Instruments



	Diameter		Length			Item no.
	Ø 3 mm	Ø 5 mm	290 mm	330 mm	450 mm	
Sheath for bipolar detachable instruments MINI LAP	•		•			23-3091
Sheath for bipolar detachable instruments		•		•		13-1700R
Sheath for bipolar detachable instruments		•			•	13-1700R-45

Standard Bipolar Instruments

Key Features

- Easy and **quick assembly and disassembly** into handle and insert
- Wide range of **different electrode patterns** available



... more Features

- Simplified cleaning
- Two different handle types available
- By using an adapter connectable to nearly any common HF-unit



Bipolar Fenestrated Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , fenestrated, bipolar insert, Ø 5 mm	•		13-1630IW0
Forceps , fenestrated, bipolar insert, Ø 5 mm		•	13-1630IW0-45

Bipolar Scissors, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Scissors , fenestrated, bipolar insert, Ø 5 mm	•		13-1633IW0
Scissors , fenestrated, bipolar insert, Ø 5 mm		•	13-1633IW0-45

Bipolar Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , short, wide jaw, bipolar insert, Ø 5 mm	•		13-1634IW0
Forceps , short, wide jaw, bipolar insert, Ø 5 mm		•	13-1634IW0-45

Bipolar Forceps, Bipolar Insert

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , wide jaw, bipolar insert, Ø 5 mm	•		13-1635IW0
Forceps , wide jaw, bipolar insert, Ø 5 mm		•	13-1635IW0-45

Bipolar Micro Tip, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Micro tip , bipolar insert, Ø 5 mm	•		13-1640IW0
Micro tip , bipolar insert, Ø 5 mm		•	13-1640IW0-45

Bipolar Forceps, w/o Nose, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps without nose , bipolar insert, Ø 5 mm	•		13-1642IW0
Forceps without nose , bipolar insert, Ø 5 mm		•	13-1642IW0-45

Bipolar Maryland Grasping Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Maryland grasping forceps, bipolar insert, Ø 5 mm	•		13-1645IW0
Maryland grasping forceps, bipolar insert, Ø 5 mm		•	13-1645IW0-45

Pistol Handle for Bipolar Inserts

For Use with Standard Bipolar Instruments



	Item no.
Pistol handle for bipolar modular forceps	13-1646SI

Slide Handle for Bipolar Inserts

For Use with Standard Bipolar Instruments



	Item no.
Slide handle for bipolar modular forceps	13-1647SI

Endoscopic Clip Appliers & Removers

Table of Contents

Endoscopic Euroclip™ Appliers / **p. 186 - 187**

Endoscopic VeSeal™ Appliers / **p. 188 -189**

Endoscopic Polymer Clip Appliers & Removers / **p. 190 - 191**






Europclip™ Endo Surgery Appliers

Key Features

- Solid **double-action jaw mechanism** for extremely precise and reliable closing action
- **Diamond dusted** jaws for maximum clip grip
- Multiple **handle options** to meet every physicians preference
- **No backlash** when activated in addition to tightly tolerated jaw dimensions



... more Features

- Flush port for validated cleaning and reprocessing
- Perfectly weight-balanced
- Bariatric instruments available on request



Pistol Handle Appliers for Endo Surgery



Description	Diameter	Color coding	Item no.
	Ø 5 mm Ø 10 mm Ø 12.5 mm		
Endo Appliers for small Europclips™, pistol handle, rotatable, 330 mm	•	Yellow	13-1613-105AS
Endo Appliers for medium Europclips™, pistol handle, rotatable, 330 mm	•	Blue	13-1610AS
Endo Appliers for medium-large Europclips™, pistol handle, rotatable, 330 mm	•	Green	13-1615AS
Endo Appliers for large Europclips™, pistol handle, rotatable, 330 mm	•	Orange	13-1613-106AS

Townsend Handle Appliers for Endo Surgery




Description	Diameter	Color coding	Item no.
	Ø 5 mm Ø 10 mm Ø 12.5 mm		
Endo Appliers for small Europclips™, townsend handle, rotatable, 330 mm	•	Yellow	13-1613-105A
Endo Appliers for medium Europclips™, townsend handle, rotatable, 330 mm	•	Blue	13-1610A
Endo Appliers for medium-large Europclips™, townsend h., rotatable, 330 mm	•	Green	13-1615A
Endo Appliers for large Europclips™, townsend handle, rotatable, 330 mm	•	Orange	13-1613-106A

VeSeal™ Endo Surgery Appliers

Key Features

- Solid **double-action jaw mechanism** for extremely precise and reliable closing action
- Precision milled **grooves** inside the jaw for perfect clip fitting
- **No backlash** when activated in addition to tightly tolerated jaw dimensions
- Ergonomic handle design



... more Features

- Flush port for validated cleaning and reprocessing
- 360° color coded rotating knob with audio and tactile feedback
- Perfectly weight-balanced
- Bariatric instruments available on request



Townsend Handle Appliers for Endo Surgery





Description	Diameter			Color coding	Item no.
	Ø 7 mm	Ø 10 mm	Ø 12.5 mm		
Endo Appliers for small VeSeal™ clips, townsend handle, rot., demountable, 330 mm	•			●	13-1613-102
Endo Appliers for medium VeSeal™ clips, townsend handle, rot., demountable, 330 mm		•		○	13-1613-103
Endo Appliers for medium-large VeSeal™ clips, townsend handle, rot., dem., 330 mm		•		●	13-1613
Endo Appliers for large VeSeal™ clips, townsend handle, rot., demountable, 330 mm			•	●	13-1613-104

Polymer Clip Endo Surgery Appliers

Key Features

- **Unique thumb-operated locking mechanism** integrated into the handle to prevent unintentional clip closure during travel inside the abdomen
- Complete range of Endoscopic appliers and clip removers
- **No backlash** when activated in addition to tightly tolerated jaw dimensions
- Ergonomic handle design



... more Features

- Flush port for validated cleaning and reprocessing
- 360° color coded rotating knob with audio and tactile feedback
- Perfectly weight-balanced
- Bariatric instruments available on request




Townsend Handle Appliers for Endo Surgery



Description	Diameter		Color coding	Item no.
	Ø 5 mm	Ø 10 mm		
Endo Appliers for medium-large polyclips, towns.handle, rotatable, 330 mm	•		●	13-1615AS-P
Endo Appliers for large polyclips, townsend handle, rotatable, 330 mm		•	●	13-1613-106AS-P
Endo Appliers for extra-large polyclips, townsend handle, rotatable, 330 mm		•	●	13-1613-108AS-P

How to use the Endoscopic Clip Appliers



Townsend Handle Removers for Endo Surgery



Description	Item no.
Remover for medium , medium-large and large polymer clips, Ø 5 mm, 330 mm	13-1613PR
Remover for large and extra-large polymer clips, Ø 10 mm, 330 mm	13-1615PR

Speciality Instruments

Table of Contents

System ADG™ & System DG™ / **p. 194 - 196**

Needleholders / **p. 198 - 205**

Retractors / **p. 206 - 210**

Other Speciality Instruments / **p. 211 - 212**






System ADG™ & DG™

Key Features

- **Excellent** tissue grasping control
- **Atraumatic wave or retraction jaws** in single- or double-action design
- One-piece instrument with **slide ratchet**



... more Features

- Rotatable (System ADG™) or non-rotatable (System DG™) instrument line with cleaning port
- 5 mm sheath diameter
- With 330 mm or 450 mm working length for Standard Laparoscopy and 260 mm or 450 mm working length for Miniature Laparoscopy
- Flush port for easy and convenient reprocessing



System ADG™ Wave Grasping Forceps, Rotatable

Single-action Jaws



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, single-action, rotatable, Ø 5 mm	•		13-1381ADG
Wave grasper with slide ratchet, flushable, single-action, rotatable, Ø 5 mm		•	13-1381ADG-45

System ADG™ Wave Grasping Forceps, Rotatable

Double-action Jaws



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, double-action, rotatable, Ø 5 mm	•		13-1375ADG
Wave grasper with slide ratchet, flushable, double-action, rotatable, Ø 5 mm		•	13-1375ADG-45

System ADG™ Retraction Forceps, Rotatable



	Length		Item no.
	360 mm	450 mm	
Retraction forceps with slide ratchet, flushable, rotatable, Ø 5 mm	•		13-1380ADG
Retraction forceps with slide ratchet, flushable, rotatable, Ø 5 mm		•	13-1380ADG-45

System DG™ Wave Grasping Forceps



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, single-action, Ø 5 mm	•		13-1381DG
Wave grasper with slide ratchet, flushable, single-action, Ø 5 mm		•	13-1381DG-45

System DG™ Wave Grasping Forceps



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, double-action, Ø 5 mm	•		13-1375DG
Wave grasper with slide ratchet, flushable, double-action, Ø 5 mm		•	13-1375DG-45

System DG™ Retraction Forceps




	Length		Item no.
	360 mm	450 mm	
Retraction forceps with slide ratchet, flushable, Ø 5 mm	•		13-1380DG
Retraction forceps with slide ratchet, flushable, Ø 5 mm		•	13-1380DG-45



Axial Needleholders

Key Features

- Extremely light-weight and ergonomic **aluminum handles**
- Total weight of **under 120 g**
- **Maneuverability is enhanced** while reducing fatigue
- Unique overload protection to **avoid needle breakage**
- Also available in **Ø 3 mm for Miniature Laparoscopy** procedures



... more Features

- Adjustable ratchet
- Despite its weight very robust and durable
- Instrument cleaning port
- 5 mm sheath diameter
- With 330 mm or 450 mm working length for Standard Laparoscopy and 200 mm or 360 mm working length for Miniature Laparoscopy



Axial Needleholders, Straight Jaws



	Length		Item no.
	330 mm	450 mm	
Axial needleholder , straight jaws, angled handle, Ø 5 mm	•		13-1591P
Axial needleholder , straight jaws, angled handle, Ø 5 mm		•	13-1591P-45

Axial Needleholders, Right Curved Jaws



	Length		Item no.
	330 mm	450 mm	
Axial needleholder , right curved jaws, angled handle, Ø 5 mm	•		13-1593P
Axial needleholder , right curved jaws, angled handle, Ø 5 mm		•	13-1593P-45

Axial Needleholders, Left Curved Jaws



	Length		Item no.
	330 mm	450 mm	
Axial needleholder , left curved jaws, angled handle, Ø 5 mm	•		13-1594P
Axial needleholder , left curved jaws, angled handle, Ø 5 mm		•	13-1594P-45

Axial Needleholders, Self-uprighting Jaws



	Length		Item no.
	330 mm	450 mm	
Axial needleholder , self-upright. jaws, angled handle, Ø 5 mm	•		13-1590PSFU
Axial needleholder , self-upright. jaws, angled handle, Ø 5 mm		•	13-1590PSFU-45

MINI LAP Miniature Axial Needleholders, Straight Jaws



	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder , straight jaws, angled handle, Ø 3 mm	•		23-3026P-20
Miniature axial needleholder , straight jaws, angled handle, Ø 3 mm		•	23-3026P

MINI LAP Miniature Axial Needleholders, Right Curved Jaws



	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder , right curved jaws, angled handle, Ø 5 mm	•		23-3027P-20
Miniature axial needleholder , right curved jaws, angled handle, Ø 5 mm		•	23-3027P

MINILAP

Miniature Axial Needleholders, Left Curved Jaws



	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder, left curved jaws, angled handle, Ø 3 mm	•		23-3028P-20
Miniature axial needleholder, left curved jaws, angled handle, Ø 3 mm		•	23-3028P

ETH Needleholders

Key Features

- **Integrated locking mechanism** with automated spring action for precise adjustment and controlled tensioning
- Unique overload protection to **avoid needle breakage**
- Ergonomic **axial handle**
- To be used with any **industry-standard surgical needle**



STAINLESS
STEEL



CLEANING
CHANNEL



VARIOUS
LENGTHS



5
mm
DIAMETER



ERGONOMIC



AXIAL
HANDLE

... more Features

- Self-uprighting needleholder available
- Instrument cleaning port
- 5 mm sheath diameter
- Available in 330 mm or 450 mm working length
- Break-proof stainless steel



ETH Needleholders, Straight Jaws



	Length		Item no.
	330 mm	450 mm	
ETH needleholder, straight jaws, Ø 5 mm	•		13-1591ET
ETH needleholder, straight jaws, Ø 5 mm		•	13-1591ET-45

ETH Needleholders, Right Curved Jaws



	Length		Item no.
	330 mm	450 mm	
ETH needleholder, right curved jaws, Ø 5 mm	•		13-1593ET
ETH needleholder, right curved jaws, Ø 5 mm		•	13-1593ET-45

ETH Needleholders, Left Curved Jaws




	Length		Item no.
	330 mm	450 mm	
ETH needleholder, left curved jaws, Ø 5 mm	•		13-1594ET
ETH needleholder, left curved jaws, Ø 5 mm		•	13-1594ET-45

ETH Needleholders, Self-uprighting Jaws



	Length		Item no.
	330 mm	450 mm	
ETH needleholder, self-uprighting jaws, Ø 5 mm	•		13-1590ETSFU
ETH needleholder, self-uprighting jaws, Ø 5 mm		•	13-1590ETSFU-45

Three-Piece Modular Needleholder



Set Components	Item no.
System CS™ Needleholder , pointed version, single-action, 12 mm jaw length, Ø 5 mm, 330 mm	13-1590CSI
+ Sheath for System CS™ inserts, Ø 5 mm, 330 mm	13-1356CS
+ Axial handle for System CS™	13-1358AXDI


MINI LAP Miniature Needleholders, Straight Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, straight jaws, axial handle, Ø 3 mm	•		23-3026AX-20
Miniature needleholder, straight jaws, axial handle, Ø 3 mm		•	23-3026AX

MINI LAP

Miniature Needleholders, Right Curved Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, righttt curved jaws, axial handle, Ø 3 mm	•		23-3027AX-20
Miniature needleholder, right curved jaws, axial handle, Ø 3 mm		•	23-3027AX

MINI LAP

Miniature Needleholders, Left Curved Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, left curved jaws, axial handle, Ø 3 mm	•		23-3028AX-20
Miniature needleholder, left curved jaws, axial handle, Ø 3 mm		•	23-3028AX

Snake Retractors

Key Features

- Create a large and highly atraumatic surface to **safely retract organs and other fragile tissue** simply by turning the actuating knob on the handle
- May also be used for **adjustable gastric banding**



... more Features

- 5 mm sheath diameter at 340 and 450 mm working lengths
- Break-proof stainless steel
- Instrument flush port allows for convenient and safe cleaning



Snake Retractors, Triangular, Angled in Sheath



	Working length		Total length		Item no.
	60 mm	80 mm	340 mm	450 mm	
Snake retractor, triangular, angled in sheath, Ø 5 mm		•	•		13-1665
Snake retractor, triangular, angled in sheath, Ø 5 mm		•		•	13-1665-45
Snake retractor, triangular, angled in sheath, Ø 5 mm	•		•		13-1665-6
Snake retractor, triangular, angled in sheath, Ø 5 mm	•			•	13-1665-6-45

Snake Retractors, Triangular, Straight in Sheath




	Working length			Total length		Item no.
	60 mm	80 mm	120 mm	340 mm	450 mm	
Snake retractor, triangular, straight in sheath, Ø 5 mm		•		•		13-1666
Snake retractor, triangular, straight in sheath, Ø 5 mm		•			•	13-1666-45
Snake retractor, triangular, straight in sheath, Ø 5 mm	•			•		13-1666-6
Snake retractor, triangular, straight in sheath, Ø 5 mm	•				•	13-1666-6-45
Snake retractor, triangular, straight in sheath, Ø 5 mm			•	•		13-1666-12
Snake retractor, triangular, straight in sheath, Ø 5 mm			•		•	13-1666-12-45

Snake Retractors, Angled in Sheath



	Type			Length		Item no.
	straight	curved right	curved left	340 mm	450 mm	
Snake retractor, angled in sheath, Ø 5 mm	•			•		13-1667
Snake retractor, angled in sheath, Ø 5 mm	•				•	13-1667-45
Snake retractor, angled in sheath, Ø 5 mm		•		•		13-1667R
Snake retractor, angled in sheath, Ø 5 mm		•			•	13-1667R-45
Snake retractor, angled in sheath, Ø 5 mm			•	•		13-1667L
Snake retractor, angled in sheath, Ø 5 mm			•		•	13-1667L-45

Snake Retractors, Straight, Angled in Sheath



	Item no.
Snake retractor, straight, angled in sheath, Ø 5 mm , 340 mm	13-1661

Snake Retractors, Circular




	Sheath type		Item no.
	straight	angled	
Snake retractor, circular, Ø 5 mm, 340 mm	•		13-1662
Snake retractor, circular, Ø 5 mm, 340 mm		•	13-1663

Snake Retractors, Hooked



	Type		Item no.
	curved right	curved left	
Snake retractor, hooked, Ø 5 mm, 340 mm	•		13-1664R
Snake retractor, hooked, Ø 5 mm, 340 mm		•	13-1664L

Fan Retractors



	Type			Total length		Item no.
	straight	curved	angled	350 mm	450 mm	
Fan retractor, Ø 5 mm	•					13-1670
Fan retractor, Ø 5 mm		•		•		13-1675
Fan retractor, Ø 5 mm		•			•	13-1675-45
Fan retractor, Ø 5 mm			•			13-1677

Finger Retractors, Angled Fan, Deflectable



	Diameter		Type		Total length		Item no.
	Ø 5 mm	Ø 10 mm	3-Finger	5-Finger	330 mm	450 mm	
Finger retractor, deflectable	•		•		•		13-1671
Finger retractor, deflectable	•		•			•	13-1671-45
Finger retractor, deflectable		•		•	•		13-1672
Finger retractor, deflectable		•		•		•	13-1672-45

Finger Retractors, Straight Fan, Deflectable



	Diameter		Type		Item no.
	Ø 5 mm	Ø 10 mm	3-Finger	5-Finger	
Finger retractor, straight fan, deflectable, 330 mm	•		•		13-1671S
Finger retractor, straight fan, deflectable, 330 mm		•		•	13-1672S

Esophageal Retractors



	Diameter		Total length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Esophageal retractor for application of gastric band	•		•		13-1668
Esophageal retractor for application of gastric band		•	•		13-1668-10
Esophageal retractor for application of gastric band		•		•	13-1668-10-45

Hourlay Finger Retractor



	Item no.
Hourlay finger retractor , Ø 10 mm , 330 mm	13-1669

Connector Luer-Lock / Tube



	Item no.
Connector luer-lock/tube with stopcock	13-1355LLVLV

LL Injection Needles



	Diameter		Length			Item no.
	Ø 2.8 mm	Ø 5 mm	260 mm	330 mm	450 mm	
Injection needle (Ø 0.9 mm / 19 gauge) with Luer Lock		•		•		13-1619-19G
Injection needle (Ø 0.9 mm / 19 gauge) with Luer Lock		•			•	13-1619-45-19G
Injection needle (Ø 1.2 mm / 18 gauge) with Luer Lock MINI LAP	•			•		13-1619-3
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•	•			13-1619-26
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•		•		13-1619
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•			•	13-1619-45

Cholangiogram Instrument



	Item no.
Cholangiogram forceps with ratchet, Ø 5 mm, 330 mm	11-1249

Knot Pushers



	Diameter		Type		Total length		Item no.
	Ø 3 mm	Ø 5 mm	open eyelet	slot	330 mm	450 mm	
Knot pusher MINI LAP	•		•		•		13-1617-3
Knot pusher		•	•		•		13-1617
Knot pusher		•	•			•	13-1617-45
Knot pusher		•		•	•		13-1617SL
Knot pusher		•		•		•	13-1617SL-45

Palpation Probes



	Diameter		Length		Item no.
	Ø 3 mm	Ø 5 mm	330 mm	450 mm	
Graduated palpation probe MINI LAP	•		•		10-1110-3
Graduated palpation probe		•	•		10-1110
Graduated palpation probe		•		•	10-1110-45

Anvil Grasping Forceps



	Length		Item no.
	330 mm	450 mm	
Anvil grasper, Ø 10 mm	•		13-1599A
Anvil grasper, Ø 10 mm		•	13-1599A-45

Ring Applicators

Incl. cone (13-1618-200) and loading device (13-1618-300)




	Diameter		Length		For use with			Item no.
	Ø 6 mm	Ø 6.5 mm	330 mm	400 mm	instrument bridge	scope	trocars sleeve	
Ring applicator	•			•	•			13-1618
Ring applicator	•		•			•		13-16180V
Ring applicator		•	•				•	13-1618TR

Connecting Cables

Table of Contents

Monopolar Cables / **p. 216**

Bipolar Cables / **p. 216**





Monopolar Cables

	Generator side					Item no.
	Ø 4 mm Ackermann / Erbe T ¹ / Martin ¹ / Berchthold ¹		Ø 5 mm Erbe ACC ¹ / ICC-VIO ¹	Ø 8 mm Bovie ¹ / Valleylab ¹ / Conmed ¹	Ø 4 mm ACMI ¹ / Martin ¹ / Berchthold ¹ / Aesculap ¹	
Ø 4 mm instrument side, round plug  for monopolar lap instruments and electrodes	3 m length	5 m length	3 m length	3 m length	3 m length	
	•					11-1260
		•				11-1260-5
			•			11-1261
				•	•	11-1262
					•	11-1263

Bipolar Cables

	Generator side				Item no.
	2-Banana		Storz ¹ / Erbe ¹	Martin ¹ / Berchthold ¹	
EU Flat plug instrument side, square plug  for premium bipolar instruments and electrodes	3 m length	5 m length	3 m length	3 m length	
	•				13-1641
		•			13-1641-5
			•		13-1643
MIC plug instrument side, round plug  for standard bipolar instruments				•	13-1644
	•				13-1641BPW
		•			13-1641-5BPW
			•		13-1643BPW
				•	13-1644BPW



Lap Containers

Table of Contents

Lap Containers & Accessories / **p. 220 - 222**





1/1 Lap Instrument Container with Rack and Mat



			Item no.
1/1 Container with lap instrument rack and silicone mat, 580 x 280 x 260 mm			15-1694
includes	1/1 Container, bottom non-perforated, silver lid, 580 x 280 x 260 mm	15-1694L	
and	Container inlay for endoscopes, 420 x 250 x 45 mm	15-1694I	
and	Container silicone mat, blue, 520 x 230 mm	15-1694SI	

1/1 Lap Instrument Container, Small




		Item no.
1/1 Container , bottom non-perforated, silver lid, 580 x 280 x 100 mm		15-1694S

1/1 Lap Instrument Container, Large



		Item no.
1/1 Container , bottom non-perforated, silver lid, 580 x 280 x 260 mm		15-1694L

Accessories for Lap and Endoscope Containers

	For container			Item no.	
	1/1	3/4	1/2		
Container wire basket , 535 x 250 x 70 mm	•			15-1694B	
Container wire basket with instrument rack for up to 5 x Ø 5 mm and up to 4 x Ø 10 mm instruments, 535 x 250 x 70 mm	•			15-1694BR	
Paper filters , UOM 100 pcs.	•	•	•	15-1694F	
Filter retainer	•	•	•	15-1694FR	
Container instrument rack for up to 10 x Ø 5 mm / Ø 10 mm instruments, 515 x 250 x 165 mm	•			15-1694I	
Additional instrument holder for up to 10 x Ø 5 mm / Ø 10 mm instruments, use with 15-1694I	•			15-1694I-100	
Container silicone mat , blue, 520 x 230 mm	•			15-1694SI	

Endoscope Container with Silicone Mounting



	Dimensions		Item no.
	470 x 80 x 74 mm	270 x 70 x 65 mm	
Endoscope container , perforated, with silicone mounting	•		15-1691
Endoscope container , perforated, with silicone mounting		•	15-1692

Endoscope Wire Basket with Lid and Scope Fixation



	Dimensions		Item no.
	460 x 80 x 52 mm	670 x 80 x 52 mm	
Endoscope wire basket with lid and scope fixation	•		15-1697-100
Endoscope wire basket with lid and scope fixation		•	15-1697-200

Plastic Endoscope Sterilization Case



	Item no.
Plastic sterilization case for endoscopes, 470 x 100 x 70 mm	15-1695

Accessories for Endoscope Plastic Sterilization Case

	Item no.
Safety seals for 15-1695, UOM 1.000 pcs.	15-1695-100
Sterilization seals for 15-1695, UOM 1.000 pcs.	15-1695-200
Permanent filter set for 15-1695	15-1695F