

Manufacturer: BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or Taraclia, str. Voccalnaia 28 rep. Moldova		MILL'S TEST CERTIFICATE (ACC. TO EN10204 / 3.1)		Transport:			
Customer: Metalica - Zuev SRL SEC.CIOCANĂ Industrială nr.48		No. 3456 Date: 16.06.2025		A02 A03		A10	
Contract No. A07		Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		B03-B06		B12 Total weight, Kg 21 815	
Specification № A07		Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		B08 Total Length Pieces: 280 Bundles: 10	
Order No.							
Destination							

			Product description										
Nr.crt.	B07		B01-B02	B09		B10	B11	Deviation	Bundles	B08		B12	B13
	Nr. Bundles	Heat		Product	Dimension(mm)					Thickness	Length(mm)		
1	65695	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 165 -		
2	65671	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 181 -		336
3	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 169 -		336
4	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 169 -		336
5	65680	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 169 -		336
6	65689	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 179 -		336
7	65682	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 194 -		336
8	65698	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 198 -		336
9	65683	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 189 -		336
10	65685	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		12 000			1	28	2 183 -		336
									1	28	2 188 -		336

«BAS STEEL PROFILE» S.R.L.

OTK

Chemical Composition (химический состав)

C71-C92

N ^o ct.	N ^o Bundles	Heat	Product	B09										C71-C92				
				Dimension(mm)	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al			
1	65695	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	x100	x100	x100	x1000	x1000	x100	x100	x100	x100	x1000	x1000			
2	65671	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
3	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
4	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
5	65680	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
6	65689	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
7	65682	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
8	65698	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
9	65683	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				
10	65685	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 120	10	1,1	37	22	28	6	2	1		9				

«BAS STEEL PROFILE» S.R.L.

ОТК

Mechanical Test

Nr.crt.	B07		B01-B02		B09		C02	C03	C11	C12	C13	D02	D03
	Nr. Bundles	Heat	Product	Dimension(mm)	Direction of the test pieces	Test temperature							
1	65695	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
2	65671	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
3	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
4	65684	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
5	65680	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
6	65689	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
7	65682	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
8	65698	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
9	65683	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		
10	65685	715307-9	EN 10219-2 / S235JRH	100 x 50 x 3.0 x 12000mm		ambient			270	382	34		

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection

Tolerances on dimensions and shape: pass

Drawn up,

Eng. Filipov Nicolai

Signature of the QCD representative,

Eng. Neki Yuri

Handwritten signature

