



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	Type of product * Portable Tablet Computer					
Commercial name *	Lenovo Tab M10 Plus (3rd Gen)					
Model number *	ZAAJ,ZAAK,ZAAM,ZAAS,ZAAN,ZAAT					
Issue date *	2022.3.11					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ZAAJ,ZAAK,ZAAM,ZAAS,ZAAN,ZAAT		Lenc	MO	
Issue dat	e *	2022.3.11		Leil	, VO.	R
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		•		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th			
P1.6*	(see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	, , ,	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): vww.lenovo.com/us/en/compliance/eu-doc for EU; vww.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document,				
	"	available at (add URL):				
D.		www.lenovo.com/us/en/compliance/eco-declaration				
P5 1*		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*	(see lega	fluct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Protoc	col 🔀		
De		nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Wiodei iii	uiiibei	ZAAJ,ZAAK,ZAAM,ZAAS,ZAAN,ZAAT	Logo	Lone		
Issue da	te *	2022.3.11		Len		TH
	- Enviro	mental attributes - Market requirements (See General NOTE GNonmental conscious design	below)	Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling It have to be treated separately are easily separable			_	_
P7.1						
		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.3*			<u> </u>			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u>Ц</u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tool	S.	<u>Ц</u>	Щ.
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes	<u>Ц</u>	
D7 7*	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			\boxtimes	
P7.9		arts are available after end of production for: 1 years				
P7.10		s available after end of production for: 1 years				
D7 44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	d tunos Cons	nar Niekal		
P7.12		type: PC+20%GF Material type: PC Material naterials of external electrical cables are PVC free.	al type: Copp	Der-Ivicker	\square	
P7.13		n materials of internal electrical cables are PVC free.			\overline{X}	+
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi	romine and (1%		
7.14	weight (* polyvinyl	chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants,	and		
P7.15		eircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🧲 ed in IEC 61249-2-21. (See 1NOTE B2)	are low hale	ogen 🔀		
P7.16	Marking:			\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive),TBBPA (reactive) (See NOTE B3),Other: _DOPO, CAS #: 35940		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: BDP, CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparation	ns in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	assigned The sour	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; P273 Avoid release to the environment. and Hazard H411 Toxic to aquatic life with long lasting effects ree(s) for these classifications is/are found at (add URL(s)): https://www.lookchem.com/sds181028-79-5.html (See note B5)				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 2.4%. weight of recycled material is 1.78 g.	t (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZAAJ,ZAAK,ZAAM,ZAAS,ZAAN,ZAAT	Logo	Lenovo
Issue date *	2022.3.11		Leliovo
Product environr		Requirement met	
Item		•	Yes No n.a.

		stance requirements						
P7.21*			I in the product (See NO			Ш		
			s below shall be answe					
	a) Of total plastic by		the biobased plastic ma	aterial content (calculat	ed as a percentage of			
	or	y weight) is 70.						
	b) The weight of	he weight of the biobased plastic material is g.						
P7.22*	.,	• ,	less than 0,1 mg/lamp.					
Do		specify: Number of lan	nps: and maximi	um mercury content per	r lamp: mg			
P8 P8.1*	Batteries	omposition: <i>Li-ion Pol</i>	li ima e r					
		•	lymer					
P9		tion (See NOTE B8)						
P9.1 Energy mo		Power level at	s or energy consumption Power level at	Power level at	Reference/Standard for energy			
Energy mo	oue	100 V AC	115 V AC	230 V AC	modes and test method *	Ш		
Peak (On-	max)	9.25 W	9.25 W	9.4 W	Full load			
Categor	y2							
Short Idle	State - WOL	2.36 W	2.33 W	2.39 W	ENERGY STAR Computers			
Enabled					V8.0 (P _{idle})			
Long Idle	State - WOL	0.17 W	0.18 W	0.20 W	ENERGY STAR Computers			
Enabled		•		0.20	V8.0 (P _{idle})			
					1 1 2			
Sleep (S3)	- WOL Disabled	0.17 W	0.18 W	0.20 W	ENERGY STAR Computers			
					V8.0			
Off (S5) - I	WOL Disabled	0.19 W	0.20 W	0.24 W	ENERGY STAR Computers			
. ()					V8.0			
EPS No-loa	od	0.026 W	0.039 W	0.051 W				
		0.020 VV	0.039 VV	0.037 VV				
	supply / charger plugged in the connected from the product.)							
ETEC *	ergy Consumption	7.24 kWh/yr	7.26 kWh/yr	7.59 kWh/yr	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Alliluai Elic	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)			
		Poff: Off Mode(S5) - WO	DL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	d; P _{idle} : Idle State - WOL Enabled			
External Po	ower Supply Efficien		Efficiency Marking Pro		<u> </u>			
Display res	solution * : 2.4 mega	pixels	, ,	,		Ħ		
		ve mode: 0.5 minutes				Ħ		
P9.2*			on is provided with the	product		\blacksquare		
P9.3		class (monitors only):	on to provided with the	product.				
		dass (monitors only).						
P10	Emissions Noise emission	Declared according to	ISO 9296 (See NOTE	R0)				
P10.1		Mode description	130 9290 (See NOTE		A-weighted sound power level, $L_{WA,c}$	(B)		
Idle * * * * *				THE STATE OF THE POWER TO VER, LWA,C				
	Operation *			*				
		lactared A-weighted source	d pressure level (dB) $L_{p{ m Am}}$	(anavatar = ==	sition dockton (dla)			
	1		•		sition desktop – idle)			
	Other mode D	eclared A-weighted sound	d pressure level (dB) $L_{p m Am}$	(operator pos	sition desktop – operating)			
	Measured according	ng to: 🔲 ISO 7779 🗌						
	Other (only if not covered by FCMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		ZAAJ,ZAAK,ZAA	AM,ZAAS,ZAAN,ZAAT		Logo	Long	V/0	
Issue date	e *	2022.3.11				Leno	VO,	
Product	environn	nental attributes	s - Market requirements	s (continued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissio						
P10.4	Compute program		e requirement for low freque	ency electromagnetic field	ds of the following voluntar	ry		
P12		mics for computin						
P12.1*	The disp	lay meets the ergo	nomic requirements of ISO	9241-307 for visual displ	ay technologies.	\boxtimes		
P12.2*	The phys	sical input device n	neets the requirements of IS	SO 9995 and ISO 9241-4	10.	\boxtimes		
P13		ng and document						
P13.1*	Product	packaging materia	I type(s): cardboard weightype(s): paper(manual) weightype(s): Paper cushion	ght (kg): 0.207 eight (kg): 0.089 weight (kg): 0.022	7			
P13.2*	Product	plastic primary pac	kaging is free from PVC.			\boxtimes		
P13.3*	For proc	duct primary corruger recovered fiber of	gated fiberboard packaging content: %	, specify the contained	percentage of minimum	post-		\boxtimes
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation (tick Other	k box):				
P13.5	(Please User and	only complete this	item if paper documentatior tation on paper media is ch					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requ	uirements of the following vo	oluntary program(s):				
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (S	,					
P9	NOTE: S the info supplier informa	Supplier makes no rmation contained r's knowledge ava tion. The informat	pecific configuration may o representations, guaran d in this document. All info illable at the time of comp tion provided here is appr for more information.	tees, assurances or wa ormation provided by s letion, and supplier sha	rranties whether express upplier in this document all have no obligation to	s or implied, i t is provided i update such	based	on
P9	See Ene	ergy Star Qualified	Notebooks & Tablet Con v/index.cfm?fuseaction=f			=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab M10 Plus (3rd Gen)	Logo	
Model Number	ZAAJ,ZAAK,ZAAM,ZAAS,ZAAN,ZAAT		Lonovo
Issue Date	2022.3.11		Lenovo.
Additional information			

(d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics n	mode with UMA driving	g the display.	
(f)	Etec value (kWh) per ErP Lot 3 Categorenable	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	6			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.48			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);		J	1	2.484
h)	Sleep mode power demand (Watts);				0.3048
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.1224
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 81.93%				
	*internal note: show values for all available external p				
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	800cls , ≥70% c capacity
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) -	external PSU efficience	cy:

(p-3)	o-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge						
(p-4)	Measurement metho power as defined in I	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
	ENERGY STAR Final Test Method for Computers, Rev. October 2019						
(q)	Sequence of steps for achieving a stable condition with respect to power demand::						
	El	NERGY STAR Final Test Method for Computers, F	Rev. October 2019				
(r)	Description of how s	eep and/or off mode was selected or programmed:					
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s					
(s)		required to reach the mode where the equipment aut wer management, 0.5mins automatically reaches					
(t)		te condition before the computer automatically restricted in the specific power demand requirements.		0.5			
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		1			
(w)	Information on the er	nergy-saving potential of power management function	nality:				
		refer to user manual					
(x)	User information on	how to enable the power management functionality:					
		refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additio	nal Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/	/built-in Battery						
External	l/detachable Battery						
Bios Ba	ckup Battery						
Other:	Other:						
Addition	al information						
	-						
) he hattendio	sel in this product cannot be a	asily replaced by users themselves					

Akyмулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotaji pasi nevar nomainit sa razojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termėk akkumulatoratitakkumulatorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.