

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție_ [ocds-b3wdp1-MD-1592047869715](#)_din_23.06.2020__

Denumirea procedurii de achiziție: **Cererea ofertelor de prețuri**

Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
30200000-1	Bunuri						
	Lotul 2						
	Interactive touch display 75"	E1075 4K + Floorlift on wheels 02	China	i3 TOUCH	Interactive touch display 75" with fast & accurate touch technology (20-point touch, finger and pen) PANEL: Size: 75", Display Ratio: 16:09, Native resolution: 3840 x 2160; Brightness: 350 cd/m2, Contrast ratio: 1200:1, Display Colors: 1.07 B colors (10 bit), Response time: 6ms, Display Frame	Interactive touch display 75" with fast & accurate touch technology (20-point touch, finger and pen) DISPLAY SPECIFICATIONS Display technology Liquid Crystal Display (LCD) with DirectLED lighting Panel active screen area 1650.0 x 927.9 mm 64.96" x 36.54" Display aspect ratio 16:9 Display native resolution 3840 x 2160 pixels - 4K Ultra High Definition Brightness 350 cd/m ² Contrast ratio 1200:1 Viewing angle 178° / 178°	

				<p>Rate: 60Hz (@3840 x 2160), Glass Tempered: Anti-glare Glass 4 mm, Viewing Angle: Hor./Ver. 178°/178°, Speakers: 12W x2 stereo, Touch technology: 20 touch points, Plug & Play: Upwards Windows 7, Mac 10.6, Android, Inputs: HDMI 2.0 (1), HDMI 1.4 (2), DP (1), VGA (1), AV (1), USB 2.0 (2), USB 3.0 (1), OPS (1), Outputs: Mini jack, HDMI out, Audio out: Mini jack, Communication port: RS232, RJ45, OPS slot: Included, Power Requirement: 100 - 240V AC, 50/60 Hz, MTBF: 30,000h, Mounting system: VESA, Regulatory: CE, FCC, EMC, RoHS</p> <p>FUNCTION: Power Consumption: 309 Watt, Power Consumption Sleep Mode: < 0.5 Watt</p> <p>VESA Mount: 800 x 400, Green Approvals: Lead Free, RoHS compliant</p> <p>TOUCH TECHNOLOGY: Touch modus: finger and pen, Touch points: 20 simultaneous touches (Windows 7 or later), Connection: USB 2.0 type B (x2)</p> <p>Accessories: Power cable, USB cable (> 5m), HDMI cable (> 5m), Remocon + Battery, PEN 2 x, User Manual, Wall mount, Wifi dongle, Floor lift on wheels for Interactive touch display 75" VESA Mount: 800 x 400</p> <p>Warranty: 36 months</p>	<p>Colour depth 1.073 billion colors (10 bit) Response time (typ.) 8 ms Refresh rate 60 Hz (@ UHD) Pixel pitch 0.372 x 0.372 mm Supported orientation Landscape Glass 4 mm Hardened Anti-Reflection Safety Glass Life time 30,000 hours</p> <p>CONNECTIVITY Digital audio-video inputs 2x HDMI 2.0 Digital audio-video output 1x HDMI 2.0 Analogue audio-video input 1x VGA (DE-15 male) + audio jack (3.5 mm TRS connector) Analogue video output 1x AV (TRRS connector) Analogue audio output audio output 1x audio jack (TRS connector) Digital audio output audio output 1x digital coax (RCA connector) USB data ports 2x USB 3.0 2x USB 2.0 Integrated PC slot OPS-PC slot (JAE TX24 connector) Control input 1x COM DE-9 (RS-232 standard) Network LAN: RJ-45 connector (100 Mbit/sec) Wi-Fi: 2.4 / 5 GHz (802.11 a/b/g/n/ac) Bluetooth: 4.0 Integrated loudspeakers 2 x 12 Watt</p> <p>OPERATIONAL FEATURES Operating System Android™ 7.0 Architecture CPU: ARM CORTEX Dual Core A73 (2.8 GHz) GPU: ARM MALI-450 RAM: 2 GB ROM: 16 GB Interactive touch Technology: V-Sense Infrared Touch recognition Input Detection: 20 touch inputs Touch Connection: 1x USB-B Recognition: Finger or passive stylus (size ≥ 3 mm) Response time: < 4 ms (regular touch), < 25 ms (max touch inputs) Accuracy: ± 1 mm Supported Compatibility Windows, Android, Macintosh OS X, Linux, Chrome OS Maximum operating hours 18 hours / day Languages English, French, German, Romanian, Russian</p>
--	--	--	--	---	--

					<p>Analog: i3Tech E1075R Interactive display 75" 4K 20 touch + Floorlift on wheels 02</p>	<p>PHYSICAL PROPERTIES Product dimensions 1763 x 1016 x 100 mm 69.41" x 40.00" x 3.94" Mounting Pattern 800 x 400 Accessories: Power cable, USB cable (5m), HDMI cable (5m), Remocon + Battery, PEN 2 x, User Manual, Wall mount, Wifi dongle, Floor lift on wheels for Interactive touch display 75" VESA Mount: 800 x 400 Warranty: 36 months</p>
	Lotul 3					
	24" touch-screen	440 G5	China	HP	<p>24" touch-screen All-in-One Desktop Computer</p> <p>Processor: Lithography14 nm, Performance: # of Cores: 6, # of Threads: 6, Processor Base Frequency: 1.70 GHz, Max Turbo Frequency: 3.30 GHz, Cache: 9 MB SmartCache, Bus Speed: 8 GT/s DMI3, TDP; 35 W, Configurable TDP-down Frequency: 1.20 GHz, Configurable TDP-down: 25 W, Memory Specifications: Max Memory Size (dependent on memory type): 64 GB, Memory Types: DDR4-2666, Max # of Memory Channels: 2, Max Memory Bandwidth: 41.6 GB/s, Processor Graphics: Graphics Base Frequency: 350 MHz, Graphics Max Dynamic Frequency: 1.05 GHz, Graphics Video Max Memory: 64 GB, 4K Support: Yes, at 60Hz, Max Resolution (HDMI 1.4): 4096x2304@24Hz, Max Resolution (DP): 4096x2304@60Hz, Max Resolution (eDP - Integrated Flat Panel): 4096x2304@60Hz, DirectX Support: 12, OpenGL Support: 4.5, # of</p>	<p>All-in-One HP 440 G5 23.8 inch LED FHD (1920x1080), Touch, Intel Core i5-9500T (2.2 GHz, up to 3.7GHz, 9MB), video integrat Intel UHD Graphics, RAM 8GB DDR4 2666MHz (1x8GB), HDD 1TB, DVD+/-RW, LAN 10/100/1000, WLAN Intel 9560 AC 2x2, porturi: 1xUSB 2.0 Type-C / 4xUSB 3.1 Gen 1/ 1xAC power/ 1xRJ-45/1x HDMI/ 1xDisplayPort/ 1xheadphone / microphone combo, 1xM.2 2230/ 1xM.2 2230/2280/ 1xSD 3.0 card reader, TPM, HP USB Business Slim Keyboard, HP USB Wired Optical Mouse, Sursa 120W, Black, greutate 6.37Kg, Microsoft Windows 10 Pro 64-bit</p> <p>Warranty: 36 months</p>

					<p>Displays Supported: 3, Expansion Options: Scalability: 1S Only, PCI Express Revision: 3.0, PCI Express Configurations: Up to 1x16, 2x8, 1x8+2x4, Max # of PCI Express Lanes: 16, Package Specifications: Max CPU Configuration; 1, Thermal Solution Specification: PCG 2015A (35W), T_{JUNCTION}: 100°C, Advanced Technologies: Instruction Set64-bit, Idle StatesYes, (Analog: 8th Generation Intel® Core™ i5-8400T processor (9MB Cache, up to 3.3 GHz))</p> <p>Operating System: Windows 10 Home 64bit English</p> <p>Memory: 8GB, 1x8GB, DDR4, 2666MHz</p> <p>Hard Drive: 2TB 5400 rpm Hard Drive</p> <p>Video Card: Manufacturing Process: 14 nm, Base frequency: 1354 MHz, Memory Type: GDDR5, Memory Frequency: 1752 MHz, Memory bandwidth: 112.1 GB/sec, Memory Speed: 7 Gbps, Power consumption: 75 W, Cores: 640, Maximum frequency: 1493 MHz, Memory Capacity: 4 GB, Memory bus: 128-bit, DirectX: 12, OpenGL: 4.5, Bus Support: PCIe 3.0, Maximum Digital Resolution: 7680x4320@60Hz, Standard Display Connectors: DP 1.4, HDMI 2.0b, Dual Link-DVI</p>	
--	--	--	--	--	--	--

					<p>(Analog: NVIDIA GeForce GTX1050 with 4GB GDDR5 graphics memory)</p> <p>CD ROM/DVD ROM: No Optical Drive</p> <p>Wireless: 802.11ac + Bluetooth 4.1, Dual Band 2.4&5 GHz, 2x2</p> <p>Keyboard: Black Wireless Keyboard</p> <p>Mouse: Wireless Mouse included with Keyboard</p> <p>LCD: 23.8" FHD 1920 x 1080 Anti-Glare Narrow Border Touch Display IPS;</p> <p>Power Supply: 180W A/C Adapter</p> <p>Warranty: 36 months</p> <p>Analog: Dell Inspiron 24 5000 Touch (Inspiron AIO 5477), ALL in ONE, 8th Generation Intel® Core™ i5-8400T processor, RAM 8GB DDR4 2666MHz, 2TB 5400 rpm Hard Drive, Mouse, Keyboard</p>	
	Lotul 4					
	Colour Laser All-In-One A4 MFP	M479fdn	China	HP	<p>Colour Laser All-In-One A4 MFP</p> <p>Available functions: Print, Copy, Scan and Fax</p> <p>Printer: Print speed: Single sided: Up to 27 ppm (A4), Up to 49 ppm(A5-Landscape), Double sided: Up to 21.9 ipm (A4)</p>	<p>All-in-One Printer HP Color LaserJet MFP M479fdn, White, A4, Fax, 27ppm, Duplex, 256 MB, Up to 50000 pages, 50-sheet ADF, 4,3" touch display, USB 2.0, Ethernet 10/100/1000, HP PCL 5,6; Postscript 3, HP ePrint, Apple AirPrint (HP 415A/X B/C/Y/M)</p> <p>Warranty: 36 months</p>

				<p>Printing method: Colour laser beam printing, Print quality: Up to 1200 x 1200 dpi, Print Resolution: 600 x 600 dpi, Warm-up Time: ~13 seconds or less from power on, First Print Out Time: Colour approx.: 8.6 seconds or less, Mono approx.: 8.3 seconds or less</p> <p>Printer languages: UFR II, PCL 5c, PCL6, PostScript, Fonts: 93 PCL fonts, 136 PostScript fonts, Print margins: 5 mm-top, bottom, left and right, 10 mm-top, bottom, left and right (Envelope), Toner saver mode: Yes</p> <p>Advanced printing features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF), Barcode Print, Touch & Print (NFC), Google Cloud Print Ready, iOS: AirPrint, Canon PRINT Business app, Android;</p> <p>Copier: Copy Speed: Single sided (A4): Up to 27 ppm, Double sided (A4): Up to 21.9 ipm, First Copy Output Time (FCOT), ADF (A4):, Colour Approx. 12.0 seconds or less, Mono Approx. 10.2 seconds or less, Platen (A4):, Colour Approx. 11.3 seconds or less, Mono Approx. 9.8 seconds or less, Copy resolution: Up to 600 x 600 dpi, Copy modes: Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text, Double sided copying: 2-sided to 2-sided (Automatic), Multiple Copy: Up to 999 copies,</p>	
--	--	--	--	---	--

					<p>Reduction/Enlargement: 25-400% in 1% increments, Other features: Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy</p> <p>Scanner: Type: Colour, Scan Resolution: Optical: Up to 600 x 600 dpi, Enhanced: Up to 9600 x 9600 dpi, Scan speed: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi), Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi), Colour scanning depth: 24 bit/24 bit (input/output), Greyscales: 256 levels, Compatibility; TWAIN , WIA, ICA,Max. scan width: 216mm, Scan to E-mail: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to PC: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to USB: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to FTP: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to Cloud: TIFF/JPEG/PDF/PNG</p> <p>Media handling: Scanner Type: Platen, 2-sided ADF (single pass), Paper input (Standard): 250-sheet cassette, 50-sheet multi-purpose tray, 50-sheet ADF, Paper output: 150-sheet, Media types: Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope, Media sizes: Cassette (Standard):, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-</p>	
--	--	--	--	--	---	--

					<p>OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm., Multi-purpose tray:, A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 215.9 x 355.6 mm., ADF:, A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm, Media weights: Cassette (standard and optional): 52 to 163 g/m² (Up to 200 g/m² with Glossy paper), Manual purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper), ADF: 50 to 105 g/m², Double Sided Printing: Automatic, Cassette:, A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm, 60 to 163 g/m²</p> <p>Interface & Software: Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, Operating System compatibility: Windows, Mac OS X version 10.7.5 & up, Linux, Network protocols: Print:, LPD, RAW, WSD-Print (IPv4,IPv6), Scan:, Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan,</p>	
--	--	--	--	--	---	--

					<p>iFAX, TCP/IP Application Services:, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6), Management:, SNMPv1, SNMPv3 (IPv4,IPv6), Security (wired):, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS), Security (wireless):, WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES)</p> <p>General features: Recommended Monthly Print Volume: 750 - 4,000 pages per month, Duty cycle: Max. 50,000 pages per month, Processor Speed: 800MHz x 2, Memory: 1GB, Control Panel: 12.7 cm LCD Colour Touch Screen, Operating Environment: Temperature: 10 to 30°C, Humidity: 20 to 80% RH (no condensation), Power Source: 220-240V(±10%) 50/60Hz (±2Hz), Power Consumption: Maximum: Approx. 1,400 W, Standby: Approx. 17.7 W, Sleep mode: Approx. 0.8 W, Typical Electricity Consumption (TEC): 1.0 kWh/week (230V), Noise Level: Sound Pressure: Active: 48 dB, Standby: 29 dB, Sound Power: Active: 62dB or less, Standby: 42dB or less</p> <p>Warranty: 36 months</p> <p>Analog: MFP Canon i-SENSYS MF735Cx</p>	
	Lotul 5					

					<p>13-inch laptop, 16GB LPDDR3, 512GB SSD</p> <p>Processor: Lithography 14 nm, Performance: # of Cores: 4, # of Threads: 8, Processor Base Frequency: 1.80 GHz, Max Turbo Frequency: 4.00 GHz, Cache: 8 MB SmartCache, Bus Speed: 4 GT/s OPI, TDP: 15 W, Configurable TDP-up Frequency: 2.00 GHz, Configurable TDP-up: 25 W, Configurable TDP-down Frequency: 800 MHz, Configurable TDP-down: 10 W</p> <p>Memory Specifications: Max Memory Size (dependent on memory type): 32 GB, Memory Types: DDR4-2400, LPDDR3-2133, Max # of Memory Channels: 2, Max Memory Bandwidth: 34.1 GB/s, Processor Graphics: Graphics Base Frequency: 300 MHz, Graphics Max Dynamic Frequency: 1.15 GHz, Graphics Video Max Memory: 32 GB, Graphics Output: eDP/DP/HDMI/DVI, 4K Support: Yes, at 60Hz, Max Resolution (HDMI 1.4): 4096x2304@24Hz, Max Resolution (DP): 4096x2304@60Hz, Max Resolution (eDP - Integrated Flat Panel): 4096x2304@60Hz, DirectX Support: 12, OpenGL Support: 4.4, # of Displays Supported: 3, Expansion Options: PCI Express Revision: 3.0, PCI Express Configurations: 1x4, 2x2, 1x2+2x1 and 4x1, Max # of PCI Express</p>	<p>Dell XPS 13 7390, 13.3" UHD (3840 x 2160) InfinityEdge Display, Black Palmrest for 82 key (Finger Print), Platinum Silver Machined Aluminum with Black Carbon Fiber Composite Palmrest, 10th Generation Intel(R) Core(TM) i7-10510U Processor (8MB Cache, up to 4.9 GHz, 4 cores), Intel(R) UHD Graphics, 16GB LPDDR3 2133MHz On-board, 512GB M.2 PCIe NVMe Solid State Drive, No ODD, Killer AX1650 (2x2) built on Intel WiFi 6 + Bluetooth 5.0, Black Backlit Keyboard (US/International), I/O Ports: 2x Thunderbolt™ 3 (DisplayPort / power delivery (4 lanes of PCI Express Gen 3), 1x microSD card reader, 1x 3.5 mm headphone/microphone combo jack, Dell Adapter USB-C to USB-A 3.0, Height: 7-13 mm x Width: 296 mm x Depth: 207 mm, Starting weight: 1.33 kg, E5 45W Type-C Power Adapter (Small Form Factor), 52Whr 4C Battery, Windows 10 Pro (64Bit) Multi-Language English, Ukrainian, Slovenian, Romanian, Russian,</p> <p>Warranty: 36 months</p> <p>Dell Adapter - USB-C to HDMI/VGA/Ethernet/USB 3.0 DA200</p>	
	13-inch laptop	XPS 13 7390	China	DELL			

					<p>Lanes: 12, Instruction Set: 64-bit, Idle States: Yes</p> <p>Memory: 16GB LPDDR3 1866MHz</p> <p>Hard Drive: 512GB PCIe Solid State Drive</p> <p>Display: 13.3" FHD AG (1920 x 1080)</p> <p>Audio and Speakers: Stereo speakers 1W x 2 = 2W total</p> <p>Power: Battery: 60Whr battery (built-in), A/C Adapter: 45W AC adapter</p> <p>Camera: Widescreen HD (720p) webcam with dual array digital microphones</p> <p>Wireless: 802.11ac 2x2 WiFi and Bluetooth 4.2</p> <p>Ports: Ports (PRTS), 2 USB 3.0 - 1 w/Power Delivery, 1 Headset jack , 1 Noble lock slot, 1 Thunderbolt 3 (2 lanes of PCI Express Gen 3) supports: Power Delivery, Thunderbolt 3 (40Gbps bi-directional), USB 3.1 Gen 2 (10Gbps), VGA, HDMI, Ethernet and USB-A via Adapter</p> <p>Keyboard: Full size, backlit chiclet keyboard; 1.3mm travel, Mouse: Precision touchpad, seamless glass integrated button</p>	
--	--	--	--	--	--	--

					<p>Mandatory: Adapter-USB-C to HDMI/VGA/Ethernet/USB 3.0</p> <p>Warranty: 36 months</p> <p>Analog: DELL XPS 13, i7-8550U Processor, 16GB LPDDR3, 512GB PCIe SSD</p>	
	Lotul 7					
	Tower Desktop Computer+Monitor	XPS 8930	China	Dell	<p>Tower Desktop Computer+Monitor</p> <p>Processor: Lithography14 nm, Performance:# of Cores: 6, # of Threads: 12, Processor Base Frequency: 3.20 GHz, Max Turbo Frequency: 4.60 GHz, Cache: 12 MB SmartCache, Bus Speed: 8 GT/s DMI3, TDP: 65 W, Memory Specifications: Max Memory Size (dependent on memory type); 64 GB, Memory Types: DDR4-2666, Max # of Memory Channels: 2, Max Memory Bandwidth: 41.6 GB/s, Processor Graphics: Graphics Base Frequency: 350 MHz, Graphics Max Dynamic Frequency: 1.20 GHz, Graphics Video Max Memory: 64 GB, 4K Support: Yes, at 60Hz, Max Resolution (HDMI 1.4): 4096x2304@24Hz, Max Resolution (DP): 4096x2304@60Hz, Max Resolution (eDP - Integrated Flat</p>	<p>Desktop Dell XPS 8930 Base, 9th Gen Intel(R) Core(TM) i7 9700 (8-Core, 12MB Cache, up to 4.7GHz with Intel(R) Turbo Boost Technology, Intel(R) Core(TM) i7 Processor Label, 32GB DDR4 2666MHz, 512GB PCIe SSD + 1TB 7200RPM HDD, Tray load DVD Drive (Reads and Writes to DVD/CD), NVIDIA(R) GeForce(R) GTX 1660Ti 6GB GDDR6, Killer 1535 802.11ac 2x2 WiFi and Bluetooth 4.1, Logitech Gaming Laser Mouse G102 Prodigy, 8000 dpi,6 Button USB, Dell Wired Keyboard KB216 Black (US/International), Ports:1x USB 3.1 Type-C, 3x USB 3.1 Gen 1 Ports, 1x Mic-in, 1x Headphone, 1x SD Card Reader (SD, SDHC, SDXC), 3x USB 3.1 Gen 1 ports, 1x USB 3.1 port, 2x USB 2.0 ports, 1x USB 3.1 Type- C port, 1x HDMI, 1x Display Port, 1x Gigabit Ethernet,1x</p>

				<p>Panel): 4096x2304@60Hz, DirectX Support: 12, OpenGL Support: 4.5, # of Displays Supported: 3, Expansion Options: Scalability: 1S Only, PCI Express Revision: 3.0, PCI Express Configurations: Up to 1x16, 2x8, 1x8+2x4, Max # of PCI Express Lanes: 16, Package Specifications: Max CPU Configuration: 1, Thermal Solution Specification: PCG 2015C (65W), T_{JUNCTION}: 100°C, Advanced Technologies: Instruction Set: 64-bit, Idle States: Yes, (Analog: 8th Generation Intel® Core™ i7-8700 6-Core Processor (12MB Cache, up to 4.6 GHz))</p> <p>Memory: 32GB Memory: 16GB 2666MHz DDR4 DRAM + 16GB Intel® Optane™ Memory</p> <p>Chassis Options: Mainstream Chassis (460W)</p> <p>Hard Drive: 2TB 7200 rpm Hard Drive</p> <p>Video Card: GPU Engine Specs: CUDA Cores: 768, Graphics Clock (MHz): 1290, Processor Clock (MHz): 1392, Graphics Performance: high-6747, Memory Specs: Memory Clock: 7 Gbps, Standard Memory Config: 4 GB, Memory Interface: GDDR5, Memory Interface Width: 128-bit, Memory Bandwidth (GB/sec): 112, Feature Support: Supported Technologies: CUDA, 3D Vision, PhysX, G-SYNC, Ansel, Thermal</p>	<p>Audio ports (5.1 channel (3 Jack)Up to 4 total 3 HDD/1 SSD; ODD 4x PCIe expansion slots (x1, x1, x4, x16) 4x DIMM slots (supports up to 64GB), Height:386.5mm x Width: 180mm x Depth 356mm Starting weight:10Kg, Windows 10 Pro 64bit English, Danish, Finnish, Norwegian, Swedish,</p> <p>Monitor: Dell S2719H</p> <p>LED-backlit LCD monitor - 27"</p> <p>Power Consumption (On mode): 20 W, Panel Type: IPS, Aspect Ratio: 16:09, Native Resolution: 1920 x 1080 at 60Hz, Pixel Pitch: 0.3114mm x 0.3114mm, Brightness: 250 cd/m² (typical), Contrast Ratio: 1000: 1 (typical), Response Time: 5ms typical (gray to gray), Color Support: 16.7 million colors, Input Connectors: 2x HDMI 1.4, 1x Audio Line-out, Screen Coating: Low Haze with 3H hardness, Dimensions (WxDxH) - with stand: 612.7 mm x 454.6 mm x 187.1 mm, Weight: 7.86 kg, Environmental Standards: ENERGY STAR Qualified</p> <p>Warranty: 36 months</p>
--	--	--	--	---	---

and Power Specs: Maximum GPU Temperature (in C): 97, Maximum Graphics Card Power (W): 75, Minimum System Power Requirement (W): 300; (Analog: **NVIDIA® GeForce® GTX 1050Ti with 4GB GDDR5 Graphics Memory**)

CD ROM/DVD ROM: Tray Load BDRE Drive (Reads and Writes to Blu-Ray disks)

Sound: Integrated 5.1

Wireles: 802.11ac + Bluetooth 4.2, Dual Band 2.4&5 GHz, 1x1

Keyboard: Black Wired Multi-Media Keyboard (Analog: Dell KB216)

Mouse: 6 Button Laser Mouse

Documentation/Disks: Safety/Environment and Regulatory Guide (English/French Multi-language)

Cable: US Power Cord

Monitor: LED-backlit LCD monitor - 27""

Power Consumption (On mode): 20 W, **Panel Type:** IPS, **Aspect Ratio:** 16:09, **Native Resolution:** 1920 x 1080 at 60Hz, **Pixel Pitch:** 0.3114mm x 0.3114mm, **Brightness:** 250 cd/m² (typical), **Contrast Ratio:** 1000: 1 (typical), **Response Time:** 5ms typical

					<p>(gray to gray), Color Support: 16.7 million colors, Input Connectors: 2x HDMI 1.4, 1x Audio Line-out, Screen Coating: Low Haze with 3H hardness, Dimensions (WxDxH) - with stand: 612.7 mm x 454.6 mm x 187.1 mm, Weight: 7.86 kg, Environmental Standards: ENERGY STAR Qualified</p> <p>Diagonal Size: 27", Features: Arsenic-free glass and mercury-free panel, (Analog: Dell 27 Monitor S2719H)</p> <p>Operating System: Windows 10 Pro 64-bit English</p> <p>Warranty: 36 months</p> <p>Analog: Dell XPS 8930 Tower Desktop - 8th Generation Intel® Core™ i7-8700 6-Core Processor (12MB Cache, up to 4.6 GHz, 32GB Memory, 2TB SATA Hard Drive, 4GB Nvidia GeForce GTX 1050Ti, Black</p>	
	Lotul 8					

	<p style="text-align: center;">8-Port Desktop Gigabit Ethernet Switch</p>	GS-108B	China	Zyxel	<p>8-Port Desktop Gigabit Ethernet Switch with Port-based QoS support</p> <p>System Specifications:</p> <p>Standard: IEEE 802.3 10BASE-T Ethernet, IEEE 802.3u 100BASE-TX Fast Ethernet, IEEE 802.3ab 1000BASE-T Gigabit Ethernet, IEEE 802.3 Nway auto-negotiation, IEEE 802.3x full duplex operation and flow control, IEEE 802.3az Energy Efficient Ethernet</p> <p>Performance: Data transfer rate (half duplex/full duplex): Ethernet: 10/20 Mbps, Fast Ethernet: 100/200 Mbps, Gigabit Ethernet: 1000/2000 Mbps, MAC address table: 4K, Memory buffer: 128 KB, Switching fabric (non-blocking): 16 Gbps, Features: Auto-MDI/MDIX in all ports,</p> <p>Transmission method: Store-and-forward architecture, Port-based QoS support, Jumbo frame support up to 9 KB</p> <p>Hardware Specifications: Interface: Eight RJ-45 10/100/1000 Mbps Ethernet ports with auto MDI/MDIX support, QoS Ports: Two high-priority QoS ports and two medium-priority QoS ports, LED Indicator, PWR: Power, Per port: Link/Activity, Amber: 10/100 Mbps, Green: 1000 Mbps</p>	<p>8-Port Desktop Gigabit Ethernet Switch with Port-based QoS support</p> <p>System Specifications:</p> <p>Standard: IEEE 802.3 10BASE-T Ethernet, IEEE 802.3u 100BASE-TX Fast Ethernet, IEEE 802.3ab 1000BASE-T Gigabit Ethernet, IEEE 802.3 Nway auto-negotiation, IEEE 802.3x full duplex operation and flow control, IEEE 802.3az Energy Efficient Ethernet</p> <p>Performance: Data transfer rate (half duplex/full duplex): Ethernet: 10/20 Mbps, Fast Ethernet: 100/200 Mbps, Gigabit Ethernet: 1000/2000 Mbps, MAC address table: 4K, Memory buffer: 128 KB, Switching fabric (non-blocking): 16 Gbps, Features: Auto-MDI/MDIX in all ports,</p> <p>Transmission method: Store-and-forward architecture, Port-based QoS support, Jumbo frame support up to 9 KB</p> <p>Hardware Specifications: Interface: Eight RJ-45 10/100/1000 Mbps Ethernet ports with auto MDI/MDIX support, QoS Ports: Two high-priority QoS ports and two medium-priority QoS ports, LED Indicator, PWR: Power, Per port:</p>	
--	--	---------	-------	-------	---	---	--

					<p>Power Supply: Input: 100V-240V AC, Output: 5V DC, 1A, Power Consumption: 3.0 watt max.</p> <p>Physical Specifications, Item dimensions (WxDxH): ~155 x 85 x 26 mm, Item weight: ~ 325g</p> <p>Environmental Specifications: Operating Environment, Temperature: 0°C to 40°C (32°F to 104°F) , Humidity: 10% to 90% (Non-condensing), Storage Environment, Temperature: -40°C to 70°C (-40°F to 158°F), Humidity: 10% to 95% (Non-condensing)</p> <p>Certification, CE, FCC Class B, BSMI</p> <p>Package Contents, Gigabit switch, Power adapter, Quick start guide</p> <p>Warranty: 24 months</p> <p>Analogue: GS-108B v3 8-Port Desktop Gigabit Ethernet Switch</p>	<p>Link/Activity, Amber: 10/100 Mbps, Green: 1000 Mbps</p> <p>Power Supply: Input: 100V-240V AC, Output: 5V DC, 1A, Power Consumption: 3.0 watt max.</p> <p>Physical Specifications, Item dimensions (WxDxH): ~155 x 85 x 26 mm, Item weight: ~ 325g</p> <p>Environmental Specifications: Operating Environment, Temperature: 0°C to 40°C (32°F to 104°F) , Humidity: 10% to 90% (Non-condensing), Storage Environment, Temperature: -40°C to 70°C (-40°F to 158°F), Humidity: 10% to 95% (Non-condensing)</p> <p>Certification, CE, FCC Class B, BSMI</p> <p>Package Contents, Gigabit switch, Power adapter, Quick start guide</p> <p>Warranty: 24 months</p>	
--	--	--	--	--	---	---	--

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director

Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16