



# Stay Simple

## F2 Full Face Mask

F2 has less parts and can be self-orientated used. Quiet vent design promises your bed partner with sweet dream and ergonomic cushion design takes care of your feelings.



### Convenient Operation

F2 is integrally designed and less promises anyone in your family can operate.


### Peaceful rest

Soft cushion and quiet vent promise you and your family with a more peaceful rest.

## Product Codes

### Cushion

60360107 (L) / 60360108 (M) / 60360109 (S)



Silicone mask seal

### Forehead Pad


60360110



Adjustable forehead pad

### Frame Assembly

61030029(L) / 61030030(M) / 61030031(S)



Fine exhalation holes

BMC Medical Co., Ltd.

Add: 5/F Main Building, No.19 Gucheng Street West, Shijingshan, Beijing 100043, China

Tel: +86-10-51663880

Fax: +86-10-51663880 ext.810

en.bmc-medical.com

**Two options available**

F2 NV1 with AAV (anti-asphyxiation valve) and F2 NV2 without AAV, multiple options better meet the various needs for the ventilation application.

**Balance of performance and cost**

Based on the characteristics and requirements of hospital use, F2 NV1 / NV2 makes the balance of excellent performance and affordable cost.

**Dual ports provide more options**

The compatible and multifunctional ports make the oxygen input or pressure titration as convenient as possible.

**Product Codes**

**Cushion**

60360107 (L) / 60360108 (M) / 60360109 (S)



Silicone mask seal

**Forehead Pad**

60360119



Adjustable forehead pad

**F2 NV1 Frame Assembly**

350368(L) / 350367(M) / 350366(S)



**F2 NV2 Frame Assembly**

350365(L) / 350364(M) / 350363(S)



**BMC Medical Co., Ltd.**

Add:3/F, Building No.4, No.1 Xinxing Road, Wuqing District, Tianjin 301700, China

Tel: +86-22-8293 9881

Fax: +86-22-8293 9881 ext.810

en.bmc-medical.com





# Stay Simple

## F2 NV1/NV2 Full Face Mask

F2 NV1/NV2 Full Face Mask is customized for the patients who need ventilation treatment in hospital. It has less parts and can be self-orientated used. Its ergonomic cushion design takes care of your feelings.





# F3 Full Face Mask

## Product Code

Description	Size	Code
F3 Full Face Mask with headgear, elbow V, NV1, NV2 and NV3	S/M/L	10030399 / 10030398 / 10030397
F3 Full Face Mask with headgear, elbow V, NV1 and NV2	S/M/L	10030460 / 10030459 / 10030458
F3 Full Face Mask with headgear, elbow V	S/M/L	10030451 / 10030450 / 10030449
F3 Full Face Mask with headgear, elbow NV1	S/M/L	10030454 / 10030453 / 10030452
F3 Full Face Mask with headgear, elbow NV2	S/M/L	10030402 / 10030401 / 10030400
F3 Full Face Mask with headgear, elbow NV3	S/M/L	10030457 / 10030456 / 10030455

## BMC Medical Co., Ltd.

Room 110, Tower A Fengyu Building, No.115 Fucheng Road, Haidian, 100036 Beijing, China  
Tel: +86-22-8293 9881 Fax: +86-22-8293 9881 etx. 810 en.bmc-medical.com  
SC-20-02-05-15-002-Ver1.1


# F3 Full Face Mask

## Multifunctional NIV Interface Kit



F3 is designed to contribute to the reliable and convenient hospital NIV therapy



**F3 V**  
is able to be used with CPAP/BPAP device.




**F3 NV1**  
is intended to be connected with the ventilator through a single-limb circuit. In this case, an additional auxiliary venting connector is always needed, such as the swivel connector.



**Four-point standard headgear**  
The headgear is made of flexible and breathable material with stable performance and long service life.

Specifications

Pressure-Flow Curve



Dead Space Information

Dead space is the empty volume of the mask up to the swivel. The dead space of the mask varies according to cushion sizes but is less than 218 mL.

Therapy Pressure

4 to 30 cmH<sub>2</sub>O

Resistance

Drop in Pressure measured (average for 3 sizes)  
at 50 L/min: 0.5 cmH<sub>2</sub>O      at 100 L/min: 1.0 cmH<sub>2</sub>O

Anti-asphyxiation (I) valve closed to Atmosphere (F3 with elbow "V" and "NV1")

≤ 2.8 cmH<sub>2</sub>O

Anti-asphyxiation (I) valve open to Atmosphere (F3 with elbow "V" and "NV1")

≤ 2.8 cmH<sub>2</sub>O

Sound (Take the maximum noise of elbow "V")

DECLARED DUAL-NUMBER NOISE EMISSION VALUES in accordance with ISO 4871. The A-weighted sound power level of the mask is no more than 36 dBA. The A-weighted sound pressure level of the mask at a distance of 1 m is no more than 28 dBA.

Main Features



Compatible with 4 elbow options, including V (Transparent), NV1 (Milky), NV2 (Blue) and NV3 (Green).

One mask body plus whichever elbow configuration needed in the package provide a multifunctional NIV therapy interface kit.

Two multifunctional ports

There are two ports on the main frame of the mask for pressure test and/or additional oxygen input.

