



BLOOD & INFUSION WARMER FT2800

FEATURES

Technology of control:

• Microprocessor integrated with temperature sensors provides high precise control

Safety system:

- Permanent running self-tests, 24 hours continuous operating
- Double independent over-heating protections and automatic cut off
- Visual and acoustic alarm for high temperature / low temperature/sensor fault **Dual channels:**
- Each channel can work independently with own temp. setting and temp control
- Two channels can be combined to enlarge the warming capacity

Heating up to the patient:

• IV tube is completely wrapped in, no heat loss

User friendly interface:

- Big LED screen showing set temp., actual temp., heating time and fault situation
- Easy and quick to set up, ready to use within minutes.

Open system:

• Accepts standard IV tube, no special disposables needed

TECHNICAL SPECIFICATIONS

Model:	FT2800
Temperature setting:	33-41°C
Power supply:	a.c.100~240V/50~60Hz
Power consumption:	Max. 180VA
Type of protection against electric shock:	Class I
Degree of protection against electric shock:	BF Applied part; Defibrillation-protected
Degree of protection against ingress of liquids:	IPX2
Temperature accuracy:	±1.0°C
Overheat protection:	42°C/43°C
Low temperature alarm:	32°C
Warming up time:	From 20°C to 36°C approx.2 min.
Operating mode:	Continuous
Dimension (W*D*H):	200×130×250mm
Net Weight:	2.3kg
Warming profile:	length 1400mm; compatible to IV tube 3.5-5.0mm O.D.
	Contact the supplier for other options

Distributor:

* Subject to technical modifications without notice



Medical Technology

Keewell Medical Technology Co., Ltd.

Xiananyi Industrial Zone, Pingzhou, Nanhai, Foshan, Guangdong 528251, P.R.China

T.: +86 757 86260839 F.: +86 757 86260100 marketing@keewell.cn http://en.keewell.cn **C E** 0482