

Manufacturer: BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or.Taraclia, str.Vocalnaia 28 rep.Moldova		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport:			
Customer: Metalica - Zuev SRL SEC.CIOCANĂ Industrială nr.48		No. 2891 Date: 31.01.2025		Total weight, Kg 23 566		Total Length Pieces: 1 920	
Contract No. Order No. Specification Ne Destination		Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		 	
A01		A02		A10		B03-B06	
B07		B09		B12		B08	

Product description

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Thickness	Length(mm)	Deviation	Bundles	Pieces	Netto Weight (Kg)	Brutto weight, kg	Meters
1	46669	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm	12 000	+50/-0		1	20	3 338	-	240
2	46667	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm	12 000	+50/-0		1	20	3 227	-	240
3	46668	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm	12 000	+50/-0		1	20	3 203	-	240
4	46666	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm	12 000	+50/-0		1	20	3 303	-	240
5	46665	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm	12 000	+50/-0		1	20	2 624	-	240
6	46659	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm	12 000	+50/-0		1	20	2 638	-	240
7	46658	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm	12 000	+50/-0		1	20	2 615	-	240
8	46657	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm	12 000	+50/-0		1	20	2 618	-	240

«BAS STEEL PROFILE» S.R.L.

OTK

Nr.crt.	B07		B01-B02	B09		C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
	Nr. Bundles	Heat		Product	Dimension(mm)											
1	46669	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		1,8		40	35	14	6	2	1		9	
2	46667	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		1,8		40	35	14	6	2	1		9	
3	46668	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		1,8		40	35	14	6	2	1		9	
4	46666	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		1,8		40	35	14	6	2	1		9	
5	46655	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x12		1,5		42	19	25	3	1	1		9	
6	46659	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x12		1,5		42	19	25	3	1	1		9	
7	46658	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x12		1,5		42	19	25	3	1	1		9	
8	46657	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x12		1,5		42	19	25	3	1	1		9	

«BAS STEEL PROFILE» S.R.L.
OTK

Mechanical Test

Nr.crt.	B07		B01-B02		B09		Direction of the test pieces	Test temperature	ReH	Rm	A	Ra, µm	D02	D03
	Nr. Bundles	Heat	Product	Dimension(mm)	C02	C03								
1	46669	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		ambient	329	397	31					
2	46667	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		ambient	329	397	31					
3	46668	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		ambient	329	397	31					
4	46666	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		ambient	329	397	31					
5	46655	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm		ambient	275	387	42					
6	46659	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm		ambient	275	387	42					
7	46658	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm		ambient	275	387	42					
8	46657	141771	S235JRH EN 10219-1/2	100 x 100 x 4.0 x 12000mm		ambient	275	387	42					

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection

Tolerances on dimensions and shape: pass

Drawetep up, representative,
Eng.Filipov Nicolai

Signature of the QCD representative,
Eng.Nekit Yuri

(Handwritten signature)

«BAS STEEL PROFILE» S.R.L.
OTK