

Nr. 173 din ” 17 ” Martie 2026

INM CONS PARTNERS S.R.L.

Scrisoare de însoțire a actelor de calitate

Stimați parteneri, în urma solicitării Dumneavoastră, vă transmitem actele de calitate aferente mărfurilor achiziționate de la „Profmet Grup” S.R.L., care, conform gamei de produse comercializate de compania noastră, sunt repartizate în anexele corespunzătoare, actele fiind atașate ca anexe în acest document electronic și conforme integral originalelor păstrate în baza de date a companiei noastre.

Anexa 1 – Declarație de Performanță - 1 filă; art. 030021, 030323 (art. de bază 030001-030003) - Dibu de montare rapidă, cu bord, PROFMET;

Anexa 2 – Declarație de Performanță - 1 filă; art. 029021, 029022 (art. de bază 029001, 029002) - Dibu de montare rapidă, PROFMET;

Anexa 3 – Declarație de Conformitate, Rapoarte de Test - 3 file; art. 003003, 003005 - Șurub pe metal, BAUX;

Anexa 4 – Declarație de Conformitate, Rapoarte de Test - 3 file; art. 008001, 008003 Șurub autoforant cu cap plat și șaibă, pe metal, BAUX;

Anexa 5 – Declarație de Performanță, Rapoarte de Test – 3 file; art. 009019, 009063 - Șurub universal pe lemn, PROFMET;

Anexa 6 – Declarație de Performanță, Rapoarte de Test – 2 file; art. 005009, 005012 - Șurub pe lemn, BAUX;

Vă mulțumim pentru colaborarea de durată și pentru încrederea acordată produselor noastre.

Cu respect,
Șef Departament Controlul Calității

Elena NICHITIUC

Fabricant: „PROFMET GRUP” S.R.L.
Str. Petricani 33, or. Chişinău, Republica Moldova
Email: info@profmet.md

DECLARAȚIE DE PERFORMANȚĂ (DoP)

- Cod unic de identificare al produsului-tip (art.):** 029001, 029002, 029003, 029004, 029005, 029006, 029007
- Utilizarea preconizată a produsului de construcție:** Montarea rapidă a diferitor materiale, lucrări de izolare termică
- Denumirea produsului:** Diblu pentru montare rapida (6x40, 6x60, 6x80, 8x60, 8x80, 8x100, 8x120)
- Marcă comercială (dacă există):** PROFMET
- Sistemul de evaluare și verificare a constanței performanței produsului:** Sistem 4
- Documentul de evaluare tehnică:** Evaluare Tehnică (ETM) Nr. 01/03-026:2023
- Evaluarea tehnică:** Cod NM MD 3921
- Organismul de evaluare tehnică:** Consiliul Tehnic Permanent pentru Construcții (Oficiul pentru Amenajarea Teritoriului, Urbanism, Construcții și Locuințe)
- Documentație tehnică adecvată și/sau documentație tehnică specifică:** Neaplicabil

Performanța/performance declarată/declarate:

Nr. crt.	Caracteristica esențială	Performanța declarată	Standard / metodă de încercare aplicată
1	<u>Sarcina de smulgere beton greu</u>	<u>0,80/0,82/0,79/0,80 (kN)</u>	<u>SM EN 12504-3:2015, Prt. 3</u>
2	<u>Gradul de combustibilitate</u>	<u>Puternic combustibili</u>	<u>NCM E. 03.02-2014</u>
3	<u>Aldehida formică</u>	<u><0,003 mg/m3</u>	<u>IM 3917, POS 1.7</u>

Performanța produsului identificat mai sus este în conformitate cu setul de performanțe declarate. Această declarație de performanță este eliberată în conformitate cu **Reglementare Tehnică Nr. 913/2016 (Cerințele Minime Pentru Comercializarea Produselor Pentru Construcții)**, pe răspunderea exclusivă a fabricantului identificat mai sus.

Semnată pentru și în numele fabricantului de către:

Locul: ~~mun. Chişinău, str. Petricani, 33~~

Data: **5 martie 2024**

Numele și funcția: **Viorel ȘTEFANET, Director „Profmet Grup” SRL**

Semnătura: _____

Ștampila companiei



SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD

NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG, SHANGHAI,201316,CHINA

Tel. +86-21-31118588 , Fax +86-21-31118599



DECLARATION OF PERFORMANCE No 1/SZ/16

- 1. Unique identification code of the product-type: **Type: CHIPBOARD SCREW (2,0x10-25)
CHIPBOARD SCREW (3,0x12-40)
CHIPBOARD SCREW (3,5x16-60)
CHIPBOARD SCREW (4,0x16-70)
CHIPBOARD SCREW (4,5x80)
CHIPBOARD SCREW (6,0x40-200)**
- 2. Intended use/es: **Specially used for connecting wooden boards and thin steel plates For fixing**
- 3. Manufacturer: SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.
NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG, SHANGHAI,201316,CHINA
- 4. Authorised representative: **not applicable**
- 5. System/s of AVCP: **system 4**
- 6. Harmonized norm: SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.
Test report no:TM2512WJ030-185; TM2512WJ030-186;
TM2512WJ030-187; TM2512WJ030-188; TM2512WJ030-189;
TM2511WJ030-190; TM2511WJ030-190; TM2512WJ030-211;
TM2512WJ030-212
Based on:
EN 14592:2008+A1:2012
- 7. Declared performance/s:

Characteristic	Value	Harmonized norm
Resistance to bending	Satisfies	EN 14592:2008+A1:2012
Reaction to fire	Class A1	EN 14592:2008+A1:2012
Corrosion protection	Class 24	EN 14592:2008+A1:2012

- 8. Appropriate Technical Documentation and/or Specific Technical Documentation: **not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD

Shanghai , China
06.01.2026

(place and date of issue)



(signature)

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

TEST REPORT

- 1.CUSTOMER: PROFMET GRUP SRL
- 2.CERTIFICATE No:TM2512WJ030-186
- 3.TEST DATE: December 2th,2025
- 4.CERTIFICATE ISSUED: December 9th,2025
- 5.EXPIRY DATE: December 9th,2027
- 6.NUMBER OF SAMPLES TESTED: 50 PCS
- 7.APPLICABLE STANDARD:CHIPBOARD SCREW
- 8.INSPECTOR:YANG YUN TING



Size	Thread diameter A (mm)		Length (mm)		Torsion(Nm)	
	Standard	result	Standard	result	Standard	result
3,0×12(009001)	2.75-3.0	ACC	11.0-12.0	ACC	1.5	ACC
3,0×16(009002)	2.75-3.0	ACC	15.0-16.0	ACC	1.5	ACC
3,0×20(009003)	2.75-3.0	ACC	18.5-20.0	ACC	1.5	ACC
3,0×25(009004)	2.75-3.0	ACC	23.5-25.0	ACC	1.5	ACC
3,0×30(009005)	2.75-3.0	ACC	28.5-30.0	ACC	1.5	ACC
3,0×35(009006)	2.75-3.0	ACC	33.5-35.0	ACC	1.5	ACC
3,0×40(009007)	2.75-3.0	ACC	38.5-40.0	ACC	1.5	ACC
3,5×16(009009)	3.2-3.5	ACC	15.0-16.0	ACC	2.0	ACC
3,5×20(009010)	3.2-3.5	ACC	18.5-20.0	ACC	2.0	ACC
3,5×25(009011)	3.2-3.5	ACC	23.5-25.0	ACC	2.0	ACC
3,5×30(009012)	3.2-3.5	ACC	28.5-30.0	ACC	2.0	ACC
3,5×35(009013)	3.2-3.5	ACC	33.5-35.0	ACC	2.0	ACC
3,5×40(009014)	3.2-3.5	ACC	38.5-40.0	ACC	2.0	ACC
3,5×50(009016)	3.2-3.5	ACC	48.5-50.0	ACC	2.0	ACC
3,5×60(009063)	3.2-3.5	ACC	58.5-60.0	ACC	2.0	ACC
REMARK:						
1.Test results are in accordance to the standard indicated.						
2.ACC-Accept; REJ-Rejected						

Material: C1022						
Chemical composition & Technical specification						
Element	C%	Si%	Mn%	P%	S%	
Ratio	0.22	0.07	0.79	0.012	0.005	

Conclusion	Hereby we confirm that the tested articles comply with the requirements in the presence of the inspector.
------------	---

SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

杨运婷

Authorized Signature

signature: _____

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

TEST REPORT

- 1.CUSTOMER: PROFMET GRUP SRL
- 2.CERTIFICATE No:TM2512WJ030-187
- 3.TEST DATE: December 2th,2025
- 4.CERTIFICATE ISSUED: December 9th,2025
- 5.EXPIRY DATE: December 9th,2027
- 6.NUMBER OF SAMPLES TESTED: 50 PCS
- 7.APPLICABLE STANDARD:CHIPBOARD SCREW
- 8.INSPECTOR:YANG YUN TING



Size	Thread diameter A (mm)		Length (mm)		Torsion(Nm)	
	Standard	result	Standard	result	Standard	result
4,0×16('009064)	3.7-4.0	ACC	15.0-16.0	ACC	3	ACC
4,0×20('009065)	3.7-4.0	ACC	18.5-20.0	ACC	3	ACC
4,0×25('009066)	3.7-4.0	ACC	23.5-25.0	ACC	3	ACC
4,0×30(009067)	3.7-4.0	ACC	28.5-30.0	ACC	3	ACC
4,0×35(009017)	3.7-4.0	ACC	33.5-35.0	ACC	3	ACC
4,0×40(009018)	3.7-4.0	ACC	38.5-40.0	ACC	3	ACC
4,0×45(009019)	3.7-4.0	ACC	43.5-45.0	ACC	3	ACC
4,0×50(009020)	3.7-4.0	ACC	48.5-50.0	ACC	3	ACC
4,0×60(009021)	3.7-4.0	ACC	58.5-60.0	ACC	3	ACC
4,0×70(009022)	3.7-4.0	ACC	68.5-70.0	ACC	3	ACC
4,5×80(009023)	4.2-4.5	ACC	78.5-80.0	ACC	4.3	ACC

REMARK:

1.Test results are in accordance to the standard indicated.

2.ACC-Accept; REJ-Rejected

Material: C1022						
Chemical composition & Technical specification						
Element	C%	Si%	Mn%	P%	S%	
Ratio	0.22	0.07	0.79	0.012	0.005	

Conclusion	Hereby we confirm that the tested articles comply with the requirements in the presence of the inspector.
------------	---

SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

杨运婷

Authorized Signature

signature: _____

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG, SHANGHAI,201316,CHINA

DECLARAȚIE DE CONFORMITATE A PRODUCĂTORULUI

1. Producător / Manufacturer

Denumirea completă / Full name: SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

Adresa completă / Full address (country, city, street): SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG,
SHANGHAI,201316,CHINA

Telefon / e-mail / website: www.unistar-tools.com

2. Obiectul declarației / Object of the Declaration

Denumirea produsului / Product name: DIN911 Inner Hexagonal Wrench; Nail Type Ceiling Anchor.

Tip / Model / Cod / Type, model, code: 1563Group; 008001-008004; 003003; 003005.

Descriere / utilizare prevăzută / Description, intended use: Fastening and assembly elements used in industrial, mechanical, and construction applications for joining and anchoring components. The products include threaded rods, hex nuts, washers, and metal anchors, in compliance with the relevant DIN standards.

Marcaj / lot / cod de identificare / Marking, lot, identification code: PROFMET

3. Declarația producătorului / Manufacturer's Declaration

Subsemnatul, în calitate de producător, declar pe propria răspundere că produsul (produsele) menționat(e) mai sus îndeplinește (îndeplinesc) toate cerințele esențiale aplicabile privind siguranța, sănătatea, protecția mediului și performanța, prevăzute în reglementările tehnice și standardele în vigoare.

I, the undersigned, as the manufacturer, hereby declare under sole responsibility that the product(s) specified above meet(s) all applicable essential requirements concerning safety, health, environmental protection, and performance, as defined by the applicable technical regulations and standards.

4. Reglementări și standarde aplicabile / Applicable Regulations and Standards

Standard(e) aplicabil(e) / Applicable standard(s): DIN933; performance comply with practicality

5. Evaluarea conformității / Conformity Assessment

Raport de testare nr. / Test report No.: TM2510WJ030-131;TM2511WJ030-103;
TM2505WJ030-092 .

Emis de / Issued by: Yang Yun Ting

Data emiterii / Date of issue: 2025/10/22; 2025/11/20; 2025/03/19.

Laborator / Organism de încercare / Laboratory / Testing body: SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

6. Dosarul tehnic / Technical Documentation

Documentația tehnică aferentă produsului (descriere tehnică, desene, materiale, rezultate ale testelor, specificații, instrucțiuni de utilizare, certificate) este arhivată la sediul producătorului.
The technical documentation related to the product (technical description, drawings, materials, test results, specifications, user instructions, certificates) is archived at the manufacturer's address.

7. Declarație finală / Final Declaration

Prin prezenta, producătorul declară că produsul descris mai sus este conform cu toate cerințele legale și standardele aplicabile.

The manufacturer hereby declares that the product described above complies with all applicable legal requirements and standards.

Locul emiterii / Place of issue: Shanghai,China

Data emiterii / Date: 2026 / 01 / 06

Nume, prenume / Name: Tammy Yang

Funcția / Position: Sales Manager

Semnătura / Signature:

Ștampila producătorului / Manufacturer's stamp:


For and on behalf of
SHANGHAI UNI-STAR
INDUSTRIAL AND TRADING CO LTD

Authorized Signature(s)

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

TEST REPORT

- 1.CUSTOMER: PROFMET GRUP SRL
- 2.CERTIFICATE No:TM2505WJ030-092
- 3.TEST DATE: March 12 th,2025
- 4.CERTIFICATE ISSUED: March 19 th,2025
- 5.EXPIRY DATE: March 19 th,2027
- 6.NUMBER OF SAMPLES TESTED: 50 PCS
- 7.APPLICABLE STANDARD: Drywall screw, fine thread
- 8.INSPECTOR:Yang Yun Ting



Size	Thread diameter d (mm)		Length (mm)		Thread distance (mm)	
	Standard	result	Standard	result	Standard	result
3,5x25 003003	3.4-3.7	ACC	24-26	ACC	1.49	ACC
3,5x35 003005	3.4-3.7	ACC	33.5-36.5	ACC	1.49	ACC
REMARK:						

1.Test results are in accordance to the standard indicated.

2.ACC-Accept; REJ-Rejected

Material: C1022

Chemical composition & Technical specification

Element	C%	Si%	Mn%	P%
Ratio	0.22	0.07	0.79	0.012

Conclusion	Hereby we confirm that the tested articles comply with the requirements in the presence of the inspector.
------------	---

SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

杨运婷

Authorized Signature

signature _____

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

TEST REPORT

- 1.CUSTOMER: PROFMET GRUP SRL
- 2.CERTIFICATE No:TM2510WJ030-131
- 3.TEST DATE: October 15 th,2025
- 4.CERTIFICATE ISSUED: October 22 th,2025
- 5.EXPIRY DATE: October 22 th,2027
- 6.NUMBER OF SAMPLES TESTED: 50 PCS
- 7.APPLICABLE STANDARD: SELF DRILLING SCREWS
- 8.INSPECTOR:Yang Yun Ting



Size	Thread diameter d (mm)		Length (mm)		Thread distance (mm)		Diameter of Drill (mm)	
	Standard	result	Standard	result	Standard	result	Standard	result
4,2x13 (008001)	4.0-4.3	ACC	12-14	ACC	1.4	ACC	3,35-3,45	ACC
4,2x16 (008002)	4.0-4.3	ACC	15-17	ACC	1.4	ACC	3,35-3,45	ACC
4,2x19 (008003)	4.0-4.3	ACC	18-20	ACC	1.4	ACC	3,35-3,45	ACC
4,2x25 (008004)	4.0-4.3	ACC	24-26	ACC	1.4	ACC	3,35-3,45	ACC

REMARK:

1.Test results are in accordance to the standard indicated.

2.ACC-Accept; REJ-Rejected

Material: C1022

Chemical composition & Technical specification

Element	C%	Si%	Mn%	P%
Ratio	0.22	0.07	0.79	0.012

Conclusion	Hereby we confirm that the performance comply with the requirements in the presence of the inspector.
------------	---

SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

杨运婷

Authorized Signature

signature _____

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD

NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG, SHANGHAI,201316,CHINA

Tel. +86-21-31118588 , Fax +86-21-31118599



DECLARATION OF PERFORMANCE No 1/SZ/16

- 1. Unique identification code of the product-type: **Type: Drywall screw, coarse thread (3,5 x 32-51)
Drywall screw, coarse thread (3,8x64)
Drywall screw, coarse thread (4.2x70-89)
Drywall screw, coarse thread (4.8x102-120)**
- 2. Intended use/es: **Screw the plasterboard to the steel base. For fixing plasterboard, fiber-reinforced gypsum boards, products made in the secondary processing and related ancillary products that meet the requirements of EN 14566 for steel grate profiles.**
- 3. Manufacturer: SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.
NO.15-2,HANGQIROAD,DAMAIWAN INDUSTRIAL PARK,PUDONG, SHANGHAI,201316,CHINA
- 4. Authorised representative: **not applicable**
- 5. System/s of AVCP: **system 4**
- 6. Harmonized norm: SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.
Test report no:
Based on:
EN14566:2008+A1/2009, Mechanical fasteners for gypsum plasterboard systems — Definitions, requirements and test methods"

7. Declared performance/s:

Characteristic	Value	Harmonized norm
Resistance to bending	Satisfies	EN14566:2008+A1/2009
Reaction to fire	Class A1	EN14566:2008+A1/2009
Corrosion protection	Class 24	EN14566:2008+A1/2009

8. Appropriate Technical Documentation and/or Specific Technical Documentation: **not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD

Shanghai, China
06.01.2026

(place and date of issue)

For and on behalf of
SHANGHAI UNI-STAR
INDUSTRIAL AND TRADING CO LTD




Authorized Signature(s)

(signature)

SHANGHAI UNI-STAR INDUSTRIAL & TRADING CO.,LTD.

TEST REPORT

- 1.CUSTOMER: PROFMET GRUP SRL
- 2.CERTIFICATE No:TM2601WJ030-360
- 3.TEST DATE: February 13th,2026
- 4.CERTIFICATE ISSUED: February 20th,2026
- 5.EXPIRY DATE: February 20th,2028
- 6.NUMBER OF SAMPLES TESTED: 50 PCS
- 7.APPLICABLE STANDARD:Drywall screw, coarse thread
- 8.INSPECTOR:YANG YUN TING



Size	Thread diameter A (mm)		Length (mm)	
	Standard	result	Standard	result
3, 5x32 (005004)	3.20-3.95	ACC	32±3	ACC
3, 5x35 (005005)	3.20-3.95	ACC	35±3	ACC
3, 5x41 (005006)	3.20-3.95	ACC	41±3	ACC
3, 5x45 (005007)	3.20-3.95	ACC	45±3	ACC
3, 5x51 (005008)	3.20-3.95	ACC	51±3	ACC
3, 5x55 (005009)	3.20-3.95	ACC	55±3	ACC
3, 8x64 (005010)	3.40-4.25	ACC	64±3	ACC
4, 2x70 (005012)	3.70-4.60	ACC	70±4	ACC
4, 2x76 (005013)	3.70-4.60	ACC	76±4	ACC
4, 2x89 (005014)	3.70-4.60	ACC	89±4	ACC
4, 8x102 (005017)	4.30-5.30	ACC	102±4	ACC
4, 8x120 (005018)	4.30-5.30	ACC	120±4	ACC

REMARK:

1.Test results are in accordance to the standard indicated.

2.ACC-Accept; REJ-Rejected

Material: C1022				
Chemical composition & Technical specification				
Element	C%	Si%	Mn%	P%
Ratio	0.22	0.07	0.79	0.012

Conclusion	Hereby we confirm that the tested articles comply with the requirements in the presence of the inspector.
------------	---

SHANGHAI UNI-STAR
INDUSTRIAL & TRADING CO.,LTD.

杨运婷

Authorized Signature

signature