

261 DYNAMIC HIP COMPRESSION PLATE WITH DC HOLES

WZ. 6-1

NO. OF HOLES	CODE					
	BARREL LENGTH-38mm					
	BARREL ANGLE					
	125°	130°	135°	140°	145°	150°
2	261.025.02	261.30.02	261.35.02	261.40.02	261.45.02	261.50.02
2	261.025.02Ti	261.30.02Ti	261.35.02Ti	261.40.02Ti	261.45.02Ti	261.50.02Ti
3	261.025.03	261.30.03	261.35.03	261.40.03	261.45.03	261.50.03
3	261.025.03Ti	261.30.03Ti	261.35.03Ti	261.40.03Ti	261.45.03Ti	261.50.03Ti
4	261.025.04	261.30.04	261.35.04	261.40.04	261.45.04	261.50.04
4	261.025.04Ti	261.30.04Ti	261.35.04Ti	261.40.04Ti	261.45.04Ti	261.50.04Ti
5	261.025.05	261.30.05	261.35.05	261.40.05	261.45.05	261.50.05
5	261.025.05Ti	261.30.05Ti	261.35.05Ti	261.40.05Ti	261.45.05Ti	261.50.05Ti
6	261.025.06	261.30.06	261.35.06	261.40.06	261.45.06	261.50.06
6	261.025.06Ti	261.30.06Ti	261.35.06Ti	261.40.06Ti	261.45.06Ti	261.50.06Ti
7	261.025.07	261.30.07	261.35.07	261.40.07	261.45.07	261.50.07
7	261.025.07Ti	261.30.07Ti	261.35.07Ti	261.40.07Ti	261.45.07Ti	261.50.07Ti
8	261.025.08	261.30.08	261.35.08	261.40.08	261.45.08	261.50.08
8	261.025.08Ti	261.30.08Ti	261.35.08Ti	261.40.08Ti	261.45.08Ti	261.50.08Ti
9	261.025.09	261.30.09	261.35.09	261.40.09	261.45.09	261.50.09
9	261.025.09Ti	261.30.09Ti	261.35.09Ti	261.40.09Ti	261.45.09Ti	261.50.09Ti
10	261.025.10	261.30.10	261.35.10	261.40.10	261.45.10	261.50.10
10	261.025.10Ti	261.30.10Ti	261.35.10Ti	261.40.10Ti	261.45.10Ti	261.50.10Ti
12		261.30.12	261.35.12	261.40.12		
12		261.30.12Ti	261.35.12Ti	261.40.12Ti		
14		261.30.14	261.35.14	261.40.14		
14		261.30.14Ti	261.35.14Ti	261.40.14Ti		
16		261.30.16	261.35.16	261.40.16		
16		261.30.16Ti	261.35.16Ti	261.40.16Ti		
18		261.30.18	261.35.18	261.40.18		
18		261.30.18Ti	261.35.18Ti	261.40.18Ti		
20		261.30.20	261.35.20	261.40.20		
20		261.30.20Ti	261.35.20Ti	261.40.20Ti		
22		261.30.22	261.35.22	261.40.22		
22		261.30.22Ti	261.35.22Ti	261.40.22Ti		



Code No: 261

262 DYNAMIC HIP COMPRESSION PLATE WITH DC HOLES, SHORT BARREL

NO. OF HOLES	CODE			
	BARREL LENGTH-25mm			
	BARREL ANGLE			
	130°		135°	
2	262.30.02	262.30.02.Ti	262.35.02	262.35.02.Ti
3	262.30.03	262.30.03.Ti	262.35.03	262.35.03.Ti
4	262.30.04	262.30.04.Ti	262.35.04	262.35.04.Ti
5	262.30.05	262.30.05.Ti	262.35.05	262.35.05.Ti
6	262.30.06	262.30.06.Ti	262.35.06	262.35.06.Ti
7	262.30.07	262.30.07.Ti	262.35.07	262.35.07.Ti
8	262.30.08	262.30.08.Ti	262.35.08	262.35.08.Ti
9	262.30.09	262.30.09.Ti	262.35.09	262.35.09.Ti
10	262.30.10	262.30.10.Ti	262.35.10	262.35.10.Ti
12	262.30.12	262.30.12.Ti		
14	262.30.14	262.30.14.Ti		
16	262.30.16	262.30.16.Ti		
18	262.30.18	262.30.18.Ti		
20	262.30.20	262.30.20.Ti		
22	262.30.22	262.30.22.Ti		



Code No: 262

263 95° DYNAMIC HIP COMPRESSION PLATE WITH DC HOLES

for 6.2

NO. OF HOLES	CODE	
	STAINLESS STEEL	TITANIUM
6	263.06.100	263.06.100.Ti
7	263.07.115	263.07.115.Ti
8	263.08.130	263.08.130.Ti
9	263.09.146	263.09.146.Ti
10	263.10.163	263.10.163.Ti
12	263.12.198	263.12.198.Ti
14	263.14.225	263.14.225.Ti
16	263.16.260	263.16.260.Ti
18	263.18.306	263.18.306.Ti
20	263.20.338	263.20.338.Ti
22	263.22.370	263.22.370.Ti



Code No: 263

266 TROCHANTER STABILIZING PLATE

NO. OF HOLES	CODE	
	STAINLESS STEEL	TITANIUM
6	266.006	266.006.Ti
8	266.008	266.008.Ti



Code No: 266

267 STANDARD LAG SCREW WITH COMPRESSION SCREW (Ø12.5mm)

104.6.3

CODE			CODE		
LENGTH (mm)	STAINLESS STEEL	TITANIUM	LENGTH (mm)	STAINLESS STEEL	TITANIUM
50	267.050	267.050.Ti	100	267.100	267.100.Ti
55	267.055	267.055.Ti	105	267.105	267.105.Ti
60	267.060	267.060.Ti	110	267.110	267.110.Ti
65	267.065	267.065.Ti	115	267.115	267.115.Ti
70	267.070	267.070.Ti	120	267.120	267.120.Ti
75	267.075	267.075.Ti	125	267.125	267.125.Ti
80	267.080	267.080.Ti	130	267.130	267.130.Ti
85	267.085	267.085.Ti	135	267.135	267.135.Ti
90	267.090	267.090.Ti	140	267.140	267.140.Ti
95	267.095	267.095.Ti	145	267.145	267.145.Ti




Code No: 267

268 COMPRESSION SCREW

104.6.3


CODE	PRODUCT
268.001	STAINLESS STEEL
268.001.Ti	TITANIUM



Code No: 268

269 95° CONDYLAR PLATE WITH DC HOLES



NO. OF HOLES	CODE			
	BLADE LENGTH			
	50mm	60mm	70mm	80mm
5	269.5.05	269.6.05	269.7.05	269.8.05
5	269.5.05.Ti	269.6.05.Ti	269.7.05.Ti	269.8.05.Ti
7	269.5.07	269.6.07	269.7.07	269.8.07
7	269.5.07.Ti	269.6.07.Ti	269.7.07.Ti	269.8.07.Ti
9	269.5.09	269.6.09	269.7.09	269.8.09
9	269.5.09.Ti	269.6.09.Ti	269.7.09.Ti	269.8.09.Ti
12	269.5.12	269.6.12	269.7.12	269.8.12
12	269.5.12.Ti	269.6.12.Ti	269.7.12.Ti	269.8.12.Ti
14	269.5.14	269.6.14	269.7.14	269.8.14
14	269.5.14.Ti	269.6.14.Ti	269.7.14.Ti	269.8.14.Ti
16	269.5.16	269.6.16	269.7.16	269.8.16
16	269.5.16.Ti	269.6.16.Ti	269.7.16.Ti	269.8.16.Ti
18	269.5.18	269.6.18	269.7.18	269.8.18
18	269.5.18.Ti	269.6.18.Ti	269.7.18.Ti	269.8.18.Ti



Code No: 269

IS-04-03
INSTRUMENTS FOR DYNAMIC HIP COMPRESSION PLATE (CONTD....)
NOZ.6.4

CODE	PRODUCTS	QUANTITY
862.020	DHS Impactor	1 Pc
862.025	DHS Triple Reamer	1 Pc
862.030	Guide Shaft for Coupling Screw	2 Pcs
660.23.25	Guide Wire with Front Threaded Tip 2.5 x 230mm (Ø x L)	6 Pcs
614.035	Hexagonal Screw Driver, 3.5mm tip	1 Pc
862.035	'T' Handle with Quick Coupling	1 Pc
662.28.25	Stylet Ø2.5mm x 280mm Length	1 Pc
862.045	Variable Angle Guide	1 Pc
Optional Instruments:		
862.015	DHS Angle Guide - 130°	1 Pc
862.017	DHS Angle Guide - 140°	1 Pc
862.018	DHS Angle Guide - 150°	1 Pc
862.024	DHS Triple Reamer for Short Barrel	1 Pc
614.040	Hexagonal Screw Driver 3.5mm tip, Extra Large (for DHS Variable Angle Plate)	1 Pc

Supplied in a Sterilize Box


Assembly

**CENTERING SLEEVE
FOR DHS TAP**
DHS TAP


Code No: 862.001



Code No: 862.002

CENTERING SLEEVE FOR DHS WRENCH
WRENCH FOR DHS SCREWS


Code No: 862.003



Code No: 862.048

**LONG COUPLING SCREW
FOR DHS SCREW REMOVAL**
**COUPLING SCREW FOR INSERTING DHS
SCREW (FOR Ø 2.5mm WIRE GUIDE)**


Code No: 862.034



Code No: 862.005

IS-04-03
INSTRUMENTS FOR DYNAMIC HIP COMPRESSION PLATE (CONTD....)
WZ. 6.4
DIRECT MEASURING DEVICE


Code No: 657.001

DCS ANGLE GUIDE


Code No: 862.008

DCS TRIPLE REAMER


Code No: 862.010

DHS ANGLE GUIDE - 135°


Code No: 862.016

DHS IMPACTOR


Code No: 862.020

DHS TRIPLE REAMER


Code No: 862.025

GUIDE SHAFT FOR COUPLING SCREW


Code No: 862.030

GUIDE WIRE WITH FRONT THREADED TIP 2.5 X 230mm (Ø X L)


Code No: 660.23.25

HEXAGONAL SCREW DRIVER, 3.5mm TIP


Code No: 614.035

STYLET Ø2.5mm X 280mm LENGTH


Code No: 662.28.25

IS-04-03

INSTRUMENTS FOR DYNAMIC HIP COMPRESSION PLATE (CONTD....)


no 6.4

VARIABLE ANGLE GUIDE



Code No: 862.045

'T' HANDLE WITH QUICK COUPLING




Code No: 862.035

OPTIONAL INSTRUMENTS FOR DYNAMIC HIP COMPRESSION PLATE

DHS ANGLE GUIDE

CODE	SIZE
862.015	130°
862.017	140°
862.018	150°



Code No: 862.015

DHS TRIPLE REAMER FOR SHORT BARREL



Code No: 862.024

HEXAGONAL SCREW DRIVER 3.5mm TIP, EXTRA LARGE (FOR DHS VARIABLE ANGLE PLATE)



Code No: 614.040

IS-04-04

INSTRUMENTS FOR ANGLED BLADE PLATE

Set consists of:

CODE	PRODUCTS	QUANTITY
861.001	Chisel Guide	1 Pc
861.020	Seating Chisel	1 Pc
861.010	Impactor	1 Pc
861.015	Insertor - Extractor	1 Pc
861.017	Quadrangular Positioning Plate	1 Pc
861.018	Triangular Positioning Plate (Set of 3 Pc)	1 Set
726.001	Slotted Hammer	1 Pc
861.021	Triple Drill Guide 130°	1 Pc
655.011	Spanner 11mm s.s.	1 Pc
601.100.20	Drill Bit, Quick Coupling End, s.s. 2.0 x 100mm (Ø x L)	1 Pc

Supplied in a Sterilize Box

