




<b>Ochelari de protectie STEELY</b>	
<b>Clasa optica 1</b>	
<b>EN 166, EN 170</b>	
<b>Descriere</b>	Ochelari de protectie cu lentile transparente din policarbonat (2mm). Asigura protectie la impactul cu particule cu o viteza pina la 45m/s Rezistent la temperaturi cuprinse intre -5 ° C la + 55 ° Rama fabricata din nylon, reglabila pe orizontala
<b>Material</b>	Lentila – policarbonat Rama - nylon
<b>Rezistența mecanică</b>	FT
<b>Curbura lentilei</b>	4
<b>Greutate</b>	33 g
<b>Domeniu de utilizare</b>	Lucru mecanic în condiții de bună vizibilitate
<b>Producator</b>	COFRA, Italia



# STEELY

## Classic

<b>LENS</b>	<b>Material</b>	Polycarbonate	
	<b>Thickness</b>	2 mm	
	<b>Colour</b>	Clear	
	<b>Curvature</b>	4 	
	<b>Standards</b>	EN 166 - General standard EN 170 - Ultraviolet filters	
	<b>Marking</b>	2C-1,2  1 FT CE	
<b>FRAME</b>	<b>Material</b>	Front	Nylon
		Temples	Nylon
	<b>Marking</b>		
<b>Features</b>		Extendible temples	
<b>FURTHER TECHNICAL FEATURES</b>	<b>Weight</b>	33 g	
	<b>Applications</b>	Mechanical indoor work with good visibility conditions.	

**COMPLETE EYE PROTECTION**



<b>PACKAGING</b>	Code	Quantity	
	<b>E010-B101</b>	Box	10 single-packed glasses
<b>E010-K101</b>	Carton	24 boxes (240 single-packed glasses)	

**SAFETY TECHNICAL FEATURES**

	DESCRIPTION	STANDARDS	MINIMUM REQUIREMENT / RANGE		RESULT REACHED	MARKING
<b>FILTER DESIGNATION</b>	Scale number	EN166:2001 (par. 5)	---		---	<b>2C - 1,2</b>
<b>BASIC REQUIREMENTS</b>	Visible Light Transmission $\tau_v$	EN170:2002 (par. 5)	100 % $\div$ 74,4 %		92 %	---
	Optical class	EN166:2001 (par. 7.1.2.1.2)	1	On-going work	1	<b>1</b>
			2	Intermittent work		
3			Occasional work (not intended for prolonged use)			
<b>PARTICULAR REQUIREMENTS</b>	Protection against high speed particles	EN166:2001 (par. 7.2.2)	F	Low energy impact (45 m/s)	F	<b>F</b>
			B	Medium energy impact (120 m/s)		
			A	High energy impact (190 m/s)		
<b>OPTIONAL REQUIREMENTS</b>	Protection against high speed particles at extreme temperatures	EN166:2001 (par. 7.3.4)	T	Protection against high speed particles at extreme temperatures (-5°C e +55°C)	COMPLIANT	<b>T</b>

# EU Type Examination Certificate

This is to certify that:

Cofra S.R.L  
Via Dell Euro 53-57-59  
Barletta  
76121  
Italy

Holds Certificate Number:

CE 696983

In respect of:

**Safety Eyewear to EN 166:2001  
Various models of spectacles and goggles**


on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2018-09-17

Latest Issue: 2019-09-12



Drs. Dave Hagenaaars, Managing Director

Effective Date: 2019-09-12

Expiry Date: 2023-09-17

Page: 1 of 6



...making excellence a habit.™

# EU Type Examination Certificate

No. CE 696983

## Product Specification - Spectacles

**Model:** **E005-ROUNDFIT**  
Product description: Safety spectacle  
Technical specification: EN 166:2001  
EN 166 categorisation: Optical Class: 1  
Field of use: FT Low impact energy at extreme temperatures

**Model:** **E006-SHARPEN**  
Product description: Safety spectacle  
Technical specification: EN 166:2001  
EN 166 categorisation: Optical Class: 1  
Field of use:  
FT Low impact energy at extreme temperatures  
K Surface damage by fine particles  
N Resistance to fogging

**Model:** **E007-SHIELD-EFFECT**  
Product description: Safety spectacle  
Technical specification: EN 166:2001  
EN 166 categorisation: Optical Class: 1  
Field of use: FT Low impact energy at extreme temperatures

**Model:** **E008-WAVY**  
Product description: Safety spectacle  
Technical specification: EN 166:2001  
EN 166 categorisation: Optical Class: 1  
Field of use:  
FT Low impact energy at extreme temperatures  
K Surface damage by fine particles  
N Resistance to fogging

**Model:** **E009-COVERTECH**  
Product description: Safety spectacle  
Technical specification: EN 166:2001  
EN 166 categorisation: Optical Class: 1  
Field of use: FT Low impact energy at extreme temperatures

First Issued: 2018-09-17

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2023-09-17

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 696983

## Product Specification – Spectacles (continued)

### Model:

Product description:  
Technical specification:  
EN 166 categorisation:

### E010-STEELY

Safety spectacle  
EN 166:2001  
Optical Class: 1  
Field of use:  
FT Low impact energy at extreme temperatures  
K Surface damage by fine particles  
N Resistance to fogging  
EN 175:1997 (when fitted with EN 169 scale 3 or 5 filter lenses)  
Protection against high speed particles

Technical specification:  
EN 175 categorisation:

### Model:

Product description:  
Technical specification:  
EN 166 categorisation:

### E011-OVERCARE

Safety spectacle  
EN 166:2001  
Optical Class: 1  
Field of use: FT Low impact energy at extreme temperatures  
EN 175:1997 (when fitted with EN 169 scale 3 or 5 filter lenses)  
Protection against high speed particles

Technical specification:  
EN 175 categorisation:

### Model:

Alternative names:  
Product description:  
Technical specification:  
EN 166 categorisation:

### E012-OVERPRO

E012-OVERPRO WELD  
Safety spectacle  
EN 166:2001  
Optical Class: 1  
Field of use: FT Low impact energy at extreme temperatures

### Model:

Product description:  
Technical specification:  
EN 166 categorisation:

### E028-PIVOTED

Safety spectacle  
EN 166:2001  
Optical Class: 1  
Field of use:  
FT Low impact energy at extreme temperatures  
K Surface damage by fine particles  
N Resistance to fogging

First Issued: 2018-09-17

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2023-09-17

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 696983

## Product Specification (continued)

Protection against optical radiation

Some model can also be supplied in one the following scales:

Standard	Scale
EN 172:1994 filter shade (Sunglare filter without infrared specification)	5-2 (Smoked lens) 5-2,5 (Smoked lens) 5-3,1 (Smoked lens) 5-3,1 (Blue mirror lens) 5-4,1 (Red lens) 5-1,7 (indoor-outdoor lens)
EN 169:2002 (Welding filters)	3 5 5C (with enhanced colour recognition option)
EN 170:2002 Ultraviolet filter	2-1,2 (Clear lens) 2C-1,2 (Clear lens) (with enhanced colour recognition option) 2-1,2 (Yellow lens) 2C-1,2 (Yellow lens) (with enhanced colour recognition option) 2-1,4 (Green lens) 2-1,7 (Blue lens) 2C-1,7 (Blue lens) (with enhanced colour recognition option) 2-1,7 (Green) 2C-1,7 (Green) (with enhanced colour recognition option) 2-1,4 (Orange lens)
EN 171:2002 Filter shade (Infrared filter)	4-5 4C-5 (with enhanced colour recognition option)

## Product Specification - Goggles

### Model: E013-CASING

Product description:	Lightweight soft PVC frame with internal lateral vents for wearer comfort Toughened polycarbonate lens, which offers protection against flying particles.
Technical specifications:	EN 166:2001
EN 166 categorisation:	Optical Class: 1 Field of use: 4 Large dust particles 9 Molten metals and hot solids BT Medium impact energy at extreme temperatures

First Issued: 2018-09-17

Effective Date: 2019-09-12

Latest Issue: 2019-09-12

Expiry Date: 2023-09-17

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# EU Type Examination Certificate

No. CE 696983

## Product Specification – Goggles (continued)

### Model: E014-SOFYTOUCH

Product description: Goggle with polycarbonate lens, polyvinyl chloride (PVC) frame/side shields and 60% textured polyester and 40% rubber elastic strap.

Technical specifications: EN 166:2001

EN 166 categorisation: Optical Class: 1

Field of use:

- 3 Liquids
- 4 Large dust particles
- 9 Molten metals and hot solids
- K Resistance to damage by fine particles
- N Resistance to fogging
- BT Medium impact energy at extreme temperatures

### Model: E015-SOFYTOUCH-V

Product description: Goggle with polycarbonate lens, polyvinyl chloride (PVC) frame/side shields and 60% textured polyester and 40% rubber elastic strap and ventilation.

Technical specifications: EN 166:2001

EN 166 categorisation: Optical Class: 1

Field of use:

- 3 Liquids
- 4 Large dust particles
- 9 Molten metals and hot solids
- K Resistance to damage by fine particles
- N Resistance to fogging
- BT Medium impact energy at extreme temperatures

First Issued: 2018-09-17  
Latest Issue: 2019-09-12

Effective Date: 2019-09-12  
Expiry Date: 2023-09-17

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 696983

## Product Specification – Goggles (continued)

### Model: E029-PLIABLE

Product description: Goggle with clear polycarbonate lens, polyvinyl chloride (PVC) frame/side shields and 60% textured polyester and 40% rubber elastic strap.

Technical specifications: EN 166:2001

EN 166 categorisation: Optical Class: 1

Field of use:

- 3 Liquids
- 4 Large dust particles
- K Resistance to damage by fine particles
- N Resistance to fogging
- BT Medium impact energy at extreme temperatures

## Certificate Administration Details

Product initially approved on BSI certificate: CE 692741 & CE 692742

## Certificate Amendment Record

Issue Date	Comments
September 2018	First Issue

**BSI Internal  
Project Number**

0086:18:8999052

## Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

First Issued: 2018-09-17

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2023-09-17

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.