

OFERTĂ COMERCIALĂ

Manager de proiect

Olegas Lavrinovicus

INTRODUCERE

1. INFORMAȚII DESPRE COMPANIE IM “INTERSAT COMMUNICATIONS” SRL..... 3
2. OFERTĂ COMERCIALĂ..... 4

CONFIDENTIAL

1. INFORMAȚII DESPRE COMPANIE IM "INTERSAT COMMUNICATIONS" SRL

1.1. Date de contact

Compania IM "INTERSAT COMMUNICATIONS" srl

Director general: Olegas Lavrinovicius

Telefon : 0 22 295 295, 079701110, 079795555

Persoana de contact: Olegas Lavrinovicius

E-mail: office@intersat.md

Website: www.intersat.md

1.2. Activitati principale

Compania IM "INTERSAT COMMUNICATIONS" este unul dintre cei mai mari integratori de sisteme și furnizori de echipamente de telecomunicații profesionale în Republica Moldova. Compania furnizează clienților săi servicii din 1995.

Principalele activități ale companiei sunt o gamă completă de servicii, începând cu livrarea componentelor individuale ale stațiilor de capăt, precum și o gamă completă de dezvoltare a proiectului, instalarea echipamentelor, instruirea personalului și întreținerea ulterioară.

INTERSAT COMMUNICATIONS este partenerul principal al producătorilor mondiali de echipamente de telecomunicații și, prin urmare, este gata să ofere clienților săi cea mai largă gamă de dezvoltări avansate în domeniul echipamentelor de televiziune și telecomunicații.

Cheia pentru un nivel ridicat și calitatea muncii efectuate, precum și o muncă lungă și stabilă a companiei pe piață o reprezintă echipa profesionistă a angajaților săi. Acestea sunt persoane cu experiență de muncă unică. Suntem siguri că experiența și cunoștințele acumulate de specialiștii noștri vă vor ajuta să vă îndepliniți toate sarcinile.

- Sisteme de difuzare prin satelit, cablu și terestru și IP.
- Sisteme de transmisie de date prin satelit
- Sisteme de transmisie video HD
- Pereți video și Signage digitale - www.ds.md
- Suporturi pentru televizoare LED - www.suport.tv
- Amplificatoare de semnal celular

2. OFERTĂ COMERCIALĂ

În conformitate cu cererea dumneavoastră, INTERSAT COMMUNICATIONS vă poate oferi o ofertă comercială cu titlu oneros pentru următoarele produse:

- Implică-ți elevii în învățare interactivă cu NovoTouch EK860i, un panou de soluție colaborativ



NovoConnect soluție pentru oglindire și adnotare a ecranului wireless, ideal pentru săli de clasă și săli.

- Panou plat IPS multi-touch 86 "cu rezoluție 4K-UHD (3840 x 2160) pentru detalii excepționale și imagini uimitoare.
- Conectați și partajați conținutul - oglindind orice dispozitiv direct pe ecranul mare, cu conceptul său BYOD Your Own Device și compatibilitatea platformei încrucișate pentru laptopuri, tablete și Chromebook.
- Lucrează cu până la 64 de participanți la prelegeri și afișează simultan până la 4 dispozitive pe ecranul mare.
- Funcția LiveScreen NT permite oglindirea ecranului în timp real de la un NovoTouch la mai multe dispozitive cu ecran plat NovoConnect Solution *.
- Funcția de înregistrare a ecranului Minute NT surprinde totul pe ecran ca un videoclip pentru a sprijini toate noile experiențe pedagogice de predare și învățare.
- Țineți controlul - moderator inovator Funcția de previzualizare permite studenților să participe fluid la discuție, oferind totodată profesorului un control complet asupra conținutului afișat - astfel încât să nu existe surprize.



- Transformați panoul plat NovoTouch într-un panou de anunțuri între clase, datorită soluției integrate NovoDS, o soluție intuitivă de semnalizare digitală și nu sunt necesare abilități de programare.
- Fără costuri ascunse - NovoTouch vine cu software gratuit și nici o taxă de licență nu permite implementarea pe scară largă.

Specifications

Type/Technology Panel Size	Backlit D-LED 86"
Brightness	350 cd/m2
Contrast Ratio	1,200:1
Native Resolution	4K UHD (3840 x 2160)
Viewing Angle (H/V)	178°/178°
Aspect Ratio	16:9
Refresh Rate	60 Hz
Estimated Life Time	30,000 hours
Display Color	1.07 billion
Installation Orientation	Landscape
Technology	Infrared Touch 10 Points 20 Points

4mm Thick Toughened Glass (Level 7H on Mohs Scale of Mineral Hardness)
 Android™ v7.0
 ARM® Cortex® A73 Dual Core CPU - Upto 1.1GHZ
 Mali™- 450*5
 2GB DDR3
 16GB (eMMC Flash) (Approximately 9GB User Availability)
 HDMI v2.0 (x2), VGA-In (x1) Audio-In (3.5mm) (x1), AV-In (x1) LAN (RJ45) (x1)
 RS232 (x1)
 Yes (IEEE 802.11 b/g/n/ac (2.4GHz/5GHz)
 Front (x1) (±30° Angle, >8m Distance)
 USB 2.0 (x2)
 USB 2.0 (x1), USB 3.0 (x1), USB Type B (x2)(For Touch Port)
 10W (x2) (Stereo)
 AC 100-240V, 50/60Hz
 500W
 <0.5W (Standby)
 1,957 x 1,370 x 89mm
 66.58 kg
 Vesa 800 x 600mm Black

Oferta financiara

		Pret fara TVA	Pret cu TVA
Interactive Display NovoTouch EK860i	1	96250	115500
Total			115500

Garanție de 5 ani



IM "Intersat Communications" srl

Republic of Moldova MD2008 G.Alexandrescu 6

Tel.: (+373 22) 295 295 / 0797011110 / 079795555

www.intersat.md | www.ds.md | www.suport.tv

NovoTouch EK860i



- Engage your students in interactive learning with the NovoTouch EK860i, an all-in-one collaborative NovoConnect Solution panel for wireless screen mirroring and annotation, ideal for classrooms & huddle rooms.
- 86" IPS multi-touch flat panel with 4K-UHD (3840 x 2160) resolution for outstanding details and stunning visuals.
- Connect and share content – mirroring any device directly onto the big screen with its Bring Your Own Device BYOD concept and cross platform compatibility for laptops, tablets, and Chromebook.
- Work with up to 64 participants in the lectures, and simultaneously display up to 4 devices on the big screen.
- NT LiveScreen function allows real-time screen mirroring-out from one NovoTouch to multiple NovoConnect Solution flat panel devices*.
- NT Minute screen recording feature captures everything on the screen as a video clip to enhance support to all new pedagogic teaching and learning experience.
- Keep in control - innovative moderator Preview function enables students participate fluidly in the discussion, all while giving the teacher full control over displayed content – so there are no surprises.
- Turn your NovoTouch flat panel into an announcement board in between classes thanks to its built-in NovoDS Solution, an intuitive digital signage solution and no programming skills required.
- No hidden cost – NovoTouch comes with free software and no license fee enables large scale implementation.

Display	Type/Technology		Backlit D-LED
	Panel Size		86"
	Brightness		350 cd/m2
	Contrast Ratio		1,200:1
	Native Resolution		4K UHD (3840 x 2160)
	Viewing Angle (H/V)		178°/178°
	Aspect Ratio		16:9
	Refresh Rate		60 Hz
	Estimated Life Time		30,000 hours
	Display Color		1.07 billion
Interactivity	Installation Orientation		Landscape
	Technology		Infrared Touch
	Touch Points	Writing	10 Points
		Touch	20 Points
Operating System	Surface Protection		4mm Thick Toughened Glass (Level 7H on Mohs Scale of Mineral Hardness)
	System Version		Android™ v7.0
	CPU		ARM® Cortex® A73 Dual Core CPU - Upto 1.1GHZ
	GPU		Mali™ - 450*5
	RAM		2GB DDR3
Connectivity	Internal Storage		16GB (eMMC Flash) (Approximately 9GB User Availability)
	Input	Display	HDMI v2.0 (x2), VGA-In (x1)
		Audio	Audio-In (3.5mm) (x1), AV-In (x1)
	Internet		LAN (RJ45) (x1)
	Control		RS232 (x1)
	Wireless	Wifi	Yes (IEEE 802.11 b/g/n/ac (2.4GHz/5GHz)
		I/R Receiver	Front (x1) (±30° Angle, >8m Distance)
	USB	Front	USB 2.0 (x2)
		Side	USB 2.0 (x1), USB 3.0 (x1), USB Type B (x2)(For Touch Port)
Audio	Speakers		10W (x2) (Stereo)
Power	Power Supply (Internal)		AC 100-240V, 50/60Hz
	Consumption		500W
	Standby Mode		<0.5W (Standby)
Physical Characteristics	Dimension (L x H x D)		1,957 x 1,370 x 89mm
	Weight (Net)		66.58 kg
	VESA Mounting (FPM/PMI)		4 - M8 x 25mm, 800 x 600mm
	Color		Black

©2019 Vivitek. Vivitek is a trademark of Delta Electronics, Inc. Other trademarks are the properties of their respective owners. Specifications are subject to change without prior notice.

*the number of receiving devices depends on the network capacity. If the router cannot support RTSP but only TCP, the recommended device quantity is four.



Delta Electronics (Netherlands) BV

Zandsteen 15 | 2132 MZ HOOFFDORP | The Netherlands

+31 (0)20 800 39 00

info@deltaww.com

+31 (0)20 800 39 99

www.delta-emea.com

Data: 02-01-2019

CERTIFICATE

I hereby confirm that
IM INTERSAT COMMUNICATIONS SRL
company is the authorized distributor
of VIVITEK products in Moldova for 2019.

Regards,

Maciej Tomaszewski

Title: Sales Manager CEE/CIS in Vivitek



Bank | Citibank International plc | Netherlands Branch

KvK no. 12040831 | VAT no. NL 8085.73.986.B.01

EURO Account Number: 26.60.61.095 | IBAN: NL52 CITI 0266 0610 95

USD Account Number: 10.63.77.812 | IBAN: NL65 CITI 0106 3778 12