



Optional extras

Candy white	B4B4
-------------	------

All-year tyres	VG1
----------------	-----

Auxiliary water heater, with radio remote control	7VL
---	-----

Co-driver's double seat bench, right, with storage compartment	3SJ
--	-----

"Comfort" seat, left	3TE
----------------------	-----

Diesel Plus fuel system, water separator with sensor	1A9
--	-----

Dust protection and stone chipping protection (without CO2 optimization)	VM1
--	-----

Exterior mirrors, electrically adjustable and heatable	6XN
--	-----

Fog lights including cornering light	8WH
--------------------------------------	-----

Front axle, reinforced	VV8
------------------------	-----



Fuel initial fill with 15 l	1Z2
Mud flaps, front and rear	6N2
Rear step, across half the width	QT9
Rear wing doors with larger opening angle	5V4
Reinforced suspension/damping and reinforced stabilisation	2MG
Seat covers in leatherette, "Mesh"	N0C
Side window in passenger area/cargo space, front left, fixed installation	4DE
Side window in passenger area/cargo space, front right, fixed installation	4EE
Spare wheel (steel) with vehicle tool kit and jack	ZR8
Towing bracket, rigid	1D1
1 wheel chock	2NB



Standard equipment

Approval

3M2 Light commercial vehicle model with up to 3 seats

CW value cladding

2D5 Stone chip protection (without CO2 optimization)
Replaced by: Dust protection and stone chipping protection (without CO2 optimization)

Front socket

9Z0 Operating voltage 12 V

Fuel systems

0F3 Fuel system, diesel
Replaced by: Diesel Plus fuel system, water separator with sensor

Interior equipment

3TH "Standard" seat, left
Replaced by: "Comfort" seat, left

3SH "Standard" seat, right
Replaced by: Co-driver's double seat bench, right, with storage compartment

7C3 Access handles on the rear pillars

4Z1 Glove compartment

4N0 Instrument panel

3CF Partition wall

QE4 Roof module with stowage compartments, two 1-DIN slots and reading light

5AC Rubber floor in cab

N0V Seat covers in "Toronto Grid" material
Replaced by: Seat covers in leatherette, "Mesh"

6X3 Step unit handle on the partition wall in the cargo space

6L0 Without C-rails in cargo space

5BA Without floor covering in the passenger area/cargo space

4XA Without interior roof rack

5CA Without roof interior panelling

5DA Without side interior panelling in the passenger area/cargo space

7N0 Without stowage tray in rooflining

Operator's manuals

Body

0M0 75 l fuel tank

5SB Exterior mirror, left, convex, with integrated LED indicator light and wide-angle area

5RB Exterior mirror, right, convex, with integrated LED indicator light and wide-angle area

6XA Exterior mirrors, adjusted externally
Replaced by: Exterior mirrors, electrically adjustable and heatable

2JF Front bumper in grey with trim strip painted in the vehicle colour

3R2 H3 - High roof, painted in vehicle colour

QL7 Heat-insulating glazing

5V3 Hinges for rear wing doors
Replaced by: Rear wing doors with larger opening angle

4GF Laminated glass windscreen with thermal insulation glazing

1F3 One front towing eye

6KA Radiator protection grille, black with chrome strip

3RD Rear wing doors without window cut-outs

8F1 Side marker lights

5R2 Sliding door, right

5S0 Without liftgate

6N0 Without mud flaps
Replaced by: Mud flaps, front and rear

QT5 Without rear step
Replaced by: Rear step, across half the width

9LA Without revolving beacons

9H0 Without roof indicators

3S0 Without roof railing/roof rack

1D0 Without towing bracket
Replaced by: Towing bracket, rigid

Electrical safety package

IL0 Without acoustic warning system for engaged reverse gear

Fuel capacity

1Z0 Fuel initial fill with 7 l
Replaced by: Fuel initial fill with 15 l



0XR On-board literature in Lithuanian

Protective frame (roll bar)

2Y0 Without protective frame (roll bar for M2)

Running gear

0WQ 3.5 t

CM1 4 steel wheels 6 1/2 J x 16 with 1,200 kg load capacity, in silver

1BA Basic suspension/damping and basic stabilisation
Replaced by: Reinforced suspension/damping and reinforced stabilisation

1NE Centre wheel cover with MAN logo

L0L Left-hand-drive

VG0 Summer tyres
Replaced by: All-year tyres

1G8 Tyre repair kit: 12 V air compressor and tyre sealing agent (633YD)
Replaced by: Spare wheel (steel wheel) with normal road tyre

Q70 Tyres 235/65 R16C 115/113 R, optimised for rolling resistance

1S3 Vehicle tool kit
Replaced by: Vehicle tool kit and jack

1Y0 Without differential lock

Seats in passenger area/cargo space

5Q0 Without sliding door, left, (closed side wall)

Windows

6VA Without side window opening in the cargo space, centre left

6WA Without side window opening in the cargo space, centre right

4DA Without side window opening in the cargo space, front left
Replaced by: Side window in passenger area/cargo space, front left, fixed installation

4EA Without side window opening in the cargo space, front right
Replaced by: Side window in passenger area/cargo space, front right, fixed installation

4FA Without side window opening in the cargo space, rear left

4JA Without side window opening in the cargo space, rear right

Function equipment

EU1 12 V socket in the cab (in the instrument panel)

9JA 12 V socket, cup holder

8QJ 2 remote control keys

8RE 4 loudspeakers: 2 tweeters, 2 subwoofers

6I1 Active Lane Keeping Assist

EM3 Attention and driver alert system with driver observation camera

J0B Battery 520 A (92 Ah)

9ZV Comfort telephony with inductive charging function, without external antenna connection

5EV Complete N1 registration (up to and including 3.5 t GVW)

8T2 Cruise control

7J2 Digital instrumentation

QV3 Digital radio reception (DAB+)

IP4 Electrical terminal block and CFCU preparation

4NN Exhaust concept, EU6e (EC)

9AC Heating in the cab, electronically controlled

USA Instrument panel, display in km/h

LT2 Intelligent Speed Assist

8N6 Intermittent wiper control with light and rain sensor

4I7 Keyless Start

9CW LED interior lighting concept in the passenger area/cargo space

EL2 MAN Connect (call services), with OCU3 low

I8U MAN Media Van (10.4")

9WJ MAN SmartLink

7X2 Park Distance Control (PDC), front and rear

VI4 Service indicator 50,000 km or 2 years (variable)

7L6 Start-stop system with brake energy recovery

8GV Three-phase alternator 180 A

QR9 Traffic Sign Information

2A0 Transport mode active

U9E USB Type-C data sockets and charging sockets with increased charging capacity

NI1 With UNECE CS&SU

6AA Without 2nd heat exchanger and without 2nd evaporator

0R0 Without PTO from gearbox

7E0 Without auxiliary heater

BR0 Without blind spot warning and without Drive Off Warning

8X0 Without headlight cleaning system

8HA Without preparation for 2nd three-phase alternator



8FA Without second battery

Interior noise damping measures

3W6 Interior noise damping measures 'Premium'

Paintwork preservation/transport protection

5K0 Transport protection measures without surface protection film

Rear doors/rear flap

4HA Without rear window

Safety equipment

NZ2 3-button module

4UF Airbag each for driver and co-driver with co-driver airbag deactivation

GV1 Alcohol Interlock preparation

4L2 Anti-dazzle safety interior mirror

KJ1 Cross Wind Assist

9C7 Daytime driving lights with assistance driving lights

1LA Disc brakes, front 16"

1AS ESP with electronic differential lock, anti-slip control (ASR) and ABS

7AA Electronic immobiliser

UH2 Electronic parking brake

8J3 Emergency Brake Assist

1T3 First-aid kit and warning triangle

8ID Halogen twin headlights

UG1 Hill start assist

6B1 Lashing eyes for securing the cargo

2FE Leather multifunction steering wheel, with Tiptronic

QK1 Multifunction front camera

9P3 Seat belt check, E-contact in seat belt buckle; driver's and co-driver's seat

6DA Sun visors, folding and pivoting to the side

3QN Three-point automatic seat belts with height adjustment

7K3 Tyre Pressure Monitoring System

4H0 Without childproof lock

9BA Without main battery switch

2NA Without wheel chock
Replaced by: 1 wheel chock

Weight increase/reduction, technical

1UA Without increase or reduction in the permissible gross weight



Technical data

Engine

Fuel	Diesel
Number of cylinders	4; in Reihe
Cubic capacity	1,968 cm ³
Power at speed	130.000 kW at 3600 min ⁻¹
Max. torque	410 Nm / 1300 - 2000 1/min
Nitrogen oxides (NOx) (fuel I)	59.600 mg/km
CO2 calculation base	B
Driving noise	70.000 dB(A)
Stationary noise	84.000 dB(A)

Weights

Permissible gross weight	3,500 kg
Front axle weight	1,534.862 kg
Rear axle weight	1,012.485 kg
Unladen weight with driver	2,622.347 kg
min. type test weight	2,419 kg
max. type test weight	2,849 kg
Permissible gross train weight	6,000 kg
Permissible axle load, front	2,100 kg
Permissible axle load, rear	2,100 kg
Permissible trailer load braked at 12%	3,000 kg
Permissible unbraked trailer load	750 kg
Drawbar load	120 kg

Payload calculation

Maximum weight allowed	3500 kg
Empty weight incl. Driver	2622 kg
Payload	878 kg

Vehicle performance

Maximum speed	163 km/h
---------------	----------

Vehicle dimensions

Length	6,836 mm
Width without exterior mirrors	2,040 mm
Height	2,590 mm
Wheelbase	4,490 mm



Consumption and emissions

Consumption- and emission values WLTP

Consumption (low)	12.6 l/100 km
Consumption (medium)	10.0 l/100 km
Consumption (high)	9.0 l/100 km
Consumption (extra-high)	11.4 l/100 km
Consumption (combined)	10.5 l/100 km
CO ₂ emissions (combined)	277 g/km

EU tyre label

(1/2)

Information regarding the EU tyre label

https://ec.europa.eu/info/energy-climate-change-environment/standards-tools-and-labels/products-labelling-rules-and-requirements/energy-label-and-ecodesign/energy-efficient-products/tyres_en


Note

Due to vehicle production technicalities we always display multiple labels.

Main tyres


MREIQ70

Tyres 235/65 R16C 115/113 R, optimised for rolling resistance



Product information sheet

<https://eprel.ec.europa.eu/api/products/tyres/1141766/fiches?noRedirect=false&language=EN>




Product information sheet

<https://eprel.ec.europa.eu/api/products/tyres/482901/fiches?noRedirect=false&language=EN>


EU tyre label

(2/2)



Product information sheet

<https://eprel.ec.europa.eu/api/products/tyres/587929/fiches?noRedirect=false&language=EN>



Product information sheet

<https://eprel.ec.europa.eu/api/products/tyres/465919/fiches?noRedirect=false&language=EN>