

Specificații tehnice (F 4.1)

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1690372602211 din 26.07.2023
Obiectul achiziției : „ Tehnică foto video ” , CPV: 32500000-8 .Cererea ofertelor de prețuri (bunuri)

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lotul 1						
Aparat foto	Coolpix P1000 Black	USA/China	Nikon	Senzor de imagine Tip senzor CMOS Rezoluție sensor, Mp 16 Dimensiune senzor, inch 1/2,3 Rezoluție video, Pix 3840x2160 UltraHD 4K Viteza de fotografiere, fps 7 Format fișier JPEG, RAW,H.264/MPEG-4 Obiectiv Obiectiv interschimbabil nu Zoom optic, X 125 Zoom digital, X 10 Stabilizator de imagine digital Diafragma 2.8-8 Cartela de memorie min 128 Gb Card reader inclus Geanta portabila inclusa Garanție min. 24 luni	Tip senzor : CMOS marime sensor : 1/2.3 inch rezolutie : 16.79 mpx zoom optic : 125 x zoom digital : 4 x distanta focala maxima : 539 mm distanta focala minima ; 4.3 mm diafragma obiectiv : f/2.8 - 8 distanta focala (echivalent format 35mm) ; 24 - 3000 mm cel mai lung timp de expunere : 1 sec cel mai scurt timpul de expunere : 1/4000 sec compensare expunere : da masurare spot : da masurarea luminii matrice : da masurarea luminii centrale : da sensibilitate (iso) : 100 - 1600 expunere alb : da tip focalizare : auto focus distanta minima in mod macro : 1 cm iluminare asistenta af : da blit incorporat blitz care se ridica	Certificat de conformitate

					raza de actiune blit format imagine : jpeg/raw rezolutie maxima : 4608 x 3456 pixeli stabilizator imagine : da continuous shooting : da setare balans de alb : da inregistrare video rezolutie maxima la captura video : 3840 x 2160 pixeli fps (rezolutie maxima) : 30 cadre/secunda declansare automata : da imprimare directa : da dimensiune ecran : 3.2" rezolutie lcd : 921000 pixeli display rotativ : da port usb : da iesire hdmi : da greutate 1415 g wi-fi : da tip baterie : li-ion acumulator reîncărcabil Cartela de memorie min 128 Gb : SanDisk 128GB Extreme PRO UHS-I SDXC Memory Card 170 MB/s V30 Card reader inclus : : SanDisk SD UHS-I Card Reader USB 3.0 Geanta portabila : Ruggard Journey 24 DSLR Shoulder Bag (Black) Garanție min. 24 luni	
Lotul 2						
Camera video	FDRAX43AB	China	Sony	Format AVCHD compatibil cu ver. 2.0: MPEG4-AVC/H.264, Format XAVC S:MPEG4-AVC/H.264, MP4 MPEG-4 AVC/H.264. MPEG-4 AVC/H.264 MP4 Zoom optic10X, zoom digital120X Nightshot, imagini in conditii de bezna totala Stabilizare optica echilibrata a imaginii SteadyShot, Ocular, f = 3.8-38.0 mm f = 26,8 - 268,0 mm (16:9),f = 32,8 - 328,0 mm (4:3) - imagine statica (35mm) f= 29,8 - 298,0 mm (16:9) - Video (35mm) Memory Card, Iesire compozit, WI-FI NFC HDMI Tip baterii-NP-FV70, NP-FV100,	Sensor Sensor Type : 1/2.5 type (7.20 mm) back-illuminated Exmor R CMOS Sensor Effective Pixels (Video) : approx. 8.29 Megapixels (16:9) Effective Pixels (Still Image) : approx. 8.29 Megapixels (16:9) / approx. 6.22 Megapixels (4:3) Processor : Image Processor BIONZ X image processor Lens Lens Type : ZEISS Vario-Sonnar T* Filter Diameter : 55 mm Lens Cover : Auto Aperture : F2.0-3.8 Focal Distance : f=4.4-88 mm	Certificat de conformitate

				<p>Focalizare automata, Reducere automata a zgomotului Cartela de memorie min 128 Gb Card reader inclus Geantă portabila inclusa Garanție min. 24 luni</p>	<p>Focal Length (35 mm equivalent) (Video) f=1 1/16-21 1/8 inch f=26.8-536.0 mm (16:9) Focal Length (35 mm equivalent) (Still Image) f=1 1/16-21 1/8 inch (16:9), f=1 5/16-25 7/8 inch (4:3), f=26.8-536.0 mm (16:9), f=32.8-656.0 mm (4:3) Minimum Focus Distance : approx. 1 cm (Wide), approx. 80 cm (Tele), approx. 13/32 inch (Wide), approx. 31 1/2 inch (Tele) Iris Diaphragm : 6 blades Zoom Optical Zoom : 20x Digital Zoom : 250x Viewfinder Viewfinder Type : Field of View LCD : Screen Type : 7.5 cm (3.0 type) Xtra Fine LCD™ display (921 600 dots) Wide (16:9) Touch Panel : Yes Brightness Control : Yes (Menu) Image Stabilization Type : Balanced Optical SteadyShot w/ Intelligent Active mode (5-axis) Focus Type : Contrast AF Focus Mode : Auto / Manual (Touch Panel) White Balance Modes Auto / Onepush / Outdoor / Indoor White Balance Shift : Yes Flash Metering System : Pre-flash TTL Flash Compensation : Yes (3 steps) Flash Mode : Auto / On / OFF Storage Media Media Type XAVC S 4K (100Mbps): SDHC Memory Card (4GB or over, UHS-I U3 or Higher) / SDXC Memory Card (UHS-I U3 or Higher), XAVC S 4K (60Mbps): SDHC Memory Card (4GB or over, Class10 or Higher) / SDXC Memory Card (Class10 or Higher), XAVC S HD: SDHC Memory Card (4GB or over, Class10 or Higher) / SDXC Memory Card (Class10 or Higher), AVCHD, Still: Memory Stick PRO Duo (Mark 2), Memory Stick PRO-HG Duo, Memory Stick XC-HG Duo, SD / SDHC / SDXC Memory Card (Class 4 or Higher)</p>	
--	--	--	--	---	--	--

					<p>Recording Format (Video) XAVC S format: MPEG4-AVC / H.264, AVCHD format ver.2.0 compatible: MPEG4-AVC / H.264, MP4: MPEG-4 AVC / H.264</p> <p>Video Resolution XAVC S 4K: 3840x2160 / 25p,24p, XAVC S HD: 1920x1080 / 50p,25p,24p, AVCHD: 1920x1080 / 50p(PS),25p(FX,FH),24p(FX,FH),50i(FX,FH), 1440x1080 / 50i(HQ,LP), MP4: 1280x720 / 25p</p> <p>Video Recording Rate (ABR/VBR) XAVC S 4K: approx. 100 Mbps, XAVC S 4K: approx. 60 Mbps, XAVC S HD: approx. 50 Mbps, AVCHD PS: approx. 28 Mbps / FX: approx. 24 Mbps / FH: approx. 17 Mbps / HQ: approx. 9 Mbps / LP: approx. 5 Mbps, MP4: approx. 3 Mbps</p> <p>Recording Format (Still Image) JPEG (DCF Ver.2.0 compatible, Exif Ver.2.3 compatible, MPF Baseline compatible)</p> <p>Still Image Size (Photo Mode) L: 16.6 Megapixels 16:9 (5440x3056), 12.5 Megapixels 4:3 (4080x3056), M: 8.3 Megapixels 16:9, (3840x2160), 6.2 Megapixels 4:3 (2880x2160), S: 2.1 Megapixels 16:9 (1920x1080), 0.3 Megapixels 4:3 (640x480)</p> <p>Still Image Size (Movie Mode) M: 8.3 Megapixels 16:9 (3840x2160), S: 2.1 Megapixels 16:9 (1920x1080)</p> <p>Still Image Size (Time-Lapse Capture) 4K: L (8.3 M: 3840x2160) / HD: S (2.1 M: 1920x1080)</p> <p>Still Image Size (Dual Record) M: 8.3 Megapixels 16:9 (3840x2160), S: 2.1 Megapixels 16:9 (1920x1080)</p> <p>Audio Microphone : Built-in Zoom Microphone Audio Recording Format LPCM 2ch (48 kHz / 16 bit) Dolby Digital 5.1ch, Dolby Digital 5.1 Creator, Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator, MPEG-4 AAC-LC 2ch Mic Level Control : Yes (31 steps) Auto Wind Noise Reduction : Yes (On / Off)</p> <p>Projector Light Output</p>
--	--	--	--	--	--

					HDMI Terminal Yes (HDMI micro) Multi/Micro USB Termina : Yes Remote Terminal Integrated into Multi / Micro USB Terminal STD Output Composite Video Out (AV CABLE (sold separately)) Microph Stereo Minijack Headphone Jack : Stereo Minijack Memory Card Slot Memory Stick PRO Duo and SD / SDHC / SDXC compatible Cartela de memorie min 128 Gb : SanDisk 128GB Extreme PRO UHS-I SDXC Memory Card 170 MB/s V30 Card reader : SanDisk SD UHS-I Card Reader USB 3.0 Geantă portabila : Sony LCS-U11 Garanție : 24 luni	
Lotul 3						
Dronă	Mavic 3 Cine Premium Combo	China	DJI	Greutate: max. 1000 gr. Max Ascent Speed- 8 m/s Max Descent Speed- 6 m/s Max Horizontal Speed (at sea level, no wind)- 21 m/s Max Takeoff Altitude-6000 m Max Flight Time- 43 minutes Max Hovering Time- 37 minutes Max Flight Distance- 28 km Max Wind Speed Resistance 12 m/s Max Tilt Angle- 35° Operating Temperature -10° to 40° C Internal Storage : 1 TB Image Sensor Hasselblad Camera: 4/3 CMOS, Effective Pixels: 20 MP Medium Tele Camera: 1/1.3" CMOS, Effective Pixels: 48 MP Tele Camera: 1/2" CMOS, Effective Pixels: 12 MP Photo Format - JPEG/DNG (RAW) Video Resolution Hasselblad Camera DCI 4K: H.264/H.265 Video Format MP4/MOV (MPEG-4 AVC/H.264,	Greutate de decolare : 501g-2kg Timp de zbor : >35min Distanța max. de operare : >9000m Senzori de obstacole : Omnidirectional Greutate de baza : 899g Dimensiuni : 347.5×283×107.7 mm Viteza maxima de inclinare 1 m/s (C mode); 6 m/s (N mode); 8 m/s (S mode) Viteza maxima 5 m/s (C mode); 15 m/s (N mode); 19 m/s (S mode) Altitudine maxima : 6000 m Autonomie timp zbor : 46 min. Distanța maxima de operare : 30 km Unghi maxim de inclinare 25° (C mode); 30° (N mode); 35° (S mode) Temperatura de operare : -10°C - 40°C Tip GPS : GPS + Galileo + BeiDou Acuratete de planare Vertical:±0.1 m (with Vision Positioning); ±0.5 m (with GNSS Positioning); Horizontal:±0.3 m (with Vision Positioning); ±0.5 m (with High-Precision Positioning System) Memorie interna : 1 TB Tip Camera Hasselblad : 4/3 CMOS, Effective	Certificat de conformitate

				<p>HEVC/H.265) MOV (Apple ProRes 422 HQ/422/422 LT) Digital Zoom (only in Normal Video Mode and Explore Mode) Hasselblad Camera: 1-3x Medium Tele Camera: 3-7x Tele Camera: 7-28x Telecomanda cu monitor -inclusa Acumulator de rezerva- min 2 buc Cartela de memorie min 128 Gb geantă portabila inclusa Echivalent: DJI Mavic 3 Cine Premiun Garanție min. 24 luni</p>	<p>pixels:20 MP ISO Camera Hasselblad Video:100-6400; Photo:100-6400 Rezolutie Video Apple ProRes 422 HQ; 5.1K:5120×2700@24/25/30/48/50fps; DCI 4K:4096×2160@24/25/30/48/50/60/120*fps; 4K:3840×2160@24/25/30/48/50/60/120*fps; H.264/H.265; 5.1K:5120×2700@24/25/30/48/50fps; DCI 4K:4096×2160@24/25/30/48/50/60/120*fps; 4K:3840×2160@24/25/30/48/50/60/120*fps; FHD:1920×1080p@24/25/30/48/50/60/120*/200*fps Formate suportate Photo:JPEG/DNG (RAW); Video:MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV (Apple ProRes 422 HQ) Tip Tele Camera : 1/2-inch CMOS ISO Tele Camera : Video:100-6400; Still Image:100-6400 Imagine Max : 4000X3000 Formate suportate Photo:JPEG; Video:MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) Rezolutie video Tele Camera H264/H.265; 4K:3840×2160@30 fps; FHD:1920×1080@30 fps Zoom Digital : 4X Stabilizare : Gimbal pe 3 axe Acuratete gimbal Tilt:-135° to 100°; Roll:-45° to 45°; Pan:-27° to 27° Senzori de obstacole Omnidirectional Frecvente de operare 2.400-2.4835 GHz; 5.725-5.850 GHz Distanta emitere semnal : max 15 km Tip baterie : LiPo 4S; 5000mAh; 15.4V Tip telecomanda : DJI RC PRO Telecomanda cu monitor -(incusă în set) Acumulator de rezerva- min 2 buc (incuși în set) Cartela de memorie 128 Gb : SanDisk Extreme PRO microSDXC UHS-I V30 A2 200MB/s 128GB Geantă portabila (incusă în set) In The Box (1) DJI Mavic 3 (1) DJI RC Pro Remote Controller</p>	
--	--	--	--	--	---	--

					(1) Spare DJI RC Pro Control Sticks (Pair) (3) DJI Mavic 3 Intelligent Flight Battery (6) DJI Mavic 3 Low-Noise Propellers (pair) (1) DJI 65W Portable Charger (1) DJI Mavic 3 Storage Cover (1) USB Type-C-Cable (1) DJI Mavic 3 Battery Charging Hub (1) DJI Convertible Carrying Bag (1) DJI Mavic 3 ND Filters Set (ND4/8/16/32) (1) DJI Mavic 3 ND Filters Set (ND64/128/256/512) (1) DJI 10Gbps Lightspeed Data Cable Garanție min. 24 luni	
--	--	--	--	--	--	--

Semnat: _____ Numele, Prenumele: Cîrlig Ion În calitate de: director

Ofertantul: WEST BUY SRL Adresa: mun.Chisinau bd.Mirecea cel Batrin 39 ap 143

Data : 04.08.2023