

BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345784 - CD14 FITC (MIP9)

333951 - CD14 APC-Cy7 (MIP9) 345787 - CD14 APC (MIP9) 345786 - CD14 PerCP (MIP9) 345785 - CD14 PE (MIP9)

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 332778 - CD15 (MMA) FITC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 335035 - CD16 (NKP15) FITC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 338440 - CD16 (3G8) PerCP-Cy5.5

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the

devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 332779 - CD16 (B73.1) PE

335823 - CD16 (B73.1) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345776 - CD19 (4G7) FITC

345778 - CD19 (4G7) PerCP 345777 - CD19 (4G7) PE

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345788 - CD19 (SJ25C1) FITC

345791 - CD19 (SJ25C1) APC

348814 - CD19 (SJ25C1) APC-Cy(TM)7 345790 - CD19 (SJ25C1) PerCP

332780 - CD19 (SJ25C1) PerCP-Cy(TM)5.5

345789 - CD19 (SJ25C1) PE

341113 - CD19 (SJ25C1) PE-Cy(TM)7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345792 - CD20 (L27) FITC

340908 - CD20 (L27) APC

335829 - CD20 (L27) APC-Cy (TM) 7 641414 - CD20 (L27) APC-H7 345794 - CD20 (L27) PerCP

332781 - CD20 (L27) PerCP-Cy (TM) 5.5

345793 - CD20 (L27) PE

335828 - CD20 (L27) PE-Cy (TM) 7

655872 - CD20 (L27) V450

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 337898 - CD22 (S-HCL-1) FITC

333145 - CD22 (S-HCL-1) APC 337899 - CD22 (S-HCL-1) PE

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 332782 - CD23 (EBVCS-5) PE

335036 - CD23 (EBVCS-5) APC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345796 - CD25 (2A3) FITC 340907 - CD25 (2A3) APC

341011 - CD25 (2A3) PE

335824 - CD25 (2A3) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345798 - CD33 (P67.6) FITC

345800 - CD33 (P67.6) APC

333146 - CD33 (P67.6) PerCP-Cy (TM) 5.5

345799 - CD33 (P67.6) PE

333952 - CD33 (P67.6) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345801 - CD34 FITC (8G12)

345804 - CD34 APC (8G12) 347222 - CD34 PerCP-Cy5.5 345803 - CD34 PerCP (8G12) 348811 - CD34 PE-Cy7 345802 - CD34 PE (8G12)

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 340909 - CD38 (HB-7) FITC 345807 - CD38 (HB-7) APC

345807 - CD38 (HB-7) APC 345806 - CD38 (HB-7) PE

335825 - CD38 (HB-7) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345808 - CD45 (2D1) FITC 340910 - CD45 (2D1) APC 348815 - CD45 (2D1) APC-Cv7

348815 - CD45 (2D1) APC-Cy7 641417 - CD45 (2D1) APC-H7 345809 - CD45 (2D1) PerCP

332784 - CD45 (2D1) PerCP-Cy (TM) 5.5

655873 - CD45 (2D1) V500-C

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 335039 - CD45RA (L48) FITC

337186 - CD45RA (L48) PE-Cy7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345810 - CD56 (MY31) PE

.

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 345811 - CD56 (NCAM16.2) FITC

341027 - CD56 (NCAM16.2) APC 345812 - CD56 (NCAM16.2) PE

335826 - CD56 (NCAM16.2) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 347407 - CD61 (RUU-PL 7F12) FITC

347408 - CD61 (RUU-PL 7F12) PerCP

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 333151 - CD71 (L01.1) FITC

337447 - CD71 (L01.1) APC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell