

PAN TAIWAN ENTERPRISE CO., LTD

16F-1, NO. 16, JIAN BA ROAD, CHUNG HO DIST., NEW TAIPEI CITY, TAIWAN TEL:886-2-8226-5199 FAX:886-2-8226-5196



E-Mail: sharonhong@pantaiwan.com.tw

http://safety.pantaiwan.com.tw

EC DECLARATION OF CONFORMITY

Dec. 23, 2019

The manufacturer or his authorized representative established in the Community:

Manufacturer's Name: Pan Taiwan Enterprise Co., Ltd.

Manufacturer's address: 16F-1, No. 16, Jian Ba Road, Chung Ho District, New Taipei City, Taiwan

Declares that the new PPE Regulation (EU) 2016/425 described hereafter:

Product Model no,: SE3782 = SE1701+SE1344+SE374J+SE378H

Identification of the Manufacturer: PT

Product Type: Industrial Safety Helmet, Helmet mounted ear muffs, Personal eye protection-Face shield

Helmet material: PP (Red)

Ear Muff material: HIPS (Red), Stainless Steel, PVC

Bracket material: PP (Black)

Visor material: Steel metal visor, 8"X15-1/2"

Specifications: Industrial Safety Helmet, Hearing protectors-General requirements, Part3: Ear-Muffs attached to an industrial safety helmet. Protection against high speed particles, medium energy impact, symbol B

The product meets the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II.

According to the PPE regulation <u>EN 397:2012+A1:2012</u>, <u>EN 352-3:2002</u>, <u>EN 1731:2006</u> which is also referring to the EU type-examination certificate no. <u>CE 701436</u>, <u>CE 703350</u>, <u>CE 712334</u> issued by <u>BSI – Notified Body Number: 2797.</u>

PAN TAIWAN ENTERPRISE CO., LTD.

Sharon Hong / Project Manager





This is to certify that:

Pan Taiwan Enterprise Co., Ltd. 16F-1, No. 16, Jian Ba Road Chung Ho District New Taipei City

23511 Taiwan

Holds Certificate Number:

CE 703350

In respect of:

Hearing Protection (Ear Muffs) to EN 352-1:2002, EN 352-3:2002, EN 352-4:2001, EN 352-6:2002 and EN 352-8:2008.

See continuation sheets for details.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 0086):

Chris Lewis - Certification Director, Product Certification

First Issued: 2019-05-21 Latest Issue: 2019-05-21 Effective Date: 2019-05-21 Expiry Date: 2024-05-21

Page: 1 of 20

...making excellence a habit."

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 703350

Product Specification

Model: SE1310

Headband mounted ear muffs, the headband is made from PC whilst the ear muff cup is **Product**

Description: made from ABS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 18.1 | 15.0 | 18.3 | 26.8 | 37.5 | 29.5 | 35.8 | 36.1 |
| Standard Deviation(dB) | 4.1 | 2.7 | 3.3 | 2.0 | 4.1 | 2.9 | 3.3 | 5.8 |
| APV (dB) | 14 | 12.3 | 15.0 | 24.8 | 33.4 | 26.6 | 32.5 | 30.3 |

H: 29.2 dB M: 25.4 dB **SNR:** 27.6 dB L: 17.9 dB

Weight: 157g

Technical Specification: EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 2 of 20

No. CE 703350

Product Specification

Model: SE1380

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from ABS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|-----|------|------|------|------|------|------|
| Mean Attenuation (dB) | 14.7 | 9.6 | 14.6 | 23.2 | 27.0 | 31.0 | 38.6 | 36.6 |
| Standard Deviation(dB) | 3.3 | 4.1 | 2.8 | 3.6 | 3.0 | 3.9 | 3.0 | 5.5 |
| APV (dB) | 11.4 | 5.5 | 11.8 | 19.6 | 24.0 | 27.0 | 35.6 | 31.1 |

SNR: 23.9 dB H: 28.7 dB M: 20.9 dB L: 13.0 dB

Weight: 182g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 3 of 20

No. CE 703350

Product Specification

Model: SE1390

Product Headband mounted ear muffs, the headband is made from PC whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| | | | | | | | and the second | |
|---------------------------|------|------|------|------|------|------|----------------|------|
| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB) | 18.6 | 12.1 | 16.2 | 24.7 | 31.9 | 31.5 | 39.9 | 38.3 |
| Standard Deviation(dB) | 3.1 | 2.3 | 2.9 | 3.9 | 3.2 | 3.5 | 2.7 | 5.8 |
| APV (dB) | 15.5 | 9.8 | 13.3 | 20.8 | 28.7 | 28.0 | 37.2 | 32.5 |

SNR: 26.1 dB H: 30.5 dB M: 23.2 dB L: 15.8 dB

Weight: 175g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 4 of 20

No. CE 703350

Product Specification

Model: SE1350

Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is **Product**

Description: made from ABS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 19.0 | 16.0 | 18.3 | 25.9 | 30.6 | 31.7 | 34.5 | 38.1 |
| Standard Deviation(dB) | 5.7 | 5.0 | 2.5 | 2.8 | 1.6 | 3.4 | 2.8 | 2.6 |
| APV (dB) | 13.3 | 11.0 | 15.8 | 23.1 | 28.9 | 28.3 | 31.7 | 35.5 |

SNR: 27.6 dB H: 30.4 dB M: 24.9 dB L: 17.7 dB

Weight: 168g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 5 of 20

No. CE 703350

Product Specification

Model: SE1340

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Medium, Large.

Performance Data:

| | | | | | | | and the second | |
|---------------------------|------|------|------|------|------|------|----------------|------|
| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB) | 17.8 | 18.0 | 22.3 | 27.2 | 37.4 | 33.9 | 37.4 | 38.4 |
| Standard Deviation(dB) | 3.5 | 2.6 | 2.9 | 3.1 | 3.3 | 2.2 | 3.5 | 5.1 |
| APV (dB) | 14.3 | 15.4 | 19.3 | 24.1 | 34.0 | 31.7 | 33.9 | 33.3 |

SNR: 30.4 dB H: 33.0 dB M: 27.8 dB L: 21.3 dB

Weight: 257g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 6 of 20

No. CE 703350

Product Specification

Model: SE1340U

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 20.1 | 20.0 | 25.1 | 31.4 | 40.0 | 33.9 | 37.4 | 34.2 |
| Standard Deviation(dB) | 4.5 | 4.9 | 2.5 | 2.5 | 3.0 | 4.1 | 3.0 | 4.5 |
| APV (dB) | 15.5 | 15.1 | 22.6 | 28.9 | 37.0 | 29.8 | 34.3 | 29.8 |

SNR: 31.5 dB H: 31.4 dB M: 30.2 dB L: 22.9 dB

Weight: 257g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 7 of 20

No. CE 703350

Product Specification

Model: SE1343

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Medium

Performance Data:

| | | | | | | | and the second | |
|---------------------------|------|------|------|------|------|------|----------------|------|
| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB) | 12.9 | 11.3 | 14.6 | 22.4 | 29.7 | 34.7 | 43.9 | 43.1 |
| Standard Deviation(dB) | 4.5 | 3.2 | 4.2 | 3.4 | 3.2 | 3.5 | 5.6 | 6.5 |
| APV (dB) | 8.4 | 8.1 | 10.4 | 18.9 | 26.5 | 31.2 | 38.3 | 36.7 |

SNR: 24.3 dB H: 31.6 dB M: 21.0 dB L: 13.3 dB

Weight: 195g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 8 of 20

No. CE 703350

Product Specification

Model: SE1343U

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 19.1 | 16.6 | 18.3 | 28.0 | 31.3 | 33.3 | 37.1 | 40.1 |
| Standard Deviation(dB) | 5.8 | 4.8 | 3.8 | 3.4 | 3.7 | 2.7 | 2.8 | 4.4 |
| APV (dB) | 13.2 | 11.8 | 14.5 | 24.5 | 27.6 | 30.6 | 34.3 | 35.5 |

SNR: 27.8 dB H: 31.9 dB M: 24.8 dB L: 17.4 dB

Weight: 210g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 9 of 20

No. CE 703350

Product Specification

Model: SE1348

Product Headband mounted ear muffs, the headband is made from PC whilst the ear muff cup is

Description: made from ABS and the ear cushions are PVC.

Size: Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 18.3 | 15.8 | 21.5 | 31.5 | 35.1 | 35.1 | 37.4 | 39.6 |
| Standard Deviation(dB) | 5.7 | 2.7 | 3.2 | 4.7 | 4.7 | 4.9 | 3.8 | 4.4 |
| APV (dB) | 12.6 | 13.0 | 18.3 | 26.8 | 30.5 | 30.2 | 33.6 | 35.2 |

SNR: 29.8 dB H: 32.1 dB M: 27.4 dB L: 19.9 dB

Weight: 258g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 10 of 20

No. CE 703350

Product Specification

Model: SE13481

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from ABS and the ear cushions are PVC.

Size: Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 18.4 | 16.2 | 19.5 | 31.0 | 37.5 | 33.9 | 37.0 | 37.4 |
| Standard Deviation(dB) | 5.2 | 4.1 | 3.5 | 3.6 | 3.5 | 3.6 | 3.2 | 3.7 |
| APV (dB) | 13.2 | 12.1 | 16.0 | 27.3 | 34.0 | 30.2 | 33.9 | 33.6 |

SNR: 29.2 dB H: 32.5 dB M: 26.8 dB L: 18.4 dB

Weight: 240g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 11 of 20

No. CE 703350

Product Specification

Model: SE1347

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 13.5 | 11.2 | 12.8 | 19.9 | 27.6 | 34.1 | 41.6 | 37.3 |
| Standard Deviation(dB) | 5.6 | 4.3 | 3.9 | 3.6 | 3.8 | 2.4 | 3.2 | 4.5 |
| APV (dB) | 7.9 | 6.9 | 9.0 | 16.2 | 23.8 | 31.7 | 38.4 | 32.7 |

M: 19.0 dB **SNR:** 22.0 dB **H:** 30.0 dB L: 12.0 dB

Weight: 184g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs. **Specification:**

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 12 of 20

No. CE 703350

Product Specification

Model: SE13421

Product Headband mounted ear muffs, the headband is made from Stainless Steel whilst the ear muff

Description: cup is made from HIPS and the ear cushions are PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 18.8 | 19.3 | 23.1 | 31.5 | 36.9 | 33.3 | 31.8 | 31.7 |
| Standard Deviation(dB) | 5.5 | 4.4 | 4.2 | 3.4 | 3.5 | 3.6 | 3.6 | 5.5 |
| APV (dB) | 13.3 | 14.9 | 18.9 | 28.1 | 33.4 | 29.8 | 28.1 | 26.2 |

SNR: 28.9 dB H: 28.9 dB M: 28.0 dB L: 21.2 dB

Weight: 254g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 13 of 20

No. CE 703350

Product Specification

Model: SE1344

Product Helmet mounted ear muffs for use with Pan Taiwan industrial safety helmets SE1701, **Description:** SE1701V, SE17010, SE1716, SE1718, SE1700, SE17161, SE17022, SE17162 and SE17023.

The ear muff cup is made from HIPS, cup supporting arm is made from stainless steel, and

the ear cushions are PVC.

Size: Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 12.4 | 14.4 | 17.9 | 27.3 | 34.1 | 34.8 | 32.8 | 32.3 |
| Standard Deviation(dB) | 5.2 | 4.9 | 4.5 | 4.2 | 4.2 | 4.5 | 4.6 | 6.4 |
| APV (dB) | 7.2 | 9.4 | 13.4 | 23.1 | 29.9 | 30.4 | 28.2 | 26.0 |

SNR: 25.9 dB **H:** 29.3 dB **M:** 23.8 dB **L:** 15.5 dB

Weight: 271g

Technical EN 352-3:2002 Hearing protectors - General requirements **Specification:** Part 3: Ear-Muffs attached to an industrial safety helmet.

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 14 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 703350

Product Specification

Model: SE1396

Product Headband mounted adjustable electronic ear muffs. The headband is made from POM,

Description: the ear muff cup is made from HIPS, the ear cushions are made from PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 17.9 | 20.3 | 29.2 | 34.6 | 36.8 | 39.0 | 40.1 |
| Standard Deviation(dB) | 2.1 | 2.2 | 3.4 | 2.5 | 3.1 | 2.7 | 2.7 |
| APV (dB) | 15.8 | 18.1 | 25.8 | 32.1 | 33.7 | 36.2 | 37.5 |

SNR: 31.0 dB H: 35.0 dB M: 28.0 dB L: 21.0 dB

Weight: 316.8g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

EN 352-4:2001 Hearing Protectors – Part 4: Level Dependent Ear-Muffs.

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 15 of 20

No. CE 703350

Product Specification

Model: SE1398

Product Headband mounted adjustable electronic ear muffs. The headband is made from POM, the

Description: ear muff cup is made from HIPS, the ear cushions are made from PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 16.6 | 17.5 | 26.6 | 38.7 | 37.5 | 43.4 | 40.0 |
| Standard Deviation(dB) | 3.3 | 4.2 | 5.4 | 4.6 | 2.5 | 3.0 | 4.5 |
| APV (dB) | 13.2 | 13.2 | 21.2 | 34.1 | 35.0 | 40.4 | 35.6 |

Weight: 343.1g

Technical Specification:

EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

EN 352-6:2002 Hearing protectors – Safety requirements and testing –

Part 6: Ear-Muffs with electrical audio input.

EN 352-8:2005 Hearing protectors – Safety requirements and testing –

Part 8: Entertainment Audio Ear-Muffs

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 16 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 703350

Product Specification

Model: SE1381

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are made from PVC.

Size: Small

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 13.9 | 11.8 | 13.9 | 24.0 | 30.9 | 32.3 | 36.5 | 36.8 |
| Standard Deviation(dB) | 6.8 | 4.5 | 3.8 | 3.1 | 4.4 | 4.4 | 4.2 | 7.0 |
| APV (dB) | 7.1 | 7.3 | 10.2 | 20.9 | 26.6 | 27.9 | 32.2 | 29.8 |

SNR: 24.0 dB H: 29.4 dB M: 21.1 dB L: 12.9 dB

Weight: 195g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 17 of 20

No. CE 703350

Product Specification

Model: SE1381U

Product Headband mounted ear muffs, the headband is made from POM whilst the ear muff cup is

Description: made from HIPS and the ear cushions are made from PVC.

Size: Small

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 16.3 | 14.3 | 16.7 | 26.7 | 33.0 | 32.0 | 37.3 | 39.4 |
| Standard Deviation(dB) | 9.1 | 3.9 | 2.6 | 2.8 | 2.2 | 2.8 | 2.6 | 5.8 |
| APV (dB) | 7.2 | 10.4 | 14.2 | 23.9 | 30.8 | 29.2 | 34.7 | 33.6 |

SNR: 27.3 dB H: 31.6 dB M: 24.6 dB L: 16.3 dB

Weight: 197g

Technical EN 352-1:2002 Hearing protectors - General requirements - Part 1: Ear-Muffs.

Specification:

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 18 of 20

No. CE 703350

Product Specification

Model: SE1345

Product Helmet mounted ear muffs for use with Pan Taiwan industrial safety helmets SE1701, **Description:** SE1701V, SE17010, SE1716, SE1718, SE1700, SE17161, SE17022, SE17162 and SE17023.

The ear muff cup is made from HIPS, cup supporting arm is made from POM and the ear

cushions are made from PVC.

Size: Small, Medium, Large.

Performance Data:

| Frequency (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|---------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) | 12.2 | 10.3 | 15.2 | 23.9 | 32.3 | 35.2 | 31.0 | 27.2 |
| Standard Deviation(dB) | 6.0 | 5.2 | 5.6 | 5.3 | 4.9 | 5.0 | 3.5 | 3.7 |
| APV (dB) | 6.2 | 5.1 | 9.6 | 18.6 | 27.5 | 30.2 | 27.5 | 23.6 |

Weight: 261g

Technical EN 352-3:2002 Hearing protectors - General requirements **Specification:** Part 3: Ear-Muffs attached to an industrial safety helmet.

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 19 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 703350

Certificate Administration Details

Product initially approved under CE 691447

Certificate Amendment Record

Issue dateCommentsBSI Review Ref.May 2019First Issue.0086:19:9679498

Note: The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

Monitoring of manufactured PPE:

The validity of the Certificate is also dependent on the maintenance of the EC quality of production by monitoring system, Module D, as referenced on BSI Certificate CE 694611.

First Issued: 2019-05-21 Effective Date: 2019-05-21 Latest Issue: 2019-05-21 Expiry Date: 2024-05-21

Page: 20 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.





This is to certify that:

Pan Taiwan Enterprise Co., Ltd. 16F-1, No. 16, Jian Ba Road Chung Ho District **New Taipei City** 23511 Taiwan

Holds Certificate Number:

CE 712334

In respect of:

Face and Eye Protection to EN 166:2001, EN 170:2002 & EN 1731:2006 See continuation sheets for details.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2019-09-09 Latest Issue: 2019-09-12 Drs. Dave Hagenaars, Managing Director

Effective Date: 2019-09-12 Expiry Date: 2024-09-09

Page: 1 of 14

...making excellence a habit."



This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE1110

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features: 4 plastic indirect vents

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 2 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE11201

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features: 4 open vent areas

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 3 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE1126, SE1117 and SE1116

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification:

SE1126: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

SE1117: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

Resistance against fogging, symbol N

SE1116: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

Basic description (items common to all models)

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features

SE1126: 4 open vent areas

SE1117: 4 plastic indirect vents

SE1116: 4 plastic indirect vents

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 4 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE1112

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features: 4 indirect vents

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 5 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE11202

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features 4 open vent areas

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 6 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE1128

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Protection against droplets of liquids, symbol 3 Protection against large dust particles, symbol 4

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features: 1 indirect vent system on the top

2 direct vented areas

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 7 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Safety goggles

Models: SE11281

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Resistance against fogging, symbol N.

Protection against droplets of liquids, symbol 3 Protection against large dust particles, symbol 4

EN 170:2002 Ultraviolet filter: 2-1,2

Basic description

Body/Frame: PolyVinyl Chloride (PVC)

Lens: Polycarbonate (PC)

Nose Bridge: PolyVinyl Chloride (PVC)

Headband: Elastic

Ventilation Features: 1 indirect vent system on the top

2 direct vented areas

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 8 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Faceshield

Models: SE3742 (SE374A+SE374P)

Technical Specifications: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, low energy impact, symbol F

EN 172:1995 Sunglare: 5-3.1

Basic description

Body/Frame: Polypropylene (PP)

Lens: Polycarbonate (PC)

Headband: Nylon (PA)

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 9 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Faceshield

Models: SE3744 (SE374A+SE374F)

Technical Specification: Harmonized European Standard EN 1731:2006.

EN 1731 Classification: Increased robustness, symbol S.

Basic description

Body/Frame: Polypropylene (PP)

Lens: Polypropylene (PP) and steel mesh

Headband: Nylon (PA)

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 10 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Faceshield

Models: SE3743 (SE374A+SE374C)

Technical Specification: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, low energy impact, symbol F

Basic description

Body/Frame: Polypropylene (PP)

Lens / Visor: Polycarbonate (PC)

Headband: Nylon (PA)

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 11 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Faceshield

Models: SE3740(SE374A+SE374B)/SE37401(SE374A+SE375D)/

SE3746(SE374A+SE374J)

Technical Specification: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Technical Specification: Harmonized European Standard EN 1731:2006.

EN 1731 Classification: Protection against high speed particles, low energy impact, symbol F

Basic description

Body/Frame: Polypropylene (PP)

Lens / Visor: Polycarbonate (PC)

Polypropylene (PP) and steel mesh

Headband: Nylon (PA)

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 12 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Product Details

Product type: Personal eye protection – Faceshield

Models: SE378J(SE378H+SE374B)/SE378K(SE378H+SE375D)/

SE378M(SE378H+SE374J)

Technical Specification: Harmonized European Standard EN 166:2001.

EN 166 Classification: Optical Class 1

Protection against high speed particles, medium energy impact, symbol B

Technical Specification: Harmonized European Standard EN 1731:2006.

EN 1731 Classification: Protection against high speed particles, low energy impact, symbol F

Basic description

Body/Frame: Polypropylene (PP)

Lens / Visor: Polycarbonate (PC)

Polypropylene (PP) and steel mesh

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 13 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 712334

Certificate Administration Details

Products initially approved under BSI certificate number CE 691450.

Certificate Amendments Records

Issue dateCommentsBSI Review Ref.September 2019First Issue.0086:19:9784881

Certification Validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

First Issued: 2019-09-09 Effective Date: 2019-09-12 Latest Issue: 2019-09-12 Expiry Date: 2024-09-09

Page: 14 of 14

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.





This is to certify that:

Pan Taiwan Enterprise Co., Ltd. 16F-1, No. 16, Jian Ba Road Chung Ho District **New Taipei City**

23511 Taiwan

Holds Certificate Number:

CE 701436

In respect of:

Industrial Safety Helmets to EN 397:2012+A1:2012, EN 50365:2002. See continuation sheet for details.

on the basis BSI carried out the relevant Type Examination procedure in accordance with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 0086):

Chris Lewis - Certification Director, Product Certification

First Issued: 2019-01-21 Latest Issue: 2019-01-21 Effective Date: 2019-01-21 Expiry Date: 2024-01-21

Page: 1 of 8

...making excellence a habit."

No. CE 701436

Product Specification

Model: SE1701V Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 50365:2002 Electrically insulating helmets for use on low voltage installations.

This helmet is subject to ongoing surveillance under Module C2 of the PPE Regulation,

certificate number CE 629299.

EN 397 categorisation: Mandatory clauses with optional:

Lateral deformation (LD)

Electrical Insulation (440V a.c).

EN 50365 categorisation: Class 0 (1000V a.c)

Product Description

Shell: Moulded PP shell with one of six types of harnesses as listed below.

This model has a fabric sweatband fitted to the front section of the headband.

Harnesses: SE17P41, SE17P42, SE17R42, SE17P61, SE17R62 and SE17S41

| Harness Type | Headband | Cradle | Nape Strap Adjustment | Size Range |
|------------------------------|----------|----------|-----------------------|------------|
| SE17P41 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17P42 (4 point attachment) | Plastics | Webbing | 'Post and hole' | 55 to 62cm |
| SE17R42 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17P61 (6 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R62 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17S41 (4 point attachment) | Plastics | Webbing | Push Type | 55 to 62cm |

First Issued: 2019-01-21 Effective Date: 2019-01-21 Latest Issue: 2019-01-21 Expiry Date: 2024-01-21

Page: 2 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 701436

Product Specification (continued)

Model: SE1701 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of six types of harnesses as listed below.

This model has a fabric sweatband fitted to the front section of the headband.

Harnesses: SE17P41, SE17P42, SE17R42, SE17P61, SE17R62 and SE17S41

Model: SE17010 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: ABS plastics shell with one of three types of harnesses as listed below.

This model has a fabric sweatband fitted to the front section of the headband.

Harnesses: SE17P42, SE17R42 and SE17R62

| Harness Type | Headband | Cradle | Nape Strap Adjustment | Size Range |
|------------------------------|----------|----------|-----------------------|------------|
| SE17P41 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17P42 (4 point attachment) | Plastics | Webbing | 'Post and hole' | 55 to 62cm |
| SE17R42 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17P61 (6 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R62 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17S41 (4 point attachment) | Plastics | Webbing | Push Type | 55 to 62cm |

First Issued: 2019-01-21 Effective Date: 2019-01-21 Latest Issue: 2019-01-21 Expiry Date: 2024-01-21

Page: 3 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. CE 701436

Product Specification (continued)

Model: SE1716 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of two types of harnesses as listed below.

Shell contains ventilation holes.

Harnesses: SE17R41 and SE17R42

Model: SE1718 Industrial Safety Helmet

Technical Specification: EN 397:1995 incorporating amendment 1 Specification for industrial safety helmets.

This model meets and is marked to EN 397:2012+A1:2012.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of two types of harnesses as listed below.

This model has a fabric sweatband fitted to the front section of the headband.

Harnesses: SE17P63 and SE17R63

| Harnesses: | Headband | Cradle | Nape Strap Adjustment | Size Range SM904 | Size Range SM906 |
|------------------------------|----------|----------|-----------------------|---------------------|---------------------|
| SE17R41 (4 point attachment) | Plastics | Plastics | Ratchet | 55 to 62cm | N/A |
| SE17R42 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm | N/A |
| SE17P63 (6 point attachment) | Plastics | Plastics | 'Post and Hole' | N/A | 52 to 62cm |
| SE17R63 (6 point attachment) | Plastics | Webbing | Ratchet | N/A | 52 to 62cm |

First Issued: 2019-01-21 Effective Date: 2019-01-21 Latest Issue: 2019-01-21 Expiry Date: 2024-01-21

Page: 4 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 701436

Product Specification (continued)

Model: SE1702 Industrial Safety Helmet

Technical Specification: EN 397:1995 incorporating amendment 1 Specification for industrial safety helmets.

This model meets and is marked to EN 397:2012+A1:2012.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

This model has a fabric sweatband fitted to the front section of the headband.

Harnesses: SE17P45, SE17R44 and SE17R64

Model: SE1700 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

This model is unvented.

Harnesses: SE17P41, SE17R42 and SE17R62

| Harnesses: | Headband | Cradle | Nape Strap Adjustment | Size Range |
|------------------------------|----------|----------|-----------------------|------------|
| SE17P41 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R42 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17R62 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17P45 (4 point attachment) | Plastics | Webbing | 'Post and hole' | 55 to 62cm |
| SE17R44 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17R64 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |

First Issued: 2019-01-21 Effective Date: 2019-01-21 Latest Issue: 2019-01-21 Expiry Date: 2024-01-21

Page: 5 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. CE 701436

Product Specification (continued)

Model: SE17161 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

Shell contains ventilation holes on the top of the helmet.

Harnesses: SE17P41, SE17R42 and SE17R62

Model: SE17022 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

Shell contains ventilation holes on top of the helmet

Harnesses: SE17P43, SE 17R61 and SE17R63

| Harnesses: | Headband | Cradle | Nape Strap Adjustment | Size Range |
|------------------------------|----------|----------|-----------------------|------------|
| SE17P41 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R42 (4 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17R62 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17P43 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R61 (6 point attachment) | Plastics | Plastics | Ratchet | 55 to 62cm |
| SE17R63 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |

Page: 6 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. CE 701436

Product Specification (continued)

Model: SE17162 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

This model is unvented.

Harnesses: SE17P61, SE17S42 and SE17R62

Model: SE17023 Industrial Safety Helmet

Technical Specification: EN 397:2012+A1:2012 Industrial safety Helmets.

EN 397 categorisation: Mandatory requirements only.

Product Description

Shell: Moulded PP shell with one of three types of harnesses as listed below.

This model is unvented.

Harnesses: SE17P43 and SE17R63

| Harnesses: | Headband | Cradle | Nape Strap Adjustment | Size Range |
|------------------------------|----------|----------|-----------------------|------------|
| SE17S42 (4 point attachment) | Plastics | Webbing | Push Type | 55 to 62cm |
| SE17P61 (6 point attachment) | Plastics | Plastic | Post and hole' | 55 to 62cm |
| SE17R62 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |
| SE17P43 (4 point attachment) | Plastics | Plastics | 'Post and hole' | 55 to 62cm |
| SE17R63 (6 point attachment) | Plastics | Webbing | Ratchet | 55 to 62cm |

First Issued: 2019-01-21 Effective Date: 2019-01-21 Latest Issue: 2019-01-21 Expiry Date: 2024-01-21

Page: 7 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 701436

Certificate Administration Details

Product initially approved on BSI certificate: CE 691452.

Certificate Amendment Record:

BSI Review Ref: Issue Date Comments

0086:19:9664098 January 2019 First issue.

Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.



Page: 8 of 8