




Members

Secure Locking Smal Fragment Implants

034 2.7mm SECURE LOCKING SCREWS, SELF TAPPING *Lot 2.1*

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLSS STEEL	TITANIUM		STAINLSS STEEL	TITANIUM
6	034.006	034.006.TI	30	034.030	034.030.TI
8	034.008	034.008.TI	32	034.032	034.032.TI
10	034.010	034.010.TI	34	034.034	034.034.TI
12	034.012	034.012.TI	36	034.036	034.036.TI
14	034.014	034.014.TI	38	034.038	034.038.TI
16	034.016	034.016.TI	40	034.040	034.040.TI
18	034.018	034.018.TI	42	034.042	034.042.TI
20	034.020	034.020.TI	44	034.044	034.044.TI
22	034.022	034.022.TI	46	034.046	034.046.TI
24	034.024	034.024.TI	48	034.048	034.048.TI
26	034.026	034.026.TI	50	034.050	034.050.TI
28	034.028	034.028.TI	52	034.052	034.052.TI



Code No: 034

034 2.7mm SECURE LOCKING SCREWS, SELF TAPPING (CONT....)

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLSS STEEL	TITANIUM		STAINLSS STEEL	TITANIUM
54	034.054	034.054.TI	58	034.058	034.058.TI
56	034.056	034.056.TI	60	034.060	034.060.TI

HEMC House:
 D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company


**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

035 3.5mm SECURE LOCKING SCREWS, SELF TAPPING *Lot 2.2*


LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
10	035.010	035.010.Ti	46	035.046	035.046.Ti
12	035.012	035.012.Ti	48	035.048	035.048.Ti
14	035.014	035.014.Ti	50	035.050	035.050.Ti
16	035.016	035.016.Ti	52	035.052	035.052.Ti
18	035.018	035.018.Ti	54	035.054	035.054.Ti
20	035.020	035.020.Ti	56	035.056	035.056.Ti
22	035.022	035.022.Ti	58	035.058	035.058.Ti
24	035.024	035.024.Ti	60	035.060	035.060.Ti
26	035.026	035.026.Ti	62	035.062	035.062.Ti
28	035.028	035.028.Ti	64	035.064	035.064.Ti
30	035.030	035.030.Ti	66	035.066	035.066.Ti
32	035.032	035.032.Ti	68	035.068	035.068.Ti
34	035.034	035.034.Ti	70	035.070	035.070.Ti
36	035.036	035.036.Ti	72	035.072	035.072.Ti
38	035.038	035.038.Ti	74	035.074	035.074.Ti
40	035.040	035.040.Ti	76	035.076	035.076.Ti
42	035.042	035.042.Ti	78	035.078	035.078.Ti
44	035.044	035.044.Ti	80	035.080	035.080.Ti



Code No: 035

063 3.5mm SECURE LOCKING CANCELLOUS SCREWS, FULL THREAD *Lot 2.3*


LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
14	063.014	063.014.Ti	32	063.032	063.032.Ti
16	063.016	063.016.Ti	34	063.034	063.034.Ti
18	063.018	063.018.Ti	36	063.036	063.036.Ti
20	063.020	063.020.Ti	38	063.038	063.038.Ti
22	063.022	063.022.Ti	40	063.040	063.040.Ti
24	063.024	063.024.Ti	45	063.045	063.045.Ti
26	063.026	063.026.Ti	50	063.050	063.050.Ti
28	063.028	063.028.Ti	55	063.055	063.055.Ti
30	063.030	063.030.Ti	60	063.060	063.060.Ti



NEW

HEMC House:
 D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.




Members



122 1/3RD SECURE LOCKING TUBULAR PLATE FOR FOR 3.5mm SCREW **Lot 2.4**


NO. OF HOLES	CODE	
	STAINLSS STEEL	TITANIUM
4	122.004	122.004TI
5	122.005	122.005 TI
6	122.006	122.006 TI
7	122.007	122.007 TI
8	122.008	122.008 TI
9	122.009	122.009 TI
10	122.010	122.010 TI
11	122.011	122.011 TI
12	122.012	122.012 TI
13	122.013	122.013 TI
14	122.014	122.014 TI



Code No: 122

118 3.5mm SECURE LOCKING RECONSTRUCTION PLATE, STRAIGHT **Lot 2.5**

NO. OF HOLES	CODE		NO. OF HOLES	CODE	
	STAINLSS STEEL	TITANIUM		STAINLSS STEEL	TITANIUM
5	118.005	118.005.TI	13	118.013	118.013.TI
6	118.006	118.006.TI	14	118.014	118.014.TI
7	118.007	118.007.TI	15	118.015	118.015.TI
8	118.008	118.008.TI	16	118.016	118.016.TI
9	118.009	118.009.TI	17	118.017	118.017.TI
10	118.010	118.010.TI	18	118.018	118.018.TI
11	118.011	118.011.TI	19	118.019	118.019.TI
12	118.012	118.012.TI	20	118.020	118.020.TI



Code No: 118


1005 3.5mm SECURE LOCKING SUPERIOR-ANTERIOR CLAVICLE PLATE **Lot 2.6**

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLSS STEEL	TITANIUM	STAINLSS STEEL	TITANIUM
6	1005.06L	1005.06LTI	1005.06R	1005.06RTI
7	1005.07L	1005.07LTI	1005.07R	1005.07RTI
8	1005.08L	1005.08LTI	1005.08R	1005.08RTI



Code No: 1005 **NEW**

HEMC House:
 D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com



Exhibitor's at:



Members



1006

3.5mm SECURE LOCKING SUPERIOR-ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION PLATE

Lot 2.6
Lot 2.7

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	1006.03L	1006.03L.Ti	1006.03R	1006.03R.Ti
4	1006.04L	1006.04L.Ti	1006.04R	1006.04R.Ti
5	1006.05L	1006.05L.Ti	1006.05R	1006.05R.Ti
6	1006.06L	1006.06L.Ti	1006.06R	1006.06R.Ti
7	1006.07L	1006.07L.Ti	1006.07R	1006.07R.Ti
8	1006.08L	1006.08L.Ti	1006.08R	1006.08R.Ti
9	1006.09L	1006.09L.Ti	1006.09R	1006.09R.Ti



125

3.5mm SECURE LOCKING PHILOS PROXIMAL HUMERAL INTERNAL PLATE

Lot 2.8

NO. OF SHAFT HOLES	TYPE	LENGTH (mm)	CODE	
			STAINLESS STEEL	TITANIUM
3	Short	90	125.03S	125.03S.Ti
5	Short	114	125.05S	125.05S.Ti
3	Long	106	125.03S	125.03S.Ti
4	Long	124	125.04S	125.04S.Ti
5	Long	140	125.05L	125.05L.Ti
6	Long	158	125.06L	125.06L.Ti
7	Long	176	125.07L	125.07L.Ti

NO. OF SHAFT HOLES	TYPE	LENGTH (mm)	CODE	
			STAINLESS STEEL	TITANIUM
8	Long	196	125.08L	125.08L.Ti
9	Long	212	125.09L	125.09L.Ti
10	Long	234	125.10L	125.10L.Ti
11	Long	250	125.11L	125.11L.Ti
12	Long	270	125.12L	125.12L.Ti
13	Long	286	125.13L	125.13L.Ti




Code No: 125

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com

Exhibitor's at:





Members

103

2.7mm/3.5mm SECURE LOCKING DISTAL HUMERUS MEDIAL PLATE

Lot 2.9

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	103.03L	103.03L.Ti	103.03R	103.03R.Ti
4	103.04L	103.04L.Ti	103.04R	103.04R.Ti
5	103.05L	103.05L.Ti	103.05R	103.05R.Ti
6	103.06L	103.06L.Ti	103.06R	103.06R.Ti
7	103.07L	103.07L.Ti	103.07R	103.07R.Ti
8	103.08L	103.08L.Ti	103.08R	103.08R.Ti
10	103.10L	103.10L.Ti	103.10R	103.10R.Ti
12	103.12L	103.12L.Ti	103.12R	103.12R.Ti
14	103.14L	103.14L.Ti	103.14R	103.14R.Ti



Thickness: 2.5 mm
Shaft width: 11 mm

104

2.7mm/3.5mm SECURE LOCKING DISTAL HUMERUS DORSO LATERAL PLATE


Lot 2.10

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	104.03L	104.03L.Ti	104.04R	104.03R.Ti
4	104.04L	104.04L.Ti	104.04R	104.04R.Ti
5	104.05L	104.05L.Ti	104.05R	104.05R.Ti
6	104.06L	104.06L.Ti	104.06R	104.06R.Ti
7	104.07L	104.07L.Ti	104.07R	104.07R.Ti
8	104.08L	104.08L.Ti	104.08R	104.08R.Ti
10	104.10L	104.10L.Ti	104.10R	104.10R.Ti
12	104.12L	104.12L.Ti	104.12R	104.12R.Ti
14	104.14L	104.14L.Ti	104.14R	104.14R.Ti



Thickness: 2.5 mm
Shaft width: 11 mm

HEMC House:
D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.




Members



102 3.5mm SECURE LOCKING OLECRANON PLATE *Lot 2.11*

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
2	102.02L	102.02LTi	102.02R	102.02RTi
4	102.04L	102.04LTi	102.04R	102.04RTi
6	102.06L	102.06LTi	102.06R	102.06RTi
8	102.08L	102.08LTi	102.08R	102.08RTi
10	102.10L	102.10LTi	102.10R	102.10RTi
12	102.12L	102.12LTi	102.12R	102.12RTi



Code No: 102

1019T 2.7mm/3.5mm SECURE LOCKING VOLAR DISTAL RADIUS PLATE, EXTRA ARTICULAR *Lot 2.12*

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	1019T.043L	1019T.043LTi	1019T.043R	1019T.043RTi
4	1019T.044L	1019T.044LTi	1019T.044R	1019T.044RTi
5	1019T.045L	1019T.045LTi	1019T.045R	1019T.045RTi
6	1019T.046L	1019T.046LTi	1019T.046R	1019T.046RTi



1022T 2.7mm/3.5mm SECURE LOCKING VOLAR VARIABLE ANGLE DISTAL RADIUS PLATE *Lot 2.12*

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
2	1022T.042L	1022T.042LTi	1022T.042R	1022T.042RTi
3	1022T.043L	1022T.043LTi	1022T.043R	1022T.043RTi
4	1022T.044L	1022T.044LTi	1022T.044R	1022T.044RTi
5	1022T.045L	1022T.045LTi	1022T.045R	1022T.045RTi
6	1022T.046L	1022T.046LTi	1022T.046R	1022T.046RTi



HEMC House:
 D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com

Exhibitor's at:





Members



1076

2.7mm/3.5mm SECURE LOCKING DISTAL FIBULA LATERAL PLATE

Lot 2.13

No. of holes	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	1076.03L	1076.03L.Ti	1076.03R	1076.03R.Ti
4	1076.04L	1076.04L.Ti	1076.04R	1076.04R.Ti
5	1076.05L	1076.05L.Ti	1076.05R	1076.05R.Ti
6	1076.06L	1076.06L.Ti	1076.06R	1076.06R.Ti
7	1076.07L	1076.07L.Ti	1076.07R	1076.07R.Ti
8	1076.08L	1076.08L.Ti	1076.08R	1076.08R.Ti
9	1076.09L	1076.09L.Ti	1076.09R	1076.09R.Ti
10	1076.10L	1076.10L.Ti	1076.10R	1076.10R.Ti



106

2.7mm / 3.5mm & 3.5mm / 3.5mm SECURE LOCKING DISTAL TIBIA PLATE

Lot 2.14

NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
4	106.04L	106.04L.TI	106.04R	106.04R.TI
5	106.05L	106.05L.TI	106.05R	106.05R.TI
6	106.06L	106.06L.TI	106.06R	106.06R.TI
7	106.07L	106.07L.TI	106.07R	106.07R.TI
8	106.08L	106.08L.TI	106.08R	106.08R.TI
9	106.09L	106.09L.TI	106.09R	106.09R.TI
10	106.10L	106.10L.TI	106.10R	106.10R.TI
11	106.11L	106.11L.TI	106.11R	106.11R.TI
12	106.12L	106.12L.TI	106.12R	106.12R.TI
13	106.13L	106.13L.TI	106.13R	106.13R.TI
14	106.14L	106.14L.TI	106.14R	106.14R.TI
15	106.15L	106.15L.TI	106.15R	106.15R.TI



Code No: 106 **NEW**

Thickness: 3.7 mm
Shaft width: 11 mm

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com

Exhibitor's at:





Members



1057 3.5mm SECURE LOCKING ANTEROLATERAL DISTAL TIBIA PLATE Lot 2.15


NO. OF HOLES	CODE			
	LEFT		RIGHT	
	STAINLESS STEEL	TITANIUM	STAINLESS STEEL	TITANIUM
4	1057.04L	1057.04L.TI	1057.04R	1057.04R.TI
5	1057.05L	1057.05L.TI	1057.05R	1057.05R.TI
6	1057.06L	1057.06L.TI	1057.06R	1057.06R.TI
7	1057.07L	1057.07L.TI	1057.07R	1057.07R.TI
8	1057.08L	1057.08L.TI	1057.08R	1057.08R.TI
9	1057.09L	1057.09L.TI	1057.09R	1057.09R.TI
10	1057.10L	1057.10L.TI	1057.10R	1057.10R.TI
12	1057.12L	1057.12L.TI	1057.12R	1057.12R.TI
14	1057.14L	1057.14L.TI	1057.14R	1057.14R.TI
16	1057.16L	1057.16L.TI	1057.16R	1057.16R.TI



Thickness: 3.7 mm
Shaft width: 13.5 mm

156 3.5mm SECURE LOCKING CALCANEAL PLATE, S.S. Lot 2.16

Length (mm)	Code			
	Left		Right	
	Stainless Steel	Titanium	Stainless Steel	Titanium
64	156.064L	156.064LTI	156.064R	156.064RTI
69	156.069L	156.069LTI	156.069R	156.069RTI
76	156.076L	156.076LTI	156.076R	156.076RTI
81	156.081L	156.081LTI	156.081R	156.081RTI



Thickness: 1.5 mm

HEMC House:
D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com

Exhibitor's at:

