

Manufacturer: BAS STEEL PROFILE SRL str.Voczalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport: A10 A03 TRAL972/TR122RA							
Customer: BIMETCOM		No. 1274 Date: 02.02.2023		B03-B06		B12 Total weight, Kg 23147		B08 Total Length, m 14 400,00 (meters)		B08 Pieces: 2400 Bundles: 20	
Contract No. 4C-22 Specification № 0013/4C-22 Order No. Destination Moldova		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 10889 , Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		 2174			

		B09		B10	Steel	B07	Heat	Mechanical Test		C11		C12	C13	D02	D03
Dimension(mm)		W.T.(mm)		Grade	Nr. Bundles		Direction of the	C02	C03	ReH	Rm	A	Ra	Hydraulic	
							test pieces	Test	temperature					µm	sure, bar,min.
30x30		2	S235JRH	0508\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0509\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0510\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0507\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0506\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0505\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0504\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0503\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0502\23		122525	L	ambient		343	441	28	-		
30x30		2	S235JRH	0501\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0500\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0499\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0498\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0497\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0496\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0366\23		1222314-8	L	ambient		314	422	31	-		
30x30		2	S235JRH	0495\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0494\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0493\23		122703	L	ambient		294	392	33	-		
30x30		2	S235JRH	0492\23		122703	L	ambient		294	392	33	-		

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection

Tolerances on dimensions and shape: pass

Drawn up,
 Eng. Filipov Nicolai

Signature of the QCD representative,
 Eng. Nekit Yurii





Manufacturer: BAS STEEL PROFILE SRL str.Vocalinaia 28, Taraclia, Moldova Phone:+373 78 436 481	A01	MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1) No. 1274 Date: 02.02.2023	A02	Transport: A10 A03 TRAL972/TR122RA			
	Customer: BIMETCOM		A06		B03-B06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded Package wrapped with 6 straps through the side	B12	Total weight, kg 23147
Contract No. 4C-22 Specification № 0013/4C-22 Order No. Destination Moldova	A07	100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 1088 , Plain ends, straight cut from mill	EN 10219-1/2 S235JRH		 2174		

Product description

Nr.	B07		Product	B01-B02 Dimension(mm)	B09 Thickness(mm)	B10 Length(mm)	B11 Deviation	Bundles	B08		B12	B13
	Nr. Bundles	Heat							Pieces	Netto Weight (kg)	Brutto weight, kg	Meters
1	0508\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1136	-	720
2	0509\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1185	-	720
3	0510\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1200	-	720
4	0507\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1156	-	720
5	0506\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1156	-	720
6	0505\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1155	-	720
7	0504\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1147	-	720
8	0503\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1132	-	720
9	0502\23	122525	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1120	-	720
10	0501\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1145	-	720
11	0500\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1150	-	720
12	0499\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1150	-	720
13	0498\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1173	-	720
14	0497\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1170	-	720
15	0496\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1200	-	720
16	0366\23	1222314-8	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1150	-	720
17	0495\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1148	-	720
18	0494\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1154	-	720
19	0493\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1160	-	720
20	0492\23	122703	S235JRH-EN 10219-1/2	30x30	2	6 000	+50/-0	1	120	1160	-	720



Manufacturer: BAS STEEL PROFILE SRL str.Vocalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport: A10 A03 TRAL972/TR122RA							
Customer: BIMETCOM		No. 1274 Date: 02.02.2023		B03-B06		B12 Total weight, Kg 23147		Total Length, m 14 400,00 (meters)		B08 Pieces: 2400 Bundles: 20	
Contract No. 4C-22 Specification № 0013/4C-22 Order No. Destination Moldova		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 1088 , Plain ends, straight cut from mill		EN 10219-1/2 S235JRH				2174	

B09	B08	Steel	B07	Heat	Chemical Composition				C71-C92						
					C	SI	Mn	S	P	Cr	NI	Cu	As	N	Al
Dimension(mm)	W.T.(mm)	Grade	Nr. Bundles		x100	x100	x100	x1000	x1000	x100	x100	x100	x100	x1000	x1000
30x30		2 S235JRH	0508\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0509\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0510\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0507\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0506\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0505\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0504\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0503\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0502\23	122525	10,0	1,5	37,0	33,0	25,0	4,0	1,0	1,0		9	
30x30		2 S235JRH	0501\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0500\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0499\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0498\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0497\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0496\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0366\23	1222314-8	12,0	1,7	37,0	23,0	35,0	6,0	1,0	1,0		9	
30x30		2 S235JRH	0495\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0494\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0493\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	
30x30		2 S235JRH	0492\23	122703	11,0	1,7	38,0	25,0	11,0	3,0	1,0	1,0		9	

