Ion AmpliSeq[™] Library Kit 2.0

Catalog Numbers 4475345, 4480441, and 4480442

Pub. No. MAN0006734 Rev. A.0

Note: For safety and biohazard guidelines, see the "Safety" appendix in the *Ion AmpliSeq* ™ *Library Kit 2.0 User Guide* (Pub. No. MAN0006735). Read the Safety Data Sheets (SDSs) and follow the handling instructions. Wear appropriate protective eyewear, clothing, and gloves.

Product description

The Ion AmpliSeq[™] Library Kit 2.0 contains reagents for rapid preparation of targeted libraries from DNA or RNA for sequencing on the Ion GeneStudio[™] S5, Ion S5[™], Ion S5[™] XL, Ion PGM[™], and Ion Proton[™] instruments.

Ion AmpliSeq[™] panels are required but sold separately. Panels are available at **AmpliSeq.com**.

When the kit and panels are used with barcoded adapters, multiple libraries can be combined and loaded onto a single Ion Chip to minimize the per-sample sequencing cost.

For more information, see the *Ion AmpliSeq*™ *Library Kit 2.0 User Guide* (Pub. No. MAN0006735).

Kit contents and storage

Component	Amount			
	Cat. No. 4475345 (8 reactions)	Cat. No. 4480441 (96 reactions)	Cat. No. 4480442 (384 reactions)	Storage
5X Ion AmpliSeq™ HiFi Mix (red cap)	40 µL	480 µL	4 × 480 μL	
FuPa Reagent (brown cap)	16 µL	192 µL	4 × 192 μL	
Switch Solution (yellow cap)	32 µL	384 µL	4 × 384 μL	
DNA Ligase (blue cap)	16 µL	192 µL	4 × 192 μL	-30°C to -10°C
Ion AmpliSeq™ Adapters (green cap)	16 µL	192 µL	4 × 192 μL	
Platinum™ PCR SuperMix High Fidelity (black cap)	400 μL	3 × 1.6 mL	12 × 1.6 mL	
Library Amplification Primer Mix (white cap)	16 µL	192 µL	4 × 192 μL	
Low TE (clear cap)	6 mL	2 × 6 mL	8 × 6 mL	15°C to 30°C ^[1]

 $^{^{[1]}}$ Can be stored at -30° C to -10° C.

Precautions

Handle biological samples and all other materials according to local laboratory guidelines and regulations. Avoid cross-contamination of samples and reagents to ensure quality results.

If equipment or reagents are used in a manner not specified by the manufacturer, the protection provided by the equipment can be impaired.

Refer to the expiration date on the package labels. Do not use kits after the expiration date.



Customer and technical support

Visit thermofisher.com/support for the latest service and support information.

- Worldwide contact telephone numbers
- Product support information
 - Product FAOs
 - Software, patches, and updates
 - Training for many applications and instruments
- Order and web support
- Product documentation
 - User guides, manuals, and protocols
 - Certificates of Analysis
 - Safety Data Sheets (SDSs; also known as MSDSs)

Note: For SDSs for reagents and chemicals from other manufacturers, contact the manufacturer.

Limited product warranty

Life Technologies Corporation and/or its affiliate(s) warrant their products as set forth in the Life Technologies' General Terms and Conditions of Sale at www.thermofisher.com/us/en/home/global/terms-and-conditions.html. If you have any questions, please contact Life Technologies at www.thermofisher.com/support.



Life Technologies Corporation | 5781 Van Allen Way | Carlsbad, CA 92008

For descriptions of symbols on product labels or product documents, go to thermofisher.com/symbols-definition.

The information in this guide is subject to change without notice.

DISCLAIMER: TO THE EXTENT ALLOWED BY LAW, THERMO FISHER SCIENTIFIC INC. AND/OR ITS AFFILIATE(S) WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT, PUNITIVE, MULTIPLE, OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM THIS DOCUMENT, INCLUDING YOUR USE OF IT.

Revision history: Pub. No. MAN0006734

Revision	Date	Description
A.0	21 January 2019	Updated volumes for Low TE reagent
		Style updates
02.00	14 May 2012	New document

Important Licensing Information: These products may be covered by one or more Limited Use Label Licenses. By use of these products, you accept the terms and conditions of all applicable Limited Use Label Licenses.

©2019 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified.

