



rompetrol

KazMunayGas
Group
Member

Statement of Compliance

No:64171 ;Date: 30/11/2025 Time:13:31:11

Manufacturer's name: ROMPETROL RAFINARE S.A.

Manufacturer's address: Navodari, 215 Navodari Boulevard, Administrativ Building, Constanta County

Registration No. with the Register of Commerce: J1991000534130

Unique registration Code: 1860712

Hereby duly assure, guarantee, and state that:

Name of product: GASOLINE SM EN 228
of (batch/lot/tank): B86/29.11.2025.10:45-LPP100631 FOR BARGE TMS ALNIKA
Transported with: BARGE TMS ALNIKA
Delivered from: Petromidia Secondary place of business (Navodari City, 1-283 Navodari Boulevard, Constanta County)
Quantity: Kg
Beneficiary:
Drawn according to standard: SR EN ISO 3170:04*, SR EN ISO 3170:04/C91:2005*

In compliance with:

Specification/Standard/Contract no.: SS-2.1.6 T **Title:**Euro plus unleaded gasoline **Edition/Revision/Date of issuance:**
- / 10 / 01/09/2023/

above-described product does not threaten life, health, labor safety and does not have a negative impact upon the environment, are maintaining characteristics if respect the requirements of :

Safety data sheet no. 2.1 T Title: Edition/Revision/Date of issuance: - / 8 / 06/11/2023

Derogation: It's not necessary

Validity period: 6 Months **Warranty period:** 10 Days from delivery date

Additional information:

The tests performed are listed in the test report no.: 65721 of date: 30/11/2025 1:30:18PM, in attach.

Certificat RAR nr. 1928 /valabil pana la 29.09.2026


- Rompetrol Rafinare S.A. has the Quality-Environmental-Health and Occupational Health and Safety Management Integrated System certified by DNV, according to standards: ISO 9001, ISO 14001, ISO 45001, ISO 50001.
- Rompetrol Refining has registered/ notified the product, according with the Regulation 1907/2006, REACH.
- Rompetrol Rafinare S.A. has empowered Rompetrol Quality Control SRL by a Contract of Representation-Mandate to issue on its behalf the Conformity Statement.
- Material testing laboratories owned by Rompetrol Quality Control SRL are accredited by RENAR (Romanian Accreditation Association) according to SR EN ISO/IEC 17025.

For and on behalf of Rompetrol Rafinare SA

Rompetrol Quality Control SRL -

Head of Oil Products Laboratory

Elisabeta Pop
ROMPETROL RAFINARE S.A.



Tel: +(40)241 506 158;241 506 700,

Fax: +(40)241 506 916;241 506 929

www.rompetrol-rafinare.ro

www.rompetrol.com

office rafinare@rompetrol.com

Testing report no:65721; date:30/11/2025 13:30:13

Customer: ROMPETROL RAFINARE SA
 Sample: GASOLINE SM EN 228
 Receiving date: 30/11/2025 13:15:00
 Completion date: 30/11/2025
 Sampling method: SR EN ISO 3170:04*, SR EN ISO 3170:04/C91:2005*
 Tanks: B86/29.11.2025.10:45-LPP100631 FOR BARGE TMS ALNIKA
 Sampled by: RQC-UTI
 Contract/Order: Contract RR nr. 5/ 07.01.2019/ PI- rev.7 RRC.P&E
 Ship: BARGE TMS ALNIKA/LPP100840
 Sample tested: 5 L
 Customer address: Navodari,B-dul Navodari nr. 215, Pavilion Administrativ,Constanta

No.	Property	Test Method	UM	Required value	Determined value	Uncertainty ³⁾
1	Density At 15°C	EN ISO 12185:2024	kg/m³	min. 720,0 max. 775,0	739,4	-
2	Motor Octane Number	EN ISO 5163:14		min. 85,0	85,3	-
3	Research Octane Number	EN ISO 5164:14		min. 95,0	97,2	-
4	Lead Content	EN 237:2004:05	mg/l	max. 5,0	<2,5	-
5	Sulfur Content	EN ISO 20846:19	mg/kg	max. 10,0	<3	-
6	Manganese	EN 16135:12	mg/l	max. 2,0	<2	-
7	Oxidation Stability	EN ISO 7536:01	minutes	min. 360	>900	-
8	Existent Gums (After Solvents Wash)	EN ISO 6246:2017, EN ISO 6246:2017/A1:2020	mg/100ml	max. 5	1,0	-
9	Corrosion, Copper Strip (3H At 50°C)	EN ISO 2160:03	evaluation	class1	1b	-
10	Appearance	Visual inspection*		clear and bright	clear and bright	-
11	Olefins	EN ISO 22854:2021(procedura A)	% (v/v)	max. 18,0	14,4	-
12	Aromatics	EN ISO 22854:2021(procedura A)	% (v/v)	max. 35,0	29,3	-
13	Benzene	EN ISO 22854:2021(procedura A)	% (v/v)	max. 1,00	0,80	-
14	Oxygen Content	EN ISO 22854:2021(procedura A)	% (m/m)	max. 3,7	2,62	-
15	Methanol	EN ISO 22854:2021(procedura A)	% (v/v)	max. 3,0	0,10	-
16	Ethanol	EN ISO 22854:2021(procedura A)	% (v/v)	max. 10	0,13	-
17	Iso Propyl Alcohol	EN ISO 22854:2021(procedura A)	% (v/v)	max. 12	<0,03	-
18	Iso Butyl Alcohol	EN ISO 22854:2021(procedura A)	% (v/v)	max. 15	<0,03	-
19	Tert Butyl Alcohol	EN ISO 22854:2021(procedura A)	% (v/v)	max. 15	<0,03	-
20	Ethers (5 Or More C Atoms)	EN ISO 22854:2021(procedura A)	% (v/v)	max. 22	13,74	-
21	Other Oxygenates	EN ISO 22854:2021(procedura A)	% (v/v)	max. 15	<0,03	-
22	Evaporated At 70°C, Winter	EN ISO 3405:19	% (v/v)	min. 24,0 max. 52,0	37,8	-
23	Evaporated At 100°C, Winter	EN ISO 3405:19	% (v/v)	min. 46,0 max. 72,0	60,4	-
24	Evaporated At 150°C, Winter	EN ISO 3405:19	% (v/v)	min. 75,0	89,9	-
25	Final Boiling Point	EN ISO 3405:19	°C	max. 210	194,6	-
26	Residue Of Distillation	EN ISO 3405:19	% (v/v)	max. 2,0	0,8	-
27	Vapour Pressure-Winter	EN 13016-1:2024	kPa	min. 60,0 max. 90	89,0	-
28	Volatility Index Winter	Calculation*		-	1155	-

Amendment: not applicable

Remarks: MTBE [EN ISO 22854:2021(procedura A)] = 13.57 % (v/v)
 ETBE [EN ISO 22854:2021(procedura A)] = 0.17 % (v/v)
 TAME [EN ISO 22854:2021(procedura A)] = <0.03 % (v/v)



1. The Rompetrol Quality Control SRL laboratory is accredited by RENAR for testing activity in compliance with SR EN ISO/CEI 17025:2018 as specified in the accreditation certificate no. LI 333. The tests covered by the accreditation are available at www.renar.ro
2. "" The marked tests are not covered by the RENAR accreditation.
3. Expanded uncertainty of 95% confidence level with coverage factor k=2.
4. The testing report cannot be partially reproduced without explicit written approval of the testing laboratory.
5. The testing results refer to the tested sample and not the entire lot.
6. The observations contained in this report are not covered by the Renar accreditation

ROMPETROL QUALITY CONTROL SRL

215 Navodari Blvd., 2nd floor, room 220, Navodari - Constanta, Postal Code 905700 ROMANIA
 phone: + (40) 241 50 6700 (fax: +(40) 241 506 916 , email: Comercial.RQC@rompetrol.com

www.rqc.ro

cod: F LPP 02-PG 07

ed.5/rev.4/04.2023

page 1 of 1