## COMMUNICATION



issued by:

Ministry of Transport

L.Svobody 1222/12 110 15 Praha 1 Czech Republic

concerning: 1/

APPROVAL GRANTED

APPROVAL-EXTENDED APPROVAL-REFUSED APPROVAL WITHDRAWN

PRODUCTION DEFINITELY DISCONTINUED

of a type of pneumatic tyre for agricultural vehicles pursuant to Regulation No. 106

Approval No.: 106R-000704 Extension No.: N/A

1. Manufacturer's name or trade mark (s) of the tyre: **PETLAS** 

2. Tyre type designation by the manufacturer: NT-3

3. Manufacturer's name and address: PETLAS TYRE INDUSTRY

AND TRADE COMPANY

Gőlhisar Mevkii 40200 Kirsehir

TURKEY

4. If applicable, name and address of manufacturer's representative: N/A

5. Summarized description:

5.1. Size of tyre:

see tyre dimensions list

Implement - traction

5.3. Structure: diagonal (bias-ply)/bias-belted/radial 1/

5.4. Speed category symbol: see tyre dimensions list

5.5. Load-capacity index:

5.2. Category of use:

5.5.1. for traction (implement only):

5.5.2. for trailer (implement only):

see tyre dimensions list

page 1/3

5.6. Whether the tyre is to be fitted with or without an inner tube TUBE-TYPE / TUBELESS

5.7. The supplementary service description, if applicable: -

 Technical Service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity:

IGTT a.s.

Šternberská 446, Louky,

763 02 ZLÍN

**CZECH REPUBLIC** 

7. Date of report issued by that service:

30.11.2015

8. Number of report issued by that service:

106/0704

9. Reason(s) of extension (if applicable):

-

10. Any remarks:

11. Place:

Praha

12. Date:

30.11.2015

13. Signature:

Marek Brázda

14. Annexed to this communication is a list of documents in the approval file deposited at the Administrative Services having delivered the approval and which can be obtained upon request

List of attached documents

- Manufacturer's certificate
- Sidewall marking, tread pattern
- Tread pattern
- Request for approval

<sup>1/</sup> Strike out what does not apply.

Annex No.1

Tyre dimensions list from the same range

NT-3	9.00-16 8PR NT3 RÖMORK 118/A6	106R-000 704
	9.00-16 12PR NT3 TL RÖMORK 125/A6	
	9.00-16 12PR NT3 RÖMORK 125/A6	
	9.00-16 14PR NT3 RÖMORK 128/A6	
	9.00-16 16PR NT3 RÖMORK 131/A6	
	11.5/80-15.3 16PR NT3 TL 141 A8 (WC TYRE)	

