FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS



i-SENSYS MF440 series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers













Workflow efficiency

Meet ambitious business demands with a robust and reliable printer with fast production times. This series delivers prints at speeds of up to 38ppm in A4 and offers double-sided printing as standard. Double-sided single-pass scanning will keep your workflow at a premium too.

Tailor-made

Tighten efficiency with the Application Library. On-screen buttons automate and speed up everyday tasks, including printing stored forms, scanning to email and copying documents so that they can be accessed with just a single tap of a button. The standby display can also be customised to suit you and your business needs.

Seamless connectivity

Take control on the move with smooth mobile connectivity. Print wirelessly from smartphones or tablets with the Canon PRINT Business app or get printing straightaway without an app thanks to AirPrint (iOS) and Mopria (Android) compatibility.

Security and control


Put security first with secure PIN print, which restricts people from viewing confidential documents. Even greater security is offered via the Universal Login Manager (ULM) with MF446x and MF449x, which provides user authentication for greater privacy.

High quality

Whether you are printing a sales presentation or a small document for internal use, this series ensures prints are always high-quality thanks to improved toner cartridges, which now come with Auto Seal Removal.



RANGE FEATURE STEP UP CHART



OPTIONAL ACCESSORIES

Cassette Feeding Module AH1

 Additional 550 sheet paper cassette, 1 unit can be added to main unit

Telephone 6 Kit (available on MF445dw & MF449x)

• Optional telephone handset for fax function

Barcode Printing Kit-E1E (available on MF446x & MF449x)

 Installs barcode fonts for barcode printing. This kit, which is delivered electronically, includes a license access certificate for activation

Send PDF Security Feature Set-E1 (available on MF446x & MF449x)

 Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.



TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Machine type

Available functions

MF443dw/MF446x: Print, Copy, Scan MF446x/MF449x: Print, Copy, Scan and Fax

PRINTER Print speed

Printing method Print resolution

Print quality with Image Refinement Technology Warm-up time First Print Out Time

Printer languages Fonts

Print margins

Advanced printing features

Toner saver mode

COPIER

First Copy Output Time (FCOT)

Copy resolution Copy modes

Multiple copy

Other features

SCANNED Туре Scan resolution

Scan speed

Colour scanning depth Greyscales Compatibility

Max. scan width Scan to E-mail

Scan to PC

Scan to USB memory key Scan to FTP

Scan to Cloud iFΔX

FAX Modem speed

Receive mode Fax resolution

FAX memory Speed dials

Group dials/destinations Sequential broadcast Memory backup

Double sided faxing

Mono Laser All-In-One

Single sided : Up to 38 ppm (A4) Up to 63.1 ppm(A5-Landscape) Double sided : Up to 31.9 ipm (A4)

Monochrome laser beam printing

iqb 000 x 000 Up to 1200 x 1200 dpi

Approx. 14 seconds or less from power on

Approx: 5.5 seconds or less UFRII, PCL 5c1, PCL6, Adobe® PostScript

MF443dw: 45 PCL fonts MF445dw: 45 PCL fonts 136 PostScript fonts MF446x/MF449x: 93 PCL fonts 136 PostScript fonts

5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Yes

MF4450W/MF4450W: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in

ME446y/ME449y

MF446X/MF449X: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print²

Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less

2-sided to 2-sided (Automatic)

25-400% in 1% increments

Barcoae Print-Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in

Text, Text/Photo (Default), Text/Photo (High Quality),

Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Up to 600 x 600 dpi

Up to 999 copies

Copy speed

Double sided copying

Reduction / Enlargement

Colour

Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Single sided mono: 38ipm (300x600dpi) Single sided colour: 13ipm (300x600dpi) Double sided mono: 70ipm (300x600dpi)

Double sided colour: 26ipm (300x600dpi)

24 bit/24 bit (input/output)

256 levels TWAIN, WIA, ICA 216mm

MF443dw/MF445dw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF MF446x/449x: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/ Encrypted PDF³/PDF (Digital signature)³

TIFF/JPEG/PDF/PNG4

ITU-T 37

MF445dw/MF449x only

33.6 Kbps (Up to 3 seconds/page⁵)

Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi Up to 512 pages⁵

Up to 281dials Max. 299 dials / Max. 299 destinations

Max. 310 destinations Permanent fax memory backup (Backup with flash memory)

Yes (Transmit and Receive)

Other features

MEDIA HANDLING Scanner type

Paper input (Standard)

Paper input (Option) Paper output Media types

Media sizes

Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports

Platen, 2-sided ADF (single pass)

250-sheet cassette 100-sheet multi-purpose tray 50-sheet ADF

550-sheet cassette

150-sheet

Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope

Cassette (Standard and optional):
A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.

Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COMIO, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.

ADF:

A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 105 x 128 mm Max 215.9 x 355.6 mm

Cassette (standard and optional): 60 to 120 g/m² Multi-purpose tray: 60 to 163 g/m²+AC57 ADF: 50 to 105 g/m²

A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO,

Double sided printing GLGL, Foolscap Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm 60 to 120 g/m²

INTERFACE & SOFTWARE

Interface type

Media weights

Operating System compatibility

Network Protocol

Software and printer

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T. Wireless 802.11b/g/n, Wireless Direct Connection

Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2019 / Server* 2016 / Server* 2012 / Server* 2012 / Server* 2008R2 / Server* 2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux⁶

Print: LPD, RAW, Port9100, IPP, IPPS, WSD (IPv4,IPv6)

Scan:
Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX
TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP
(IPv4,IPv6)
DHCP, ARP+PING, Auto IP, WINS (IPv4)
DHCPv6 (IPv6)
Management:

DHCPv6 (IPv6)
Management:
SNMPv1, SNMPv3 (IPv4,IPv6)
Security (wired):
IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL
(HTTPS, IPPS)
Security (wireless):
WEP(64/128 bit), WPA-PSK(TKIP/AES),
WPA2-PSK(AES)
Infrastructure Mode:
WEP(64/128 bit), WPA-PSK(TKIP/AES),
WPA2-PSK(TKIP/AES)
WPA2-PSK(TKIP/AES)
Access Point Mode:

Access Point Mode WPA2-PSK(AES) MF443dw/MF445dw

MF443dw/MF445dw:
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
IW Management Console: Server-based software for
centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote
eMaintenance services such as meter capture, automatic
consumables management and remote diagnostics
Application Library

MF446x/MF449x:
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
iW Management Console: Server-based software for
centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote
eMaintenance services such as meter capture, automatic
consumables management and remote diagnostics.
Universal Log-in Manager / uniFLOW online / uniFLOW
online Express / uniFLOW Compatibility
Application Library

GENERAL FEATURES

Recommended Monthly Print Volume

Duty cycle **Processor Speed** Memory Control panel Dimensions with trays (W x D x H) 750 - 4,000 pages per month

Max. 80,000 pages per month⁷

800MHz x 2

1GB

12.7 cm I CD Colour Touch Screen 453 mm x 464 mm x 392 mm

Canon

TECHNICAL SPECIFICATIONS

i-SENSYS MF440 Series

Installation space (W x D x H)

Weight

Operating environment

Approx. 17.2 Kg

Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)

Power Source Power Consumption 220-240V(±10%) 50/60Hz (±2Hz)

682 mm x 1,083 mm x 895 mm

Maximum: Approx. 1,370 W Standby: Approx. 9.4 W Sleep mode: Approx. 0.9 W Typical Electricity Consumption (TEC): 1.0 kWh/week (230V)²² For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/ For_Work/Lot26/index.aspx

Sound Pressure⁸: Active: 53 dB Standby: Inaudible⁹

Sound Power⁸: Active: 72.2 dB Standby: Inaudible⁹

CONSUMABLES

Cartridges

Cartridge 057 (3,100 pages ¹⁰)¹¹ Cartridge 057H (10,000 pages ¹⁰)¹¹

ACCESSORIES/ OPTIONS

Items

MF443dw: CST.Feeding Module-AH1 (550-sheet cassette) MF445dw: CST.Feeding Module-AH1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset)

MF446x:
CST.Feeding Module-AHI (550-sheet cassette)
Barcode Printing Kit-E1E
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)
Micard Plus (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Attachment Kit-B1
Send PDF Security Feature Set-E1

MF449x:
CST.Feeding Module-AH1 (550-sheet cassette)
TEL 6 Kit Long Cord (Telephone handset)
Barcode Printing Kit-EIE
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Altachment Kit-BI
Send PDF Security Feature Set-EI

Send PDF Security Feature Set-EI

- $^{\scriptsize{ ext{II}}}$ A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- [2] Accessory Barcode Printing Kit-E1E is required
- $^{\scriptscriptstyle{[3]}}$ Accessory Send PDF Security Feature Set-E1 is required
- [4] Scan by MF Scan Utility or Canon PRINT Business app
- [5] Based on ITU-T Standard Chart No. 1
- ^[6] Linux support both printing and scanning Available from December 2019.
- Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- [8] Declared noise emission in accordance with ISO 9296
- Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- [10] Based on ISO/IEC 19752
- [11] Printer ships with Cartridge 057 (3,100 pages)
- [12] As per US ENERGY STAR* version2.0.



FAST AND EFFICIENT MULTIFUNCTIONAL BLACK AND WHITE LASER PRINTERS

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF443dw	3514C008AA	4549292133738
i-SENSYS MF445dw	3514C007AA	4549292133721
i-SENSYS MF446x	3514C006AA	4549292133714
i-SENSYS MF449x	3514C005AA	4549292133707

ACCESSORIES:

Mercury Code	EAN Code
	LAIT COUL
0732A033AA	4549292092769
4784B001AA	4960999679686
5140B002AA	4549292027228
5145B001AA	4960999780269
5146B002AA	4549292027235
5143B002AA	N/A (e-delivery)
9594B002AA	N/A (e-delivery)
0752A054AA	4960999453910
	4784B001AA 5140B002AA 5145B001AA 5146B002AA 5143B002AA 9594B002AA

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 057	3009C002AA	4549292136258
Cartridge 057 H	3010C002AA	4549292136289



Canon Inc. canon.com

Canon Europe

canon-europe.com

English edition © Canon Europa N.V.,2019

