

Jeashia® 质上®

Medical Product Catalogue 2019

Our aim is to provide
innovative & humanized products and services



Zhejiang Honsun Medical Technology Co.,Ltd.

Sanjiang Street, Building 8 of Art & Crafts Park, Beiao Industrial Estate,
325100 Wenzhou, Zhejiang, PEOPLE'S REPUBLIC OF CHINA
<http://hongshun2000.en.alibaba.com>
Exmail: jeashia@jeashia.com
Tel: 86-0577-88832888 18006882596
Fas: 86-0577-88870611
P.C. 325100

浙江鸿顺医疗科技有限公司

地址: 浙江省温州市永嘉县三江街道北岙工业区工艺美术园
电话: 86-0577-88832888 18006882596
传真: 86-0577-88870611
网址: <http://hongshun2000.en.alibaba.com>
邮箱: Jeashia@Jeashia.com
邮编: 325100



<http://hongshun2000.en.alibaba.com>

Aim for health



KNOW HONSUN ALL

>Manufacturing Center

HONSUN is a medical instrument enterprise group, which specializes in research, exploitation, production, and distribution of healthcare product. JEASHIA is an brand by HONSUN.

Our Products include Otoscope, Fiber optic Otoscope, Ophthalmoscope, Tongue depressor, Integrated diagnostic system and so on.

We have a professional and nice team to serve over 100 countries.

浙江鸿顺医疗科技有限公司是一家集制造、研发、贸易为一体的医疗器械企业，“Jeashia®质上®”是我们的商标。

本公司专业生产ENT五官科系列诊断产品，包括光纤、非光纤检耳镜、检眼镜、口腔镜、鼻腔镜、压舌板器、台式、墙式ENT等诊断系统。

我们拥有一支专业、优秀的团队，产品销售到了100多个国家。



QUALITY CONTROL

In 2009, when we started our business, we decided that we would provide the best quality product to all of our clients. The story of HONSUN shows that we have done a great job in quality control, earning us a fantastic reputation.

We take quality control measures during every step of production. Therefore, we have obtained the CE certificate.

从2009年开始，我们就努力为我们的客户提供优质的产品，在质量控制方面已做了大量工作。并且在生产的每一个环节都严格控制产品质量。荣获了CE认证。



CONTENTS

01	Classic ENT Diagnostic series 经典五官科诊断系列	Pages 01-10
	Otoscope.....	01
	Ophthalmoscope.....	06
	ENT.....	10
02	ENT Diagnostic Kits 五官科诊断套装	Pages 11-15
	Small Gift Box Set.....	11
	Big Gift Box Set.....	14
03	Chargeable Diagnostic Series 可充电诊断系列	Pages 16-19
	Single Hole Charging.....	16
	Double Hole Charging.....	18
04	Integrated Diagnostic Series 综合诊断系统	Pages 20-25
	W100.....	20
	V100M.....	21
	S100.....	23
	W500.....	24
	W500M.....	25
05	Other Diagnostic Series 其他诊断系列	Pages 26-38
	Tourniquet.....	26
	Diagnostic Pen Light.....	29
	Medical Gift Series.....	32
	Neurological Hammer.....	34
	Medical Gift Series.....	43
06	Accessories 配件	Pages 44-46



多项专利技术

Numbers of patented technologies

专利号: ZL 2017 2 1193865.X 专利号: ZL 2016 3 0555403.2



领先的LED光源技术

Advanced LED light source technology



先进的IC亮度控制系统

Advanced IC brightness control system



低电量时灯泡亮度稳定输出系统

Advanced IC brightness control system



光源的显色指数CRI ≥ 90, 以确保真实的色彩还原

The light source CRI ≥ 90, ensure to insure real color rendition






HS-OT10J

Specification

- Direct illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- The clip with integrated on/off switch
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Colors to choose
- 直接照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 固定夹扣式on/off 开关
- 3200k和6000k色温LED灯和XHL 卤素灯可选
- 五种颜色可选择



Direct illumination

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.9/4.5

Gross and net weight(Kgs/Ctn)Battery containing

Specification

- Direct illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Standard handle,handy and convenient
- The clip with integrated on/off switch
- 直接照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k和6000k色温LED灯和XHL 卤素灯可选
- 标准型手柄，轻巧方便
- 固定夹扣式on/off 开关



Direct illumination



HS-OT10G

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.8/6.3


Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10N

Specification

- Fiber optic illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Supplied by 2xAA alkaline batteries
- 光纤照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k和6000k色温LED灯和XHL 卤素灯可选
- 2×AA碱性电池



Fiber optic illumination


Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.9/4.5

Gross and net weight(Kgs/Ctn)Battery containing

Specification

- Fiber optic illumination
- 3X magnification for the large size viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The socket of ear insufflation bulb
- 光纤照明
- 3倍放大的大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k与6000k色温LED灯和XHL 卤素灯可选
- 气囊球插口



Fiber optic illumination



HS-OT10S

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.5/4.1


Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10

Specification

- Fiber optic illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- 光纤照明
- 3倍放大观察视窗
- 2.4mm/3mm/4mm/5mm 耳套2组
- 3200k和6000k色温的LED灯和XHL 卤素灯可选



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.8/6.3



Specification

- Fiber optic illumination
- 3X magnification for the large size viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- The socket of ear insufflation bulb
- 3200k and 6000k color temperature of LED bulb and XHL xenon halogen bulb to optional
- 光纤照明
- 3X放大的大观察视窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 气囊球插口
- 3200k和6000k色温的LED灯和XHL 卤素灯可选



HS-OT10D

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	7.0/6.5

Gross and net weight(Kgs/Ctn)Battery not included


NEW + LED



HS-OT10L

Specification

- 3X magnification for the large size viewing window
- Fiber optic illumination
- The socket of ear insufflation bulb
- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- CRI≥90%, It's more color reducibility
- Built-instant current IC circuit, The light effect is more stable
- 3X大观察视窗
- 光纤照明系统
- 气囊球插口
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 显指≥90%色彩还原性强
- 手柄内置恒流稳压芯片，光效稳定



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	7.0/6.5

Specification

- Anti-scratch glass large viewing window of 3x magnification
- Fiber optic illumination
- The socket of ear insufflation bulb
- Supplied by 2xAA alkaline batteries (not included)
- The deluxe LCD screen handle can be adjust the brightness of the light source
- 防刮玻璃3倍放大的大观察窗
- 光纤照明系统
- 气囊球插口
- 2×AA碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度



Gift box of insufflation bulb



HS-OT10R

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	7.5/7.0

Gross and net weight(Kgs/Ctn)Battery not included

LED



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	11.1/10.6

Gross and net weight (Kgs/Ctn) Battery containing

HS-OT10F


Specification

- Fiber optic illumination
- Anti-scratch glass large viewing window of 3x magnification
- 3200k or 6000k color temperature LED bulb as light source
- For pneumatic testing
- Li-ion rechargeable battery, long life
- Micro USB charger interface is very convenient for charging
- Metal handle for the refined texture

- 光纤照明
- 防刮玻璃3倍放大的大观察窗
- 3200k或6000k色温LED灯光源
- 可鼓膜气动检查
- 锂电池供电，长寿命
- MicroUSB充电接口，充电方便
- 精致手感的金属手板



Two charging methods



Fiber optic illumination



HS-OP10S

Specification

- Simple handle
- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses : -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The clip with integrated on/off switch
- 简易型手柄
- 5种光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 4000k色温LED灯和XHL卤素灯可选
- 固定夹扣式on/off开关




Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OP10S	193x102x32	400x215x195	20	4.0/3.6

Gross and net weight (Kgs/Ctn) Battery not included



+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20



Specification

- Coaxial parallel light principle
- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses : -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The clip with integrated on/off switch
- Standard handle, handy and convenient
- 同轴平行光原理
- 5种光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 4000k色温LED灯和XHL卤素灯可选
- 固定夹扣式on/off开关
- 标准型手柄，轻巧方便



Color optional (HS-OP10)



Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OP10	190x110x40	400x240x230	20	6.5/6.0

Gross and net weight (Kgs/Ctn) Battery not included



HS-OP10

NEW + LED



Package content


Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.5/6.0

Gross and net weight(Kgs/Ctn)Battery not included

HS-OP10L

Specification

- Optical glass lens and 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses : -20d~+20d
- Supplied by 2xAA alkaline batteries (not included)
- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- Built-instant current IC circuit, The light effect is more stable
- 3200k color temperature of warm white light
- CRI≥90%, ensure to insure real color rengition.



+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20

- 光学玻璃透镜，五种不同光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 2xAA碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 手柄内置恒流稳压芯片，光效稳定
- 3200K色温的暖白光照明
- 显指≥90%以确认真实的彩色还原。

NEW + LED



Package content



Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x100x40	400x240x230	20	6.2/5.7

Gross and net weight(kgs/Ctn) Battery not included

HS-OP10R

Specification

- Coaxial parallel light principle
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of adjustable corrective lenses ,Range of lenses : -35D~+40D
- Supplied by 2XAA alkaline batteries (not included)
- Deluxe LCD screen handle can be adjustable the brightness of light source
- CRI≥90%, ensure to insure real color rengition.
- Constant current IC circuit, maintain the optimal lighting effect
- Low power consumption led bulb, long life of 20000 h



+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	0
-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

- 同轴平行光原理
- 6种光阑和无赤滤光、钴蓝滤光分别与每个光阑切换
- 29种屈光透镜，屈光范围：-35D~+40D
- 2×A碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度
- 显指≥90%以确认真实的彩色还原。
- 内置恒流稳压芯片，光效稳定
- 低功耗LED灯，寿命长达2万小时

LED



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	10.0/9.5



Gross and net weight(Kgs/Ctn)Battery containing

HS-OP10F

Specification

- Coxial parallel light principle
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of adjustable corrective lenses, Range of lenses : -35D-+40D
- 4000k color temperature LED bulb as light source
- Li-ion rechargeable battery so long life
- Micro USB charger interface so convenient charging
- Deluxe metal handle, strong and durable

- 同轴平行光原理
- 6种光阑和无赤滤光、钴蓝滤光可分别与每个光阑切换
- 29种屈光透镜，屈光范围：-35D~+40D
- 4000k色温LED灯光源
- 锂电池供电，长寿命
- Micro use充电接口，充电方便
- 精致的金属手柄，坚固耐用



+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	0
-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

NEW + LED



The disposable laryngeal mirror head (optional)
可选一次性口腔镜头

LCD screen handle
The brightness of bulb can be adjusted

HS-OT10E 液晶屏手柄
灯泡亮度可调节

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10Y	190x110x40	400x240x230	20	7.5/7.0
HS-OT10E	190x110x40	400x240x230	20	7.8/7.3
HS-OT10H	190x110x40	400x240x230	20	7.0/6.5
HS-OT10K	190x110x40	400x240x230	20	7.2/6.7

Gross and net weight(Kgs/Ctn)Battery not included

HS-OT10K

HS-OT10H

HS-OT10K3



HS-OT10Y3

HS-OT10H3



HS-OT10E3

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10Y3	190x110x40	400x240x230	20	7.3/6.8
HS-OT10E3	190x110x40	400x240x230	20	7.6/7.1
HS-OT10H3	190x110x40	400x240x230	20	6.8/6.3
HS-OT10K3	190x110x40	400x240x230	20	7.0/6.5

NEW + LED



HS-OTP10L-KEY

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
275x160x56	340x295x310	10	9.8/9.1

Gross and net weight(Kgs/Ctn)Battery not containing



- The handle can be selected as a standard type of handle
- 手柄可选配为标准型手柄



- Fiber optic illumination
- 3X magnification for the viewing window
- The socket of ear insufflation bulb
- 光纤照明
- 3倍放大的大观察视窗
- 气囊球插口



- 2x optical glass observation window lens
- It can be upgrade to the HS-OT10H operating otoscope
- Smooth metal design of dilator, strong and durable. It doesn't damage the mucosa
- 2.4mm/3mm/4mm/5mm ear tips for operating otoscope
- 2x光学玻璃观察窗镜片
- 可升级为HS-OT10H手术耳镜
- 圆润外形金属扩张器，坚固耐用，不伤黏膜
- 手术耳镜用2.4mm/3mm/4mm/5mm耳套



- Coaxial parallel light principle
- Optical glass lens, 5 different apertures
- 19 kinds of dioptic lenses, Range of lenses : -20D~+20D
- 同轴平行光原理
- 光学玻璃透镜，五种光阑
- 19种屈光透镜，范围：-20D~+20D



- Patented tongue-depressor ejectable device
- Suitable for disposable wooden tongue depressors
- 拥有专利的压舌板弹出装置
- 适用一次性木质压舌板
- 专利号：ZL 2016 2 1097562.3



- Clear observation with antifogging lens
- Search bar and lens are removable
- Straight rod or Curved rod are optinal
- 防雾镜片，观察清晰
- 可拆卸的探索杆和镜头
- 弯杆直杆可选择



- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- Built-instant current IC circuit, The light effect is more stable
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 手柄内置恒流稳压芯片，光效稳定



HS-OTP10S-A

- Simple handle
- 2.4mm/3mm/4mm/5mm ear tips of one groups
- A head of fiber optic otoscope (OT10S)
- A head of direct ophthalmoscope (OP10S)
- 简易型手柄
- 两组2.2mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜 (OT10S) 头部
- 一个直接检眼镜 (OP10S) 头部



HS-OTP10A

- A standard handle
- 2.4mm/3mm/4mm/5mm ear tips
- A head of fiber optic otoscope (OT10)
- A head of direct ophthalmoscope (OP10)
- 一个标准型手柄
- 一组2.2mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜 (OT10) 头部
- 一个直接检眼镜 (OP10) 头部



HS-OTP10B-1

- A fiber optic otoscope (OT10)
- A direct ophthalmoscope (OP10)
- 2.4mm/3mm/4mm/5mm ear tips two groups
- 一个光纤检耳镜 (OT10)
- 一个直接检眼镜 (OP10)
- 两组2.2mm/3mm/4mm/5mm 耳套



HS-OTP10B

- A fiber optic otoscope(OT10)
- A direct ophthalmoscope(OP10)
- 2.4mm/3mm/4mm/5mm tips tow groups
- Soft nylon bag
- 一个光纤检耳镜 (OT10)
- 一个直接检眼镜 (OP10)
- 两组2.2mm/3mm/4mm/5mm 耳套
- 尼龙布袋

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OTP10S-A	193x102x32	400x215x195	20	5.2/4.8
HS-OTP10A	190x110x40	400x240x230	20	7.5/7.0
HS-OTP10B	190x110x48	400x215x265	20	6.5/6.0
HS-OTP10B-1	190x110x40	400x240x230	20	8.4/7.9

Gross and net weight(Kgs/Ctn)Battery not included

XHL + LED

NEW + LED



HS-OT10L-K

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个口腔镜头部



HS-OP10L-K

- A deluxe LCD screen handle
- A head of direct ophthalmoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 一个直接检眼镜头部
- 一个口腔镜头部



HS-OTP10L

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部



HS-OTP10L-K

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一光纤检耳镜头部
- 一个直接检眼镜头部
- 一个口腔镜头部



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10L-K	190x110x40	400x240x230	20	7.6/7.1
HS-OP10L-K	190x110x40	400x240x230	20	8.1/7.6
HS-OTP10L	190x110x40	400x240x230	20	7.7/7.2
HS-OTP10L-K	190x110x40	400x240x230	20	8.9/8.4

Gross and net weight(Kgs/Ctn)Battery not included

NEW + LED



HS-OT10L-KY

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of laryngeal mirror and reflector lens
- A head of tongue depressor holde
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个口腔镜头部和反光镜头
- 一个压舌板器头部
- 5片压舌板



HS-OP10L-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of direct ophthalmoscope
- A head of fiber optic otoscope
- A head of nasal speculum
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个直接检眼镜头部
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部



HS-OT10Y-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of laryngeal mirror and reflector lens
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



HS-OP10L-KEY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of direct ophthalmoscope
- A head of laryngeal mirror and reflector lens
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个直接检眼镜头部
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10L-KY	275x160x56	340x295x310	10	8.4/7.7
HS-OP10L-KE	275x160x56	340x295x310	10	8.4/7.7
HS-OT10Y-KE	275x160x56	340x295x310	10	9.0/8.3
HS-OP10L-KEY	275x160x56	340x295x310	10	9.0/8.3

Gross and net weight(Kgs/Ctn)Battery not included



HS-OTP10L-EY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor

NEW + LED

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



HS-OTP10L-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of nasal speculum
- A head of laryngeal mirror and reflector lens

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个鼻腔镜头部
- 一个口腔镜头部和反光镜头



HS-OTP10L-KY

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of tongue depressor holder
- A head of laryngeal mirror and reflector lens
- 5 pcs tongue depressor

- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个压舌板器头部
- 一个口腔镜头部和反光镜头
- 5片压舌板



HS-OT10L-KEY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of nasal speculum
- A head of tongue depressor holder
- A head of laryngeal mirror and reflector lens
- 5 pcs tongue depressor

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个鼻腔镜头部
- 一个压舌板器头部
- 一个口腔镜头部和反光镜头
- 5片压舌板

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OTP10L-EY	275x160x56	340x295x310	10	9.2/8.5
HS-OTP10L-KE	275x160x56	340x295x310	10	8.8/8.1
HS-OTP10L-KY	275x160x56	340x295x310	10	8.2/7.5
HS-OT10L-KEY	275x160x56	340x295x310	10	9.5/8.7

Gross and net weight (Kgs/Ctn) Battery not included



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄



HS-OT10C

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套
- AA Ni-Mh 2.4V rechargeable battery
2.4V AA镍氢充电电池
- Single-charger
单孔充电座

XHL + LED



HS-OT10K3-C

- Search bar and lens are removable
可拆卸的探索杆和镜头
- Straight rod or Curved rod are optional
弯杆直杆可选择



HS-OP10C

- 5 different apertures
五种光阑
- 19 kinds of adjustable corrective lenses,
Range of lenses: -20d~+20d
19种屈光镜片, 范围: -20D~+20D



HS-OT10E3-C

- 2x optical glass observation window lens
2x光学玻璃观察窗镜片
- It can be upgrade to the HS-OT10H
可升级为HS-OT10H手术耳镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器



HS-OT10Y3-C

- Patented tongue-depressor ejectable device
拥有专利的压舌板弹出装置

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K3-C	206x173x88	460x390x330	12	11.6/10.6
HS-OT10C	206x173x88	460x390x330	12	11.5/10.5
HS-OP10C	206x173x88	460x390x330	12	11.0/10.0
HS-OT10Y3-C	206x173x88	460x390x330	12	11.8/10.8
HS-OT10E3-C	206x173x88	460x390x330	12	11.9/10.9

Gross and net weight (Kgs/Ctn) Battery containing

- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
3200k和6000k色温LED灯和XHL卤素灯可选



HS-OT10L-C

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套
- AA Ni-Mh2.4V rechargeable battery
2.4V Aa镍氢充电电池
- Single-charger
单孔充电座

- Search bar and lens are removable
可拆卸的探索杆和镜头
- Straight rod or Curved rod are optinal
弯杆直杆可选择



HS-OP10L-C

- 5 different aperturus
五种光阑
- 19 kinds of adjustable corrective lenses,
Range of lenses : -20d~+20d
19种屈光镜片, 范围:-20D~+20D

- 2x optical glass observation window lens
2x光学玻璃观察窗镜片
- It can been upgrade to the HS-OT10H
可升级为HS-OT10H手术耳镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器



HS-OT10Y-C

- Patented tongue-depressor ejectable device
拥有专利的压舌板弹出装置



Start charging



Finish charging

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K-C	206x173x88	460x390x330	12	11.6/10.6
HS-OT10L-C	206x173x88	460x390x330	12	11.5/10.5
HS-OP10L-C	206x173x88	460x390x330	12	11.0/10.0
HS-OT10Y-C	206x173x88	460x390x330	12	11.8/10.8
HS-OT10E-C	206x173x88	460x390x330	12	11.9/10.9

Gross and net weight(Kgs/Ctn)Battery containing

NEW + LED



HS-OT10K-C



HS-OT10E-C

XHL + LED



HS-OTP10-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A rechargeable ophthalmoscope
一个可充电的检眼镜
- 2.4mm/3mm/4mm/5mm tips of two groups
两组2.4mm/3mm/4mm/5mm耳套
- One insufflation bulb
一个鼓气球
- Double charger
双孔充电座
- Gift box of set package
礼盒套装

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A laryngeal mirror of chargeable
一个可充电口腔镜



HS-OT10K3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A operating otoscope of chargeable
一个可充电手术耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套



HS-OT10H3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A nasal speculum of chargeable
一个可充电鼻腔镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器



HS-OT10E3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A tongue depressor of chargeable
一个可充电压舌板



HS-OT10Y3-C2

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K3-C2	206x173x88	460x390x330	12	14.6/13.6
HS-OTP10-C2	206x173x88	460x390x330	12	14.3/13.3
HS-OT10Y3-C2	206x173x88	460x390x330	12	14.7/13.7
HS-OT10E3-C2	206x173x88	460x390x330	12	15.0/14.0
HS-OT10H3-C2	206x173x88	460x390x330	12	14.5/13.5

Gross and net weight(Kgs/Ctn)Battery included

Chargeable Diagnostic Series
可充电诊断系列



HS-OTP10L-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A rechargeable ophthalmoscope
一个可充电的检眼镜
- 2.4mm/3mm/4mm/5mm tips of two groups
两组2.4mm/3mm/4mm/5mm耳套
- One insufflation bulb
一个鼓气球
- Double charger
双孔充电座
- Gift box of set package
礼盒套装

NEW + LED



HS-OT10K-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A laryngeal mirror of chargeable
一个可充电口腔镜



HS-OT10H-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A operating otoscope of chargeable
一个可充电手术耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套



HS-OT10E-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A nasal speculum of chargeable
一个可充电鼻腔镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器



HS-OT10Y-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A tongue depressor of chargeable
一个可充电舌板

Start charging Finish charging



Patent protection
专利号: ZL 2016 3 0230884.X

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K-C2	206x173x88	460x390x330	12	14.6/13.6
HS-OTP10L-C2	206x173x88	460x390x330	12	14.3/13.3
HS-OT10Y-C2	206x173x88	460x390x330	12	14.7/13.7
HS-OT10E-C2	206x173x88	460x390x330	12	15.0/14.0
HS-OT10H-C2	206x173x88	460x390x330	12	14.5/13.5

Gross and net weight(Kgs/Ctn)Battery included

Integrated Diagnostic Series
综合诊断系统



CODE ORDER INFORMATION

HS-W100	• W1+W1.1+W2+W3+W4+W5
HS-W200	• W1+W1.1+W3+W4+W5
HS-W300	• W1+W1.1+W2+W5
HS-W400	• W1+W1.1+W2
HS-OT10W	• W1+W1.1
HS-OP10W	• W2

- Can be upgraded to desktop rechargeable series
可升级为台式充电系列



[W1] Fiber Optic Otoscope

- 3X magnification for the large size viewing window
- Fiber optic illumination
- The socket of ear insufflation bulb
- Supplied by 2xAA alkaline batteries (not included)
- The LCD screen handle can adjust the brightness of the light source
- Optical SMT LED technology, CRI≥90%
- Constant current IC circuit, maintain the optimal lighting effect
- Modular stainless steel bracket is convenient and durable



- 3倍放大的观察视窗
- 光纤照明
- 气囊球插口
- 2XAA碱性电池(不包含)
- 液晶屏手柄, 可以调节光源亮度
- Optical SMT LED 技术, 显指≥90%
- 内置恒流稳压芯片, 光效稳定
- 模块化不锈钢支架, 方便耐用

[W2] Direct Ophthalmoscope

- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses: -20D~+20D
- The LCD screen handle can adjust the brightness of the light source
- CRI≥90%, it is more color reducibility
- Optical SMT LED technology, low power consumption and long life



- 五种光阑
- 19种屈光透镜, 屈光度范围: -20D~+20D
- 液晶屏手柄, 可以调节光源亮度
- 显指≥90% 色彩还原性强
- Optical SMT LED技术, 低功耗、长寿命

[W1.1] Tip Dispenser

- Tip size: 2.4mm/3mm/4mm/5mm dia
- Each model: 12 pieces
- Single tube arrangement easy to extract
- module bracket save space



- 耳套尺寸2.4mm/3mm/4mm/5mm
- 每个型号12个
- 模块支架, 节省空间
- 单管排列, 抽取方便

[W3] Laryngeal Mirror

- Search rod and lens are removable to convenient detoxification
- Anti-fog lens the clear observation
- Straight rod or Curved rod are optional
- Optional disposable laryngeal mirror head for easy installation and disassembly



- 可拆卸的探索杆及镜头, 方便消毒
- 防雾镜片, 观察清晰
- 直杆, 弯杆可选
- 可选配一次性镜头, 便于安装和拆卸

[W4] Nasal Speculum

- 2x optical glass observation window lens
- It can upgrade to the HS-OT10H operating otoscope
- Nasal speculum tip use 9mm dia
- Operating otoscope tips use 2.2mm/3mm/4mm/5mm dia
- Dilator and speculum tip can be sterilized using high temperature at 134°C



- 2X光学玻璃观察窗镜片
- 可升级为HS-OT10H手术检耳镜和耳套
- 鼻腔镜用9mm耳套(窥鼻器尖端)
- 手术耳镜用2.2mm/3mm/4mm/5mm耳套
- 扩张器和耳套可134度高温蒸汽消毒

[W5] Tongue Depressor Holder

- It is more convenient to use with tongue-depressor ejectable device
- Plastic and standard wooden spatula can be employed universally



- 压舌板弹出装置, 使用更安全
- 塑料压舌板和一次木质压舌板可通用