

SURGICAL PRODUCT

APPAVISC PFS

(Hydroxypropyl Methyl Cellulose Ophthalmic Solution USP 2.0 % w/v)

pH (Potential Hydrogen)	Viscosity (In Cps)	Shelf life
6.0 to 7.8	NLT 5000	2 Years

Indication for Use:

In cataract Extraction surgery, Intraocular Lens implantation , Keratoplasty, used in the treatment of dry eye disease.

2mL

3mL

APPAVISC (Glass Vial)

(Hydroxypropyl Methyl Cellulose Ophthalmic Solution USP 2.0 % w/v)

pH (Potential Hydrogen)	Viscosity (In Cps)	Shelf life
6.0 to 7.8	NLT 5000	2 Years

Indication for Use:

In cataract Extraction surgery, Intraocular Lens implantation , Keratoplasty, used in the treatment of dry eye disease.

3mL

5mL

CLEAR SOL (Non-PVC Bags)

(Sterile Ophthalmic Irrigating Solution (BSS))

pH (Potential Hydrogen)	Shelf life
6.8 to 7.4	2 Years

Indication for Use:

Use in Refractive surgery, Phacoemulsification, Vitrectomy, Corneal Irrigation , Extraocular irrigation in consulting room, used to draw water out of the cornea of the eye.

100mL

250mL

500mL

COHEVISC 1.0 (PFS)

(Sodium Hyaluronate Ophthalmic Solution 1.0 % w/v)

pH (Potential Hydrogen)	Viscosity (In Cps)	Shelf life
7.0 to 7.5	NLT 50000	2 Years

Indication for Use:

Use in phacoemulsification surgery, cataract surgery, trabeculectomy Cataract extraction, Intraocular lens (IOL) implantation, Corneal transplantation surgery, Glaucoma filtering surgery, Surgical procedures to reattach the retina, Vitrectomy.

1mL

COHEVISC 1.4 (PFS)

(Sodium Hyaluronate Ophthalmic Solution 1.4 % w/v)

pH (Potential Hydrogen)	Viscosity (In Cps)	Shelf life
7.0 to 7.5	NLT 80000	2 Years

Indication for Use:

Use in phacoemulsification surgery, cataract surgery, trabeculectomy Cataract extraction, Intraocular lens (IOL) implantation, Corneal transplantation surgery, Glaucoma filtering surgery, Surgical procedures to reattach the retina, Vitrectomy.

1mL

COHEVISC 1.8 (PFS)

(Sodium Hyaluronate Ophthalmic Solution 1.8 % w/v)

pH (Potential Hydrogen)	Viscosity (In Cps)	Shelf life
7.0 to 7.5	NLT 100000	2 Years

Indication for Use:

Use in phacoemulsification surgery, cataract surgery, trabeculectomy Cataract extraction, Intraocular lens (IOL) implantation, Corneal transplantation surgery, Glaucoma filtering surgery, Surgical procedures to reattach the retina, Vitrectomy.

1mL

TRYPAN BLUE SOLUTION (Glass Vial)

(Trypan Blue Intra Ocular Solution 0.6 mg)

pH (Potential Hydrogen)	Shelf life
6.5 to 7.8	2 Years

Indication for Use:

Indicated for use as an aid in ophthalmic surgery by staining the anterior capsule of the lens.

1mL

MOXIFUR (Glass Vial)

(Moxifloxacin Hcl Ophthalmic Solution USP 0.5% w/v)
(Intracameral use only)

pH (Potential Hydrogen)	Shelf life
6.3 to 7.3	2 Years

Indication for Use:

As prophylaxis antibiotic in preventing postoperative anterior chamber reaction and ultimately endophthalmitis in cataract extraction

1mL